



wiha 
Premium Tools

Complete Bits Program



TorqueControl Insert & Micro Bit Sets



DESCRIPTION	Page
TorqueControl Bit Sets	4

ESD Safe Micro Bit Handles/Bits & Sets



DESCRIPTION	Page
Micro Bits	5-7



ESD Safe Micro Bit Sets	8
-------------------------	---

ESD 1/4" Quick Release Bit Holder Blade Set



DESCRIPTION	Page
1/4" Quick Release	9

Insert & Power Bit Sets



Stubby Bit Holder Sets	10
------------------------	----




BitFlip Sets	11
--------------	----



Topra Ratchet Bit Sets	12
------------------------	----



XSelector/XLSelector Sets	13
---------------------------	----



6-in-1 Multi-Bit Sets	14
-----------------------	----




Insert Bit Selectors	15-16
----------------------	-------



Power Bit Belt Packs	18
----------------------	----



PokitPak Sets	16,20
---------------	-------



Security Bits Collector	17
-------------------------	----

Cutting Tools



DESCRIPTION	Page
Counter Sink	20



Drill Bit	20
-----------	----

High Performance Bits



DESCRIPTION	Page
Slotted Dura Insert Bits Tungsten Carbide Coated	19



Phillips Dura Bits Insert/Power Bits - Tungsten Carbide Coated	19
---	----



Pozidriv® Dura Bits Insert/Power Bits - Tungsten Carbide Coated	19
--	----



Torx® Dura Insert Bits Tungsten Carbide Coated	19
---	----



Slotted Diamond Bits	19
----------------------	----



Phillips Diamond Bits Insert/Power Bits	19
--	----



Pozidriv® Diamond Bits	19
------------------------	----



Torx® Diamond Bits	19
--------------------	----



Phillips TiN Coated Insert/Power Bits - Titanium	20
---	----



Torx® TiN Coated - Titanium	20
-----------------------------	----


Standard Bits



DESCRIPTION	Page
Slotted Insert/Power Bits	21



Phillips Insert/Power Bits	22
----------------------------	----



Torx® Insert/Power Bits	24-27
-------------------------	-------



Hex Metric & Inch Insert/Power Bits	28-29
--	-------



Pozidriv® Insert/Power Bits	31
-----------------------------	----













Square Insert/Power Bits	30
--------------------------	----











Nut Setters	34-35
-------------	-------

Specialty Bits

DESCRIPTION	Page
 Xeno Phillips Terminal Block	23
 Ball End Torx®	27
 Torx® Align Bits Insert/Power Bits	25
 Tamper Resistant Torx® Insert/Power Bits	26
 Tamper Resistant Hex	29
 Spanner	31
 Tri-wing Insert/Power Bits	30
 Torq Set Insert/Power Bits	31
 TorxPlus® Insert/Power Bits	27
 Micro Bits - 4mm Slotted/Phillips/Hex/Torx®	5-6

Bit Holders

DESCRIPTION	Page
 ESD Safe Bit Holders	9
 SoftFinish® Cushion Grip	32
 MicroFinish Non-Slip Grip	32
 3K Ergo Bit Holder	32
 T-handle	32
 SoftGrip Stubby Bit Holder	32
 Flexible Shaft Bit Holder	32
 Drive-Loc VI Bit Holder	32
 Insulated Bit Holder SoftFinish® Cushion Grip	33
 Protturn Precision	32
 Multi-Bit Holders	33

Bit Holders

DESCRIPTION	Page
 ClicFix Quick Release Insert Bits	27,33
 CentroFix Quick Release All 1/4" Drive Tools	27,33
 Protturn Quick Release 1/4" Drive	33
 Stainless Steel Bit Holder	33
 Magnetic Bit Holders & Retaining Ring Bit Holder	34
 Auto Lock Insert Bit Holder	34
 Micro Bit Power Tool Adapter	6

Bit Sockets

DESCRIPTION	Page
 Torx® 1/4" Drive	36
 Torx® 3/8" Drive	36
 Torx® 3/8" - 5/16" Bits	36
 Tamper Resistant Torx® 3/8"	36
 Slotted Bit Sockets 1/2" Drive	37
 Phillips Bit Socket 1/2" Drive	37
 Hex Bit Sockets 1/4" Drive	37
 Hex Bit Sockets 3/8" Drive	37
 Ball End Hex Sockets	37
 Socket Adapters	38
 Impact Bit Holding Sockets	38
 6" Bit Sockets 1/4" & 3/8" Drive	38
 Socket Sets	39-40

Wiha Adjustable TorqueControl Tool Sets In Durable Storage Box




With Certificate of Calibration



With Certificate of Calibration


285 90 24 Piece TorqueVario-S Micro-Bit Set

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

Item No.		
285 90	Slotted: 1.5, 2.0, 3.0, 4.0mm Phillips: #00, #0, #1	lbs.
	TORX® : T6, T7, T8, T9, T10, T15	1.33
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32	
	28504 - Handle Range 7.5 - 20 Inch lbs.	

285 93 24 Piece TorqueVario-S Micro-Bit Set

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

Item No.		
285 93	Slotted: 1.5, 2.0, 3.0, 4.0mm Phillips: #00, #0, #1	lbs.
	TORX® : T6, T7, T8, T9, T10, T15	1.33
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32	
	28501 - Handle Range 15-80 Inch/oz (+/- 10%)	



53 Piece Set

With Certificate of Calibration



59 Piece Set

With Certificate of Calibration


285 95 53 Piece TorqueVario-S Bit Set, In Storage Box

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 50 Insert bits, 1/4" Bit holder and Torque adjustment tool.

Item No.		
285 95	Slotted: 4.5, 5.5, 6.5, 8.0mm	lbs.
	Phillips: #0, #1, #2, #3	2.85
	TORX® : T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	
	Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	
	Pozidriv: #0, #1, #2, #3	
	Torq Set: #4, #5, #6, #8	
	Square: #1, #2, #3	
	Triwing: #0, #1, #2, #3, #4	
	28506 - Handle Range 10 - 50 Inch lbs.	
	28581 - 1/4" Bit Holder	

285 89 59 Piece TorqueVario-S Bit Set, In Storage Box

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes 3 ergonomic multi-component adjustable TorqueVario-S handles, 39 Insert bits, 15 Sockets, 1/4" Bit holder, 1/4" Hex to 1/4" Square adapter and Torque adjustment tool.

Item No.		
285 89	Slotted: 4.5, 5.5, 6.5mm	lbs.
	Phillips: #0, #1, #2	2.58
	TORX® : T5, T6, T7, T8, T9, T10, T15, T20, T25, T30	
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	
	Pozidriv: #1, #2	
	Square: #1, #2, #3	
	Inch Sockets: 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"	
	Metric Sockets: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm	
	3 Handles: 15-80 Inch/oz., 5-10 & 10-50 Inch lbs.	
	1/4" Bit Holder & 1/4"Hex to 1/4" Square adapter	

Wiha SYSTEM 4 Micro Bits

**SYSTEM 4
Handles &
Micro Bits**



Tips
Exact fit,
precision
machined

Rotating Cap
for precise
turning and
control

Tapered Handle
allows rapid rotation,
requires less clearance

Bits CVM steel,
hardened

Use bits directly in handle or with 4" bit extension



758 00 SYSTEM 4 Standard Precision Bit Handle

Rotating control cap for precise turning and control. Wiha Precision handle, tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
758 00	4.0	.1574	14.0	.55	.06



758 01 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle

with rotating control cap. Wiha precision handle, tapered, high quality plastic, impact resistant.

Advantages:

- For working in ESD sensitive applications
Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits
- 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
758 01	4.0	.1574	14.0	.55	.06



750 SYSTEM 4 Slotted Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
750 08	0.8	28	1.1	.01
750 12	1.2	28	1.1	.01
750 15	1.5	28	1.1	.01
750 18	1.8	28	1.1	.01
750 20	2.0	28	1.1	.01
750 25	2.5	28	1.1	.01
750 30	3.0	28	1.1	.01
750 35	3.5	28	1.1	.01
750 40	4.0	28	1.1	.01



751 SYSTEM 4 Phillips Bits High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item				
No.	Size	mm	Inch	lbs.
751 05	000	28	1.1	.01
751 10	00	28	1.1	.01
751 15	0	28	1.1	.01
751 20	1	28	1.1	.01



753 SYSTEM 4 Hex Metric Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
753 07	.71	28	1.1	.01
753 09	.89	28	1.1	.01
753 13	1.27	28	1.1	.01
753 15	1.5	28	1.1	.01
753 20	2.0	28	1.1	.01
753 25	2.5	28	1.1	.01
753 30	3.0	28	1.1	.01
753 40	4.0	28	1.1	.01



753 SYSTEM 4 Hex Inch Bits High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item				
No.	Inch	mm	Inch	lbs.
753 07	.028	28	1.1	.01
753 09	.035	28	1.1	.01
753 13	.050	28	1.1	.01
753 50	1/16	28	1.1	.01
753 52	5/64	28	1.1	.01
753 54	3/32	28	1.1	.01
753 56	7/64	28	1.1	.01
753 58	1/8	28	1.1	.01
753 60	9/64	28	1.1	.01
753 40	5/32	28	1.1	.01



Wiha SYSTEM 4 Micro Bits



757 SYSTEM 4 TORX® Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
757 03	T3	28	1.1	.01
757 04	T4	28	1.1	.01
757 05	T5	28	1.1	.01
757 06	T6	28	1.1	.01
757 07	T7	28	1.1	.01
757 08	T8	28	1.1	.01
757 09	T9	28	1.1	.01
757 10	T10	28	1.1	.01
757 15	T15	28	1.1	.01
757 20	T20	28	1.1	.01



757 SYSTEM 4 TORX® Tamper Resistant Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
757 27	T7s	28	1.1	.01
757 28	T8s	28	1.1	.01
757 29	T9s	28	1.1	.01
757 35	T10s	28	1.1	.01
757 39	T15s	28	1.1	.01
757 42	T20s	28	1.1	.01



753 SYSTEM 4 Metric Tamper Resistant Hex Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
753 22	2.0	28	1.1	.01
753 27	2.5	28	1.1	.01
753 32	3.0	28	1.1	.01
753 42	4.0	28	1.1	.01



753 SYSTEM 4 Tamper Resistant Hex Inch Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	Inch	mm	Inch	lbs.
753 62	5/64	28	1.1	.01
753 64	3/32	28	1.1	.01
753 66	7/64	28	1.1	.01
753 68	1/8	28	1.1	.01
753 70	9/64	28	1.1	.01
753 72	5/32	28	1.1	.01

Micro Bit 1/4" Drive Power Tool Adapter



NEW
From Wiha

759 02 Micro Bit 1/4" Drive Power Tool Adapter

Shaft CVM steel, hardened, corrosion protected.

For 4mm bits. 2.3" OAL

Item				
No.	Size	mm	mm	lbs.
759 02	4.0	60	4.0	.07

SYSTEM 4 Micro Bit Extension Blades



759 00 Extension blade for SYSTEM 4 Micro Bits

Shaft CVM steel, hardened, corrosion protected.

Ball retainer bit extension for 4 mm bits.

Item				
No.	Size	mm	mm	lbs.
759 00	4.0	100	4.0	.07



759 01 Magnetic Bit extension blade for SYSTEM 4 Micro Bits

Shaft Chrome-vanadium-molybdenum steel, hardened, corrosion protected. Magnetic bit holder.

Item				
No.	Size	mm	mm	lbs.
759 01	4.0	105	4.0	.04

SYSTEM 4 Interchangeable Bit Set

759 90 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. in Canvas Pouch. Includes Wiha precision handle, bit extension & 38 interchangeable bits.


Item SYSTEM 4

No. Combination Bit Set

759 90 Set with ESD Safe Precision Handle

Set includes the following bits:

- Slotted Sizes:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips Sizes:** 000, 00, 0, 1
- TORX® Sizes:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- Hex Metric Sizes:** 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch Sizes:** .028(.7), .035(.9), .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- 105mm Bit Extension**
- lbs. .65**



40 Pc. Set



Wiha SYS 4 Micro Bits & Compact Bit Sets

759 99 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension & 24 interchangeable bits.



- Item No. Combination Bit Set**
759 99 Set with Standard Precision Handle
Set includes the following bits:
 ↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm
Phillips: 000, 00, 0, 1
Hex Metric: .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
105mm Bit Extension
lbs. .34



757 sets SYSTEM 4 TORX® Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box.



- Sets includes Wiha precision handle, bit extension and 9 Wiha interchangeable bits.
Item SYSTEM 4 TORX® Bit Set
No. Set with ESD Safe Precision Handle
757 92 and the following bits:
TORX® Sizes:
 T3, T4, T5, T6, T7, T8, T9, T10, T15
105mm Bit Extension
lbs. .26




753 SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension and 16 Wiha interchangeable bits.



- Item No. Combination Bit Set**
753 95 Set with Standard Precision Handle
Includes the following bits:
Hex Metric: .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
105mm Bit Extension
lbs. .31




759 sets SYSTEM 4 Slotted/Phillips/Hex Inch/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, bit extension and 25 Wiha interchangeable bits.



- Item Handle Options for SYSTEM 4**
No. Combination Bit Sets
759 91 Set with Standard Precision Handle
759 92 Set with ESD Safe Precision Handle
Sets include the following bits:
 ↓ **Slotted Sizes:** 1.5, 2.0, 3.0, 4.0mm
Phillips Sizes: 000, 00, 0, 1
TORX® Sizes: T3, T4, T5, T6, T7, T8, T9, T10, T15
Hex Inch Sizes: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
105mm Bit Extension
lbs. .34




759 96 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Storage Box. Includes Wiha precision handle, bit extension & 38 interchangeable bits.



- Item SYSTEM 4**
No. Combination Bit Set
759 96 Set with ESD Safe Precision Handle
Set includes the following bits:
 ↓ **Slotted Sizes:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
Phillips Sizes: 000, 00, 0, 1
TORX® Sizes: T3, T4, T5, T6, T7, T8, T9, T10, T15
Hex Metric Sizes: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
Hex Inch Sizes: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
105mm Bit Extension
lbs. 1.04



759 94 SYSTEM 4 Slotted/Phillips/Hex Metric/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.



- Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.
Item SYSTEM 4
No. Combination Bit Set
759 94 Set with ESD Safe Precision Handle
Set includes the following bits:
 ↓ **Slotted Sizes:** 1.5, 2.0, 3.0, 4.0mm
Phillips Sizes: 000, 00, 0, 1
TORX® Sizes:
 T3, T4, T5, T6, T7, T8, T9, T10, T15
Hex Metric Sizes:
 .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
105mm Bit Extension
lbs. .26



Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Light weight & compact

Rotation cap

Handle tapered for precise control

Bits hardened for extreme durability

Surface resistance of handles is $10^6 - 10^9$ Ohms

NEW
From Wiha




750 93 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

750 93 Set with ESD Safe Precision Handle

Set includes the following bits:

- ⚡ ⚡ **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⊗ **TORX®:** T6, T7, T8, T9, T10, T15, T20
- **105mm Bit Extension**
- ⚖ **lbs.** .17



NEW
From Wiha




750 95 SYSTEM 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

750 95 Set with ESD Safe Precision Handle

Set includes the following bits:

- ⚡ ⚡ **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⬢ **Hex Metric:** .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **105mm Bit Extension**
- ⚖ **lbs.** .17



NEW
From Wiha



750 94 SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

750 94 Set with ESD Safe Precision Handle

Set includes the following bits:

- ⚡ ⚡ **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⬢ **Hex Inch:** .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"
- **105mm Bit Extension**
- ⚖ **lbs.** .17



NEW
From Wiha



750 96 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

750 96 Set with ESD Safe Precision Handle

Set includes the following bits:

- ⬢ **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⬢ **Hex Metric:** .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **105mm Bit Extension**
- ⚖ **lbs.** .17



NEW
From Wiha

Wiha ESD Safe SoftFinish Cushion Grip Bit Holders

NEW
From Wiha

Bit holders without magnetics

Dissipative material offers protection against electrostatic discharge

For working on static sensitive components








Surface resistance of handles is $10^6 - 10^9$ Ohms



NEW
From Wiha








387 01 ESD Safe Quick Release 1/4" Bit Holder, With Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173 Stainless steel with retaining ring bit holder. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance $10^6 - 10^9$ Ohm.

Item							
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
387 01	1/4"	148	5.8	38	1.5	.18	1



NEW
From Wiha

281 80 ESD Safe Stubby 1/4" Bit Holder With Ring Retainer, Cushion Grip Wiha-SoftFinish® Handle, IEC 61340-5-1, DIN 3126, ISO 1173 Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance $10^6 - 10^9$ Ohm.

Item					
No.	Inch	mm	Inch	lbs.	pkg.
281 80	1/4"	57	2.2	.11	1



In Durable Pouch

NEW
From Wiha

Surface resistance of handle is $10^6 - 10^9$ Ohms



387 90 ESD Safe 1/4" Quick Release Blade Holder Set With Interchangeable 70mm Blades & Quick Release Blade Holder

20 Pc. set includes ESD Safe Quick Release Holder, cushion grip handle. 70mm blades are CVM tool steel, hardened. Also includes a Quick Release blade extension.

Item	No.	387 90
Slotted:	2.5, 3.0, 3.5, 4.0, 5.5, 6.5mm	Phillips: 0, 1, 2
TORX®:	T6, T7, T8, T9, T10, T15	Pozidriv®: 0, 1, 2





Wiha SoftFinish® Cushion Grip Stubby Bit Holder

Stubby 6 in 1 Multi-Bit Driver Sets

Ergo soft grip handles



Stainless steel bit holder

Bits hardened for extreme durability

Just 2.5" over all length



380 43 SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

- ↓ **Slotted Sizes:** 4.5, 6.5 lbs.
- Phillips Sizes:** #1, #2 lbs.
- Pozidriv® Sizes:** #1, #2 .20



380 48 SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

- ↓ **Slotted Sizes:** 4.5, 6.5 lbs.
- Phillips Sizes:** #1, #2 lbs.
- Square Sizes:** #1, #2 .20



380 45 TORX® SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

- TORX® Sizes:** T8, T10, T15, T20, T25, T30 lbs. .20



380 47 Security TORX® SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

- Security TORX® Sizes:** T8s, T10s, T15s, T20s, T25s, T30s lbs. .20



380 56 Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

- Ball Hex Sizes:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs. .21



380 58 Hex Inch SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

- Hex Inch Sizes:** 3/16, 5/32, 9/64, 1/8, 7/64, 3/32" lbs. .21



380 57 Hex Metric SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.


Set includes the following 1/4" bits:

- Hex Metric Sizes:** 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm lbs. .21

Wiha BitFlip Sets - Insulated & Standard

“8 In 1 Bit Sets”

BitFlip standard SoftFinish® handle, multi-component, cushion grip, easy access & 8 bit storage



Blade CVM tool steel, hardened

BitFlip Insulated

Each insulated tool individually tested to 10,000 volts



380 16 Slotted/Phillips/Square BitFlip Insulated
 Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.
Set includes the following 1/4" bits:

↓ ● Slotted Sizes: 4.5, 6.5mm	↔
⊕ Phillips Sizes: 0, 1, 2, 3	lbs.
○ Square Sizes: 1, 2	.45

380 26 Slotted/Phillips/Square BitFlip Standard
 with Wiha cushion grip handle and CVM tool steel shaft.
Set includes the following 1/4" bits:

↓ ● Slotted Sizes: 4.5, 6.5mm	↔
⊕ Phillips Sizes: 0, 1, 2, 3	lbs.
○ Square Sizes: 1, 2	.44



380 17 Slotted/Phillips/TORX® BitFlip Insulated
 Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.
Set includes the following 1/4" bits:

↓ ● Slotted Sizes: 4.5, 6.5mm	↔
⊕ Phillips Sizes: 1, 2	lbs.
⊛ TORX® Sizes: T10, T15, T20, T25	.45

380 27 Slotted/Phillips/TORX® BitFlip Standard
 with Wiha cushion grip handle and CVM tool steel shaft.
Set includes the following 1/4" bits:

↓ ● Slotted Sizes: 4.5, 6.5mm	↔
⊕ Phillips Sizes: 1, 2	lbs.
⊛ TORX® Sizes: T10, T15, T20, T25	.44



380 18 Slotted/Phillips BitFlip Insulated
 Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.
Set includes the following 1/4" bits:

↓ ● Slotted Sizes: 4.5, 5.5, 6.5, 8.0mm	↔
⊕ Phillips Sizes: 0, 1, 2, 3	.45

380 28 TORX® BitFlip Standard
 with Wiha cushion grip handle and insulated shaft.
Set includes the following 1/4" bits:


⊛ TORX® Sizes: T8, T10, T15, T20, T25, T27, T30, T40	↔
	lbs.
	.44

Wiha Torque Ratchet Bit Sets

Smooth, high torque, silent ratchet handle

Pistol Grip Handle ergonomic design with free running mechanism. Instant clutch engagement allows constant turning pressure on the fastener.

Hex Retainer
for bit holder
blades




No release of handle is needed, change of direction can be made with index finger and thumb. **Allows for** quick adjustment to right, left or fixed turning.


Opens a new generation of easier torque transmission



282 00 Topra Handle


Wiha-Topra handle, high quality plastic, impact resistant. Rated to 150in/lbs. Fits all Wiha Drive-Loc VI Blades.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
282 00	6.0	100	3.94	85	3.35	.48



282 95 TORX® Topra Ratchet Bit Set, 12 Pcs.


Set Includes Topra Handle, Magnetic Bit Holder & The Following Bits: lbs.

 **TORX® Sizes:** T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 .65

282 97 Tamper Resistant TORX® Topra Ratchet Bit Set, 12 Pcs.


Set Includes Topra Handle, Magnetic Bit Holder & The Following Bits: lbs.

 **Tamper Resistant TORX® Sizes:** T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s .65





282 96 Slotted/Phillips/TORX® Topra Ratchet Bit Set, 12 Pc.

Set includes Topra Handle, Magnetic bit holder and the following bits: lbs.

 **Slotted Sizes:** 5.5, 6.5, 8.0mm .69


 **Phillips Sizes:** 0, 1, 2, 3


 **TORX® Sizes:** T10, T15, T20



282 98 Hex Inch Topra Ratchet Bit Set, 12 Pc.


Set includes Topra Handle, Magnetic bit holder and the following bits: lbs.

 **Hex Inch Sizes:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



282 99 Hex Metric Topra Ratchet Bit Set, 10 Pc.

Set includes Topra Handle, Magnetic bit holder and the following bits: lbs.

 **Hex Metric Sizes:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm .65



282 91 57 Piece Topra Ratchet Set

 Set includes: Topra Handle & Dynamic Handle 1/4" Bit Holder & 1/4" Hex to 1/4" Square Adapter lbs.

2.03 **Slotted:** 4.5, 5.5, 6.5mm **Phillips:** 0, 1, 2

TORX®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30

Pozidriv®: 1, 2 **Square:** 1, 2, 3 **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

Sockets Inch: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"

Sockets Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm

Wiha XSelector & XLSelector Bit Sets

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool



Easy bit access with hinged cover

XLSelector Pocket Sized 5.3" x 3.1" x .7"



XSelector Pocket Sized 3 1/8" x 2 1/8" x 1/2"

Sets include Clicfix quick release holder

794 Sets XSelector Bit Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.



794 43 XSelector Bit Set With Slotted, Phillips, and TORX® Bits
Set Includes Quick Release Holder and the following 10 bits: lbs.

- ↓ Slotted Sizes: 5.5, 6.5, 8.0mm .27
- ⊕ Phillips Sizes: 0, 1, 2, 3
- ⊗ TORX® Sizes: T10, T15, T20



794 45 XSelector Bit Set With TORX® Bits
Set Includes Quick Release Holder and the following 10 bits: lbs.

- ⊗ TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



794 47 XSelector Bit Set With Tamper Resistant TORX® Bits
Set Includes Quick Release Holder and the following 10 bits: lbs.

- ⊗ TR TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s



794 50 XSelector Bit Set With Security TORXPlus® Bits
Set Includes Quick Release Holder and the following 7 bits: lbs.

- ⊗ TORXPlus® Sizes: IPR8, IPR10, IPR15, IPR20, IPR25, IPR27, IPR30



794 46 XSelector Bit Set With Hex Inch Bits
Set Includes Quick Release Holder and the following 10 bits: lbs.

- ⬠ Hex Inch Sizes: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha XLSelector 31Piece Bit Sets



794 95 XLSelector Bit Set With Slotted, Phillips, TORX®, Hex Bits
31 Piece Set Includes: Universal Power Bit Holder-magnetic and the following 30 bits: lbs.

- ↓ Slotted: 5.5, 6.5, 8.0mm
- ⊕ Phillips: 0, 1, 2, 3
- ⊗ TORX®: T6, T7, T8, T9, T10, T15, T20, T25
- ⬠ Metric Hex: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
- ⬠ Inch Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



794 90 XLSelector Security Bit Set
31 Piece Set Includes: Universal Power Bit Holder-magnetic and the following 30 bits: lbs.

- ↓ Slotted: 6.5mm
- ⊕ Phillips: 1, 2
- ⊗ Tamper Resistant TORX®: T8s, T10s, T15s, T20s, T25s
- ⬠ Tamper Resistant Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"
- ⊖ Spanner: 4, 6, 8, 10
- ⊕ Torq Set: 6, 8, 10
- ⬠ Square: 1, 2
- ⊕ Pozidriv: 1, 2
- ⚙ Triwing: 2, 3, 4, 5

Wiha Multi-Bit Screwdrivers

Six Tools in One!

1/4" Magnetic Bit Holder directs magnetism through the bit for powerful screw holding

Cap rotates eliminating palm blisters **Allows one handed** turning & frees other hand for positioning the work piece



Ergonomic Powerhandle for maximum comfort and exceptional torque

Chambered Bit Storage

- In the handle
- Turn the transparent selector to the bit you need
- No time wasted fumbling or sorting to find the right bit

Cap snaps on & off, doesn't unscrew while you're using the tool


380 Sets Multi-Bit Screwdriver Sets with Wiha Powerhandle,


cellulose-acetate, impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector and 6 bits. 1/4" Bit holder, stainless steel. Shaft chrome-vanadium-molybdenum steel, hardened, chrome-plated. Packaged in clear blister package. Blade Length = 120mm (4.7") Overall Length = 230mm (9")



380 06 Slotted/Phillips Multi-Bit Screwdriver with Wiha Powerhandle and insulated shaft.


Set includes the following 1/4" bits: 


 **Slotted Sizes:** 5.5, 6.5mm lbs.

 **Phillips Sizes:** 0, 1, 2, 3 .39

380 07 Slotted/Phillips/Square Multi-Bit Screwdriver with Wiha Powerhandle and insulated shaft.

Set includes the following 1/4" bits: 

 **Slotted Sizes:** 6.5, 8.0mm lbs.


 **Phillips Sizes:** 1, 2 .41

 **Square Sizes:** 1, 2




380 03 TORX® Multi-Bit Screwdriver with Wiha Powerhandle.

Set includes the following 1/4" bits: 

 **TORX® Sizes:** lbs.
T5, T6, T7, T8, T9, T10 .40


380 04 TORX® Multi-Bit Screwdriver with Wiha Powerhandle.

Set includes the following 1/4" bits: 

 **TORX® Sizes:** lbs.
T8, T9, T10, T15, T20, T25 .40

380 08 TORX® Multi-Bit Screwdriver with Wiha Powerhandle.

Set includes the following 1/4" bits: 

 **TORX® Sizes:** lbs.
T10, T15, T20, T25, T30, T40 .36

380 09 Tamper Resistant TORX® Screwdriver with Wiha Powerhandle.

Set includes the following 1/4" bits: 

 **Tamper Resistant TORX® Sizes:** lbs.
T7s, T8s, T9s, T10s, T15s, T20s .36

380 10 Tamper Resistant TORX® Screwdriver with Wiha Powerhandle.

Set includes the following 1/4" bits: 








 **Tamper Resistant TORX® Sizes:** lbs.
T10s, T15s, T20s, T25s, T30s, T40s .41

Wiha ClicFix Quick Release Magnetic Holder



380 30 ClicFix Quick Release Magnetic Bit Holder

Blade high alloy chrome-vanadium-molybdenum steel, hardened, chrome-plated. Wiha Powerhandle high quality plastic, impact resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs	pkg.
380 30	1/4"	120	4.7	230	9.0	.27	10





380 33 Slotted/Phillips & ClicFix Quick Release Magnetic Bit Holder



7 Pc. Set with Wiha Powerhandle and CVM steel, hardened shaft.

Set includes the following 1/4" bits: 

 **Slotted Sizes:** 6.5, 8.0mm lbs.

 **Phillips Sizes:** 0, 1, 2, 3 .43

Wiha Bit Selectors

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Slide out drawer allows quick bit access and secure storage

Plastic storage box is compact, durable and light weight



Molded hex cavity in box end
Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

1/4" Magnetic Adapter fits all standard 1/4" bits

792 Sets Bit-Selector Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



792 42	Bit-Selector With TORX® Bits	
	Set includes magnetic 1/4" bit holder	↔ lbs.
	and the following 10 bits:	
	TORX® Sizes: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30	.32

792 45	Bit-Selector With TORX® Bits	
	Set includes magnetic 1/4" bit holder	↔ lbs.
	and the following 10 bits:	
	TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	.32

792 47	Bit-Selector With Tamper Resistant TORX® Bits	
	Set includes magnetic 1/4" bit holder	↔ lbs.
	and the following 10 bits:	
	Tamper Resistant TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s	.32

701 90	Bit-Selector With Tamper Resistant TORX® Bits	
	Set includes the following 7 bits:	↔ lbs.
	Tamper Resistant TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T25s	.21



792 46	Bit-Selector With Hex Inch Bits	
	Set includes magnetic 1/4" bit holder	↔ lbs.
	and the following 10 bits:	
	Hex Inch Sizes: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.32

792 56	Bit-Selector With Hex Metric Bits	
	Set includes magnetic 1/4" bit holder	↔ lbs.
	and the following 8 bits:	
	Hex Metric Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	.30



792 66	Bit-Selector With Tamper Resistant Hex Inch Bits	
	Set includes magnetic 1/4" bit holder	↔ lbs.
	and the following 9 bits:	
	Hex Inch Sizes: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.31



792 43	Bit-Selector With Slotted, Phillips and TORX® Bits	
	Set includes magnetic 1/4" bit holder	↔ lbs.
	and the following 10 bits:	
	Slotted Sizes: 5.5, 6.5, 8.0mm	.31
	Phillips Sizes: 0, 1, 2, 3	
	TORX® Sizes: T10, T15, T20	

792 48	Bit-Selector With Slotted, Phillips and Square Bits	
	Set includes magnetic 1/4" bit holder	↔ lbs.
	and the following 10 bits:	
	Slotted Sizes: 5.5, 6.5, 8.0mm	.32
	Phillips Sizes: 0, 1, 2, 3	
	Square Sizes: 1, 2, 3	

710 90	Bit-Selector with Slotted, Phillips & Hex 1/4" Bits	
	Set includes magnetic 1/4" ClicFix bit holder	↔ lbs.
	and the following 9 bits:	
	Slotted Sizes: 4.5, 5.5, 6.5	.25
	Phillips Sizes: 1, 2, 3	
	Hex Sizes: 1/8, 5/32, 3/16	

Wiha Insert Bit Selectors



716 90 Bit-Selector With **TORXPlus** Bits
Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.
TORXPlus Sizes: .31
 IP7, IP8, IP9, IP10, IP15, IP20, IP25
 IP27, IP30, IP40

716 92 Bit-Selector With **TORXPlus** Bits
Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.
TORXPlus Sizes: .31
 IP3, IP4, IP5, IP6, IP7, IP8, IP9,
 IP10, IP15, IP20



710 94 Bit-Selector With Dura Insert 1/4" Bits
Set Includes Magnetic 1/4" Bit Holder and The Following 10 Bits: lbs.
 Slotted Sizes: 5.5, 6.5, 8.0mm .29
 Phillips Sizes: 1, 2, 3
TORX Sizes: T10, T15, T20, T25



713 99 Bit-Selector With Metric & Inch MagicRing Insert 1/4" Bits
Set Includes Magnetic 1/4" Bit Holder and The Following 10 Bits: lbs.
 No Ball End .46
 Hex Metric Sizes: 3.0, 4.0, 5.0, 6.0mm
 Hex Inch Sizes: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



792 76 Bit-Selector With Ball End Hex Inch Bits
Set includes magnetic 1/4" bit holder and the following 8 bits: lbs.
 Ball End Hex Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha Insert PokitPaks



711 95 PokitPak - **TORX** Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits & Magnetic Bit Holder
TORX: lbs.
 T8, T10, T15, T20, T25, T30 .15



711 98 PokitPak - Slotted & Phillips Insert Bits In Molded Case - Set Includes 6 - 1/4" Insert Bits & Magnetic Bit Holder
 Slotted: 4.5, 6.5mm lbs.
 Phillips: 0, 1, 2, 3 .15



711 96 PokitPak - Phillips TiN Coated Insert Bits In Molded Case - Set Includes 6 - 1/4" Insert Bits
 Phillips Sizes: 2 of each - 1, 2, 3 lbs. .31



719 98 PokitPak - Security Hex Inch Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits
 Inch Security Hex: lbs.
 3/32, 7/64, 1/8, 9/64, 5/32, 3/16" .12



719 95 PokitPak - Security Hex Metric Insert Bits In Molded Case
 Set Includes 6 - 1/4" Insert Bits lbs.
 Metric: 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm .31

NEW
From Wiha

NEW
From Wiha

NEW
From Wiha

Bits
Tungsten
Carbide
Coated

Titanium
Coated

Wiha Security Bits Collector



719 90 Bits Collector with Security Bits, Tamper Resistant **TORX**, Triwing, Torq Set, Spanner, Tamper Resistant Hex, Slotted, Phillips, Pozidriv®, and Square bits. 39 Piece Set
Set includes: Handle, 1/4" magnetic bit holder, 1/4" Bit holding socket adapter, storage box and the following 1/4" bits:

- ⊗ Tamper Resistant **TORX** Sizes:
T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
 - ⊕ Triwing Sizes: 1, 2, 3, 4
 - ⊕ Torq Set Sizes: 6, 8, 10
 - ⊖ Spanner Sizes: 4, 6, 8, 10
 - ⊙ Tamper Resistant Hex Sizes:
5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
 - ⊕ Slotted Sizes: 6.5, 8.0mm
 - ⊕ Phillips Sizes: 1, 2
 - ⊕ Pozidriv® Sizes: 0, 1, 2, 3
 - ⊙ Square Sizes: 1, 2, 3
- 📦 lbs. 1.03



With Quick Release Holder

719 91 Bits Collector with Security Bits, Tamper Resistant **TORX**, Triwing, Torq Set, Spanner, Tamper Resistant Hex, Slotted, Phillips, Pozidriv®, and Square bits. 39 Piece Set
Set includes: Handle, Clicfix quick release bit holder 1/4" Bit holding socket adapter, storage box and the following 1/4" bits:

- ⊗ Tamper Resistant **TORX** Sizes:
T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
 - ⊕ Triwing Sizes: 1, 2, 3, 4
 - ⊕ Torq Set Sizes: 6, 8, 10
 - ⊖ Spanner Sizes: 4, 6, 8, 10
 - ⊙ Tamper Resistant Hex Sizes:
5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
 - ⊕ Slotted Sizes: 6.5, 8.0mm
 - ⊕ Phillips Sizes: 1, 2
 - ⊕ Pozidriv® Sizes: 0, 1, 2, 3
 - ⊙ Square Sizes: 1, 2, 3
- 📦 lbs. 1.04

NEW
From Wiha



719 94 Bits Collector with **TORX**, Slotted, Phillips, Pozidriv®, Square and Hex Inch bits. 26 Piece Set

Set includes: Handle, 1/4" bit holder, storage box and the following 1/4" bits:

- ⊗ **TORX** Sizes: T8, T10, T15, T20, T25, T27, T30, T40
 - ⊕ Slotted Sizes: 4.5, 5.5, 6.5mm
 - ⊕ Phillips Sizes: 1, 2
 - ⊕ Pozidriv® Sizes: 1, 2, 3
 - ⊙ Square Sizes: 1, 2
 - ⊙ Hex Inch: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16"
- 📦 lbs. .89

Drive-Loc VI Adjustable



Adjustable locking
(7/8" - 3 1/2" in
1/8" increments)



719 97 Drive-Loc VI Bits Collector with Security Bits, Tamper Resistant **TORX**, Triwing, Torq Set, Spanner, Tamper Resistant Hex, Slotted, Phillips, Pozidriv®, and Square bits. 39 Piece Set

Set includes: Drive-Loc VI Handle & 4" Bit Holder, Socket, storage box and the following 1/4" bits:



- ⊗ Tamper Resistant **TORX** Sizes:
T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
 - ⊕ Triwing Sizes: 1, 2, 3, 4
 - ⊕ Torq Set Sizes: 6, 8, 10
 - ⊖ Spanner Sizes: 4, 6, 8, 10
 - ⊙ Tamper Resistant Hex Sizes:
5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
 - ⊕ Slotted Sizes: 6.5, 8.0mm
 - ⊕ Phillips Sizes: 1, 2
 - ⊕ Pozidriv® Sizes: 0, 1, 2, 3
 - ⊙ Square Sizes: 1, 2, 3
- 📦 lbs. 1.05

Wiha Power Bit Belt Packs







749 81 Power Bit Belt Pack With **TORX®** Align Bits
Set includes the following 10 bits:  lbs.
 **TORX®** Sizes: T6, T7, T8, T9, lbs.
 T10, T15, T20, T25, T27, T30 .28





749 82 Power Bit Belt Pack With **TORXPlus®** Bits
Set includes the following 10 bits:  lbs.
 **TORXPlus®** Sizes: IP6, IP7, IP8, IP9, lbs.
 IP10, IP15, IP20, IP25, IP30 .28






749 83 Power Bit Belt Pack With Slotted, Phillips & **TORX®** Bits
Set includes the following 10 bits:  lbs.
 Slotted Sizes: 4.5, 5.5, 6.5mm lbs.
 Phillips Sizes: 1, 2, 3 .30
 **TORX®** Sizes: T10, T15, T20, T25





749 85 Power Bit Belt Pack With **TORX®** Bits  lbs.
Set includes the following 10 bits: lbs.
 **TORX®** Sizes: T6, T7, T8, T9, lbs.
 T10, T15, T20, T25, T27, T30 .28







749 86 Power Bit Belt Pack With Inch & Metric Hex Bits
Set includes the following 10 bits:  lbs.
 Inch Sizes: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.
 Metric Sizes: 3.0, 4.0, 5.0, 6.0mm .34




749 87 Power Bit Belt Pack With Security **TORX®** Bits
Set includes the following 10 bits:  lbs.
 Security **TORX®** Sizes: T7s, T8s, T9s, lbs.
 T10s, T15s, T20s, T27s, T25s, T30s, T40s .29




749 88 Power Bit Belt Pack With Slotted, Phillips & Square Bits
Set includes the following 10 bits:  lbs.
 Slotted Sizes: 3.0, 4.5, 5.5, 6.5mm lbs.
 Phillips Sizes: 1, 2, 3 .30
 Square Sizes: 1, 2, 3



749 89 Power Bit Belt Pack With Screw Holding Hex MagicRing Bits
Set includes the following 10 bits:  lbs.
 Inch Sizes: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.
 Metric Sizes: 3.0, 4.0, 5.0, 6.0mm .34

Dura Torsion Insert and Power Bits

With the Dura bit Wiha has again proved it's power of innovation. The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.



Torsion Zone

Carbide Coated

Positive location in the screw head with decrease of:

- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect



711 Dura Bits, Phillips, 1/4"

Item	+	—	↵
No.	Size	mm	lbs.
711 11	1	25	.02
711 12	2	25	.02
711 13	3	25	.02



715 Dura Bits, TORX®, 1/4"

Item	+	—	↵
No.	Size	mm	lbs.
715 74	T10	25	.02
715 76	T15	25	.02
715 78	T20	25	.02
715 80	T25	25	.02
715 82	T30	25	.02
715 84	T40	25	.03



712 Dura Bits, Pozidriv, 1/4"

Item	+	—	↵
No.	Size	mm	lbs.
712 11	1	25	.02
712 12	2	25	.02
712 13	3	25	.02



741 Dura Phillips Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	+	—	↵
No.	Size	mm	lbs.
741 41	1	50	.04
741 42	2	50	.04
741 43	3	50	.04



742 Dura Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	+	—	↵
No.	Size	mm	lbs.
742 41	1	50	.04
742 42	2	50	.04
742 43	3	50	.04



710 Dura Bits, Slotted, 1/4"

Item	+	—	↵		
No.	mm	Inch	mm	Inch	mm
710 10	0.6	.024	4.5	.177	25
710 11	0.8	.030	5.5	.216	25
710 12	1.0	.039	5.5	.216	25
710 13	1.2	.039	6.5	.255	25

Diamond Torsion Insert and Power Bits

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.



Torsion Zone

Diamond Coated

- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

Reduction of:

- pressure forces to be applied
- wear and tear of bit and screw head
- working time
- working costs
- Cam-out effect

The ideal bit even for the most difficult of applications



710 Diamond Bits, Slotted, 1/4"

Item	+	—	↵		
No.	mm	Inch	mm	Inch	mm
710 20	4.5	.177	0.6	.024	25
710 21	5.5	.216	0.8	.030	25
710 22	5.5	.216	1.0	.039	25
710 23	6.5	.255	1.2	.039	25
710 24	8.0	.315	1.2	.063	25



711 Diamond Bits, Phillips, 1/4"

Item	+	—	↵
No.	Size	mm	lbs.
711 81	1	25	.02
711 82	2	25	.02
711 83	3	25	.02



712 Diamond Bits, Pozidriv®, 1/4"

Item	+	—	↵
No.	Size	mm	lbs.
712 21	1	25	.02
712 22	2	25	.02
712 23	3	25	.02



715 Diamond Bits, TORX®, 1/4"

Item	+	—	↵
No.	Size	mm	lbs.
715 16	T10	25	.02
715 17	T15	25	.02
715 18	T20	25	.02
715 19	T25	25	.02
715 21	T30	25	.02
715 22	T40	25	.03




741 Diamond Phillips Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	+	—	
No.	Size	mm	lbs.
741 61	1	50	.03
741 62	2	50	.03
741 63	3	50	.04

Wiha TiN Coated Insert/Power Bits

The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance

Titanium Coated



741 Phillips TiN Coated Power Bits.
1/4" Hex Drive, Length 2.0"/50mm

Item	+	≡	↵
No.	Size	mm	lbs.
741 01	1	50	.04
741 05	2	50	.04
741 08	3	50	.04

TiN - Titanium Nitride



715 TORX® TiN Coated Insert Bits, 1/4"

Item	+	≡	↵
No.	Size	mm	lbs.
715 85	T5	25	.02
715 86	T6	25	.02
715 87	T7	25	.02
715 88	T8	25	.02
715 62	T9	25	.02
715 63	T10	25	.02
715 64	T15	25	.02
715 65	T20	25	.02
715 66	T25	25	.02
715 69	T27	25	.02
715 67	T30	25	.02
715 68	T40	25	.02

TiN - Titanium Nitride



711 Phillips TiN Coated Insert Bits, 1/4"

Item	+	≡	↵
No.	Size	mm	lbs.
711 21	1	25	.02
711 22	2	25	.02
711 23	3	25	.02

TiN - Titanium Nitride



711 Phillips TiN Coated Insert Bits.
1/4" Hex Drive, Length 2.0"/50mm

Item	+	≡	↵
No.	Size	mm	lbs.
711 41	1	50	.04
711 42	2	50	.04
711 43	3	50	.04


TiN - Titanium Nitride



711 96 PokitPak - Phillips TiN Coated Insert Bits In Molded Case -

- Set Includes 6 - 1/4" Insert Bits
- Phillips Sizes: 2 of each - 1, 2, 3
- lbs. .31

Wear Characteristics



Countersink & Drill Bits

High quality HSS steel, ground with radial relief. Universal application in metal, plastic and wood. Guarantees outstanding chip removal, chatter free operation & smooth surface finish.

High Precision Tool Holder For Countersinks & Drill Bits



Quick release tool holder for Drills, Countersinks & Power bits

714 80 CentroFix Bit Holder

Item	+	↵	≡	≡	↵
No.	Size	Size	mm	Inch	lbs.
714 80	1/4"	1/4"	60	2.3	.09

90° Countersink Bit - 1/4" Shank



786 HSS 1/4" Drive 90° Countersinks

High quality HSS steel, ground with radial relief. 1/4" Hex shank according to DIN 3126 C 6.3.

Item	≡	≡	screw	≡		
No.	Size	Inch	mm	Inch	size	pkg
786 15	6.3	.26	35	1.38	M3	1
786 17	8.3	.33	35	1.38	M4	1
786 19	10.4	.41	35	1.38	M5	1
786 21	12.4	.49	35	1.38	M6	1
786 22	16.5	.65	35	1.38	M8	1
786 24	20.5	.81	35	1.38	M10	1

1/4" Shank High Speed Drill Bits



780 1/4" Shank Stubby High Speed Drill Bits
DIN 3126 C 6.3.

Item	≡	≡	↵	
No.	Size	Inch	pkg	lbs.
780 02	1/16	1.26	1	.02
780 05	3/32	1.41	1	.02
780 08	1/8	1.57	1	.02
780 11	5/32	1.73	1	.03
780 15	3/16	1.97	1	.03
780 18	1/4	1.97	1	.03

Slotted Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life

Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine Hardness HRC 59-61

Wiha Slotted Insert Bits and Power Bits



710 Slotted Insert Bits, 1/4" Hex Drive, Length 25mm/.984"

Item	↕	↕	↕	↕	↕
No.	mm	Inch	mm	Inch	pkg.
710 01	4.5	.177	0.6	.024	10
710 04	5.5	.216	0.8	.030	10
710 02	6.5	.255	1.2	.039	10
710 03	8.0	.315	1.6	.063	10



740 Slotted Power Bits, 1/4" Hex Drive, Length 2.0"/50mm 10pk. weight .20 lbs.

Item	↕	↕	↕	↕	↕
No.	mm	Inch	mm	Inch	pkg.
740 03	3.0	.118	0.5	.020	10
740 06	3.5	.139	0.6	.024	10
740 09	4.0	.157	0.5	.020	10
740 10	4.0	.157	0.8	.030	10
740 12	4.5	.177	0.6	.024	10
740 15	5.5	.216	0.8	.032	10
740 18	6.5	.255	1.2	.039	10
740 21	8.0	.315	1.2	.039	10
740 23	8.0	.315	1.6	.063	10



2 pc. bit pack!

NEW
From Wiha

710 Slotted Insert Bits, 1/4" Hex Drive, Length 1.54"/39mm 2 pc. Bit pack.

Item	↕	↕	↕	↕	↕
No.	mm	Inch	mm	Inch	pkg.
710 30	3.0	.118	0.5	.020	1
710 31	3.5	.139	0.6	.024	1
710 32	4.0	.157	0.8	.031	1
710 33	4.5	.177	0.6	.024	1
710 34	5.5	.216	1.0	.039	1
710 35	6.5	.255	1.2	.047	1
710 36	8.0	.315	1.6	.063	1



740 Slotted Power Bits, 1/4" Hex Drive, Length 2.75"/70mm

Item	↕	↕	↕	↕	↕
No.	mm	Inch	mm	Inch	pkg.
740 33	2.5	.098	0.4	.015	1
740 34	3.0	.118	0.5	.020	1
740 35	3.5	.139	0.6	.024	1
740 36	4.0	.157	0.5	.020	1
740 39	5.5	.216	0.8	.032	1
740 41	6.5	.255	1.2	.039	1




743 Slotted and Phillips Double End Bits, 1/4" Hex Drive, Length 2.36"/60mm

Item	↕	+	↕	↕	↕
No.	mm	Size	mm	pkg.	lbs.
743 03	4.5 x	1	60	10	.22
743 06	5.5 x	2	60	10	.30
743 09	7.0 x	3	60	10	.30



720 Slotted Insert Bits, 5/16" Hex Drive, Length 41mm

Item	↕	↕	↕	↕	↕
No.	mm	Inch	mm	pkg.	lbs.
720 48	6.5	.255	1.2	10	.27
720 49	8.0	.315	1.6	10	.31
720 50	10.0	.393	1.6	10	.46
720 51	12.0	.472	2.0	10	.56



2 bit pack

720 Slotted Insert Bit Packs, 1" CVM S2 modified tool steel. 5/16" Hex Drive.

Item	↕	↕	↕	↕	↕
No.	mm	mm	Inch	mm	lbs.
720 25	1.2	6.5	.255	41	.06
720 31	1.6	8.0	.315	41	.08
720 39	1.6	10.0	.393	41	.10
720 47	2.0	12.0	.472	41	.12



2 bit pack

710 Slotted Insert Bit Packs, 1" CVM S2 modified tool steel.

Item	↕	↕	↕	↕	↕
No.	mm	mm	Inch	mm	lbs.
710 51	0.6	4.5	.177	25	.03
710 52	0.8	5.5	.216	25	.03
710 53	1.2	6.5	.255	25	.03
710 54	1.6	8.0	.315	25	.03



710 55 Slotted Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

710 55 Set includes the following bits:

↕	+	↕	↕	↕
Slotted Sizes:				
wt. .04	5.5, 6.5, 8.0 x 1"	(25mm)		



740 50 Slotted Power Bit Packs, 2" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

740 50 Set includes the following bits:

↕	↕	↕	↕
Slotted Sizes:			
wt. .08	4.5, 5.5, 6.5 x 2"	(50mm)	



740 Slotted Power Bit Packs, 2" CVM S2 modified tool steel.


Item	↕	↕	↕
No.	mm	mm	lbs.
740 61	3.0	50	.05
740 62	3.5	50	.05
740 63	4.0	50	.05
740 64	4.0	50	.05
740 65	4.5	50	.05
740 66	5.5	50	.05
740 67	6.5	50	.06
740 68	8.0	50	.08
740 69	8.0	50	.08

Phillips Bits

The ideal multi-purpose bits for all around quality and performance

Made in Germany - Production Quality

Suitable for all applications for both manual and machine
Hardness HRC 59-61



Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

Highly resistant to wear and tear for a long tool life

Wiha Phillips Insert Bits and Power Bits



711 Phillips Insert Bits, 1/4"

Item	+	—	⌘	↶↷
No.	Size	mm	pkg.	lbs.
711 00	0	25	10	.10
711 01	1	25	10	.11
711 02	2	25	10	.11
711 03	3	25	10	.11

711 Phillips Insert Bit Bulk Packs, 1/4"

No.	Size	mm	pkg.	lbs.
711 25	2	25	25 pc	.29
711 50	2	25	50 pc	.60
711 99	2	25	100 pc	1.16

High grade CVM steel, hardened torsion zone to prevent uneven torque distribution DIN 3126 ISO 1173 with anti-camout ribs



711 Phillips ACR Insert Bits, 1/4"

Item	+	—	⌘	↶↷
No.	Size	mm	pkg.	lbs.
711 26	1	25	10	.11
711 27	2	25	10	.11
711 28	3	25	10	.11



711 Phillips Long Insert Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	+	—	⌘	↶↷
No.	Size	mm	pkg.	lbs.
711 05	1	50	10	.25
711 06	2	50	10	.25
711 07	3	50	10	.27



721 Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel. 5/16" Hex Drive.

Item	+	—	⌘	↶↷
No.	Size	mm	lbs.	
721 02	2	32	.05	
721 03	3	32	.06	
721 04	4	38	.07	



2 bit pack



711 Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel

Item	+	—	⌘	↶↷
No.	Size	mm	lbs.	
711 49	0	25	.03	
711 51	1	25	.03	
711 52	2	25	.03	
711 53	3	25	.04	



710 56 Slotted/Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel. Extra hard with natural finish, exact fit machined tips. 6 pc. bit pk.

710 56 Set includes the following bits:

⌘ Slotted Sizes:

4.5, 5.5, 6.5 x 1" (25mm)

+

Phillips Sizes: ↶↷ lbs.

1, 2, 3 x 1" (25mm) .08



711 54 Phillips Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

711 54 Set includes the following bits:

↶↷ + Phillips Sizes:

wt. .04 1, 2, 3 x 1" (25mm)



711 55 Phillips Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

711 55 Set includes the following bits:

↶↷ + Phillips Sizes:

wt. .08 6 pieces 2 x 1" (25mm)

Wiha Phillips Insert Bits and Power Bits



741 Phillips Power Bits
1/4" Hex Drive, Length 2.0"/50mm

Item	+	—	↔	↵
No.	Size	mm	pkg.	lbs.
741 03	1	50	10	.24
741 12	2	50	10	.25
741 24	3	50	10	.26



741 Phillips Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item	+	—	↔	↵
No.	Size	mm	pkg.	lbs.
741 67	00	70	1	.29
741 68	0	70	1	.29
741 06	1	70	1	.29
741 15	2	70	1	.37
741 27	3	70	1	.41



741 Phillips Power Bits
1/4" Hex Drive, Length 3.5"/90mm

Item	+	—	↔	↵
No.	Size	mm	pkg.	lbs.
741 09	1	90	10	.34
741 18	2	90	10	.47
741 30	3	90	10	.53



741 Phillips Power Bits
1/4" Hex Drive, Length 4.33"/110mm

Item	+	—	↔	↵
No.	Size	mm	pkg.	lbs.
741 11	1	110	10	.40
741 21	2	110	10	.56
741 31	3	110	10	.65



741 Phillips Power Bits
1/4" Hex Drive, Length 127mm/5"

Item	+	—	↔	↵
No.	Size	mm	pkg.	lbs.
741 13	1	127	1	.04
741 23	2	127	1	.06
741 33	3	127	1	.07



741 Phillips Power Bits
1/4" Hex Drive, Length 150mm/5.9"

Item	+	—	↔	↵
No.	Size	mm	pkg.	lbs.
741 16	1	150	1	.05
741 26	2	150	1	.07
741 36	3	150	1	.09



714 Phillips Double End Bits
1/4" Hex Drive, Length 2.36"/60mm

Item	+	+	—	↔	↵
No.	Size	Size	mm	pkg.	lbs.
714 04	1 x 1	60	10	.31	
714 14	2 x 2	60	10	.31	
714 24	3 x 3	60	10	.32	



743 Slotted & Phillips Double End Bits. 1/4" Hex Drive, Length 2.36"/60mm

Item	↵	+	—	↔	↵
No.	mm	Size	mm	pkg.	lbs.
743 03	4.5 x 1	60	10	.22	
743 06	5.5 x 2	60	10	.30	
743 09	7.0 x 3	60	10	.30	



741 50 Phillips Power Bit Packs, 2" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

741 50 Set includes the following bits:

↵ + Phillips Sizes:
wt. .09 1, 2, 3 x 2" (50mm)



743 Slotted/Phillips Double End Power Bit Packs, 60mm OAL

Item	↵	+	—	↔	↵
No.	mm	Size	mm	lbs.	
743 04	4.5 + 1	60	.07		
743 08	5.5 + 2	60	.07		
743 10	7.0 + 3	60	.07		



714 Phillips Double End Power Bit Packs, 60mm OAL

Item	+	+	—	↔	↵
No.	Size	Size	mm	lbs.	
714 64	1 + 1	60	.07		
714 65	2 + 2	60	.07		
714 66	3 + 3	60	.07		



711 Phillips Long Insert Bit Packs, 2"
CVM S2 modified tool steel

Item	+	—	↔	↵
No.	Size	mm	lbs.	
711 65	1	50	.06	
711 66	2	50	.06	
711 67	3	50	.06	



741 Phillips Power Bit Packs, 2"
CVM S2 modified tool steel.

Item	+	—	↔	↵
No.	Size	mm	lbs.	
741 64	1	50	.06	
741 65	2	50	.06	
741 66	3	50	.06	

Terminal Block Xeno Bits



714 Xeno Combination Terminal Block Power Bits. 1/4" Hex Drive, OAL 2.0"/50mm

Item	+	—	↔	↵
No.	Size	mm	pkg.	lbs.
714 52	1	50	10	.24
714 53	2	50	10	.25



714 Xeno Combination Terminal Block Power Bit Packs, 2" CVM S2 modified tool steel

Item	+	—	↔	↵
No.	Size	mm	lbs.	
714 55	1	50	.06	
714 56	2	50	.06	

TORX® Bits

The ideal multi-purpose bits for all around quality and performance

Made in Germany - Production Quality

Suitable for all applications for both manual and machine
Hardness HRC 59-61

Impact resistant modified CVM, tool steel, hardened



Highly resistant to wear and tear for a long tool life

NEW
From Wiha



715 TORX® Bits, 1/4"

Item	No.	Size	mm	pkg.	lbs.
715 05	T5	25	10	.12	
715 06	T6	25	10	.12	
715 07	T7	25	10	.12	
715 08	T8	25	10	.12	
715 09	T9	25	10	.12	
715 10	T10	25	10	.12	
715 15	T15	25	10	.12	
715 20	T20	25	10	.12	
715 25	T25	25	10	.12	
715 27	T27	25	10	.13	
715 30	T30	25	10	.14	
715 40	T40	25	10	.15	



725 TORX® Bits, 5/16"

Item	No.	Size	mm	pkg.	lbs.
725 25	T25	35	10	.27	
725 27	T27	35	10	.27	
725 30	T30	35	10	.27	
725 40	T40	35	10	.28	
725 45	T45	35	10	.31	
725 50	T50	35	10	.32	
725 55	T55	35	10	.52	

2 bit pack  CVM S2 Modified tool steel

725 TORX® Insert Bit Packs, 5/16"

Item	No.	Size	mm	lbs.
725 31	T30	35	.28	
725 41	T40	35	.28	
725 46	T45	35	.31	
725 51	T50	35	.32	
725 56	T55	35	.52	

30 Piece Contractor Grade Bits

725 TORX® Insert Bit Packs, 30 Pcs., 1/4"

Item	No.	Size	mm	lbs.
725 73	T8	25	.36	
725 75	T10	25	.36	
725 76	T15	25	.36	
725 77	T20	25	.36	
725 78	T25	25	.36	
725 79	T27	25	.36	
725 80	T30	25	.36	



745 TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	No.	Size	mm	pkg.	lbs.
745 11	T6	50	10	.18	
745 12	T7	50	10	.18	
745 13	T8	50	10	.18	
745 17	T9	50	10	.18	
745 19	T10	50	10	.18	
745 21	T15	50	10	.18	
745 23	T20	50	10	.18	
745 29	T25	50	10	.18	
745 31	T27	50	10	.18	
745 33	T30	50	10	.18	
745 35	T40	50	10	.18	



745 TORX® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item	No.	Size	mm	pkg.	lbs.
745 36	T6	70	1	.02	
745 38	T7	70	1	.02	
745 42	T8	70	1	.02	
745 44	T9	70	1	.02	
745 46	T10	70	1	.02	
745 48	T15	70	1	.02	
745 51	T20	70	1	.03	
745 53	T25	70	1	.03	
745 56	T27	70	1	.04	
745 58	T30	70	1	.04	
745 61	T40	70	1	.04	



745 TORX® Power Bits 1/4" Hex Drive, Length 3.5"/90mm

Item	No.	Size	mm	pkg.	lbs.
745 63	T6	90	1	.03	
745 65	T7	90	1	.03	
745 67	T8	90	1	.03	
745 69	T9	90	1	.03	
745 71	T10	90	1	.03	
745 73	T15	90	1	.03	
745 75	T20	90	1	.04	
745 77	T25	90	1	.04	
745 79	T27	90	1	.04	
745 81	T30	90	1	.04	
745 83	T40	90	1	.04	



745 TORX® Power Bits 1/4" Hex Drive, Length 6.0"/152mm

Item	No.	Size	mm	pkg.	lbs.
745 86	T10	152	1	.04	
745 87	T15	152	1	.04	
745 88	T20	152	1	.04	
745 89	T25	152	1	.04	
745 90	T27	152	1	.04	
745 91	T30	152	1	.04	

Wiha TORX® Bit Packs




715 TORX® Insert Bit Packs, 1" CVM S2 modified tool steel.

Item	No.	Size	mm	lbs.
715 50	T5	25	.03	
715 51	T6	25	.03	
715 52	T7	25	.03	
715 53	T8	25	.03	
715 54	T9	25	.03	
715 55	T10	25	.03	
715 56	T15	25	.03	
715 57	T20	25	.03	
715 58	T25	25	.03	
715 59	T27	25	.04	
715 60	T30	25	.04	
715 61	T40	25	.04	


Wiha TORX® Bit Packs



715 71 Torx® Insert Bit Packs, 1" CVM S2
 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.
715 71 Set includes the following bits:




Torx® Sizes:
 T15, T20, T25, T27,
 wt. .08 T30, T40 x 1" (25mm)

715 70 Torx® Insert Bit Packs, 1" CVM S2
 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.
715 70 Set includes the following bits:

Torx® Sizes:
 T5, T6, T7, T8, T9,
 wt. .07 T10 x 1" (25mm)








745 TORX® Power Bit Packs, 2"
 CVM S2 modified tool steel.

Item			
No.	Size	mm	lbs.
745 01	T6	50	.05
745 02	T7	50	.05
745 03	T8	50	.05
745 04	T9	50	.05
745 06	T10	50	.05
745 08	T15	50	.05
745 10	T20	50	.05
745 14	T25	50	.06
745 15	T27	50	.06
745 16	T30	50	.06
745 18	T40	50	.06



744 TORX® Double End Bits
 1/4" Hex Drive, Length 2.56"/65mm

Item					
No.	Size	Size	mm	pkg.	lbs.
744 11	T6	T6	65	10	.32
744 13	T7	T7	65	10	.32
744 15	T8	T8	65	10	.32
744 17	T9	T9	65	10	.32
744 19	T10	T10	65	10	.32
744 21	T15	T15	65	10	.32
744 23	T20	T20	65	10	.32
744 29	T25	T25	65	10	.33
744 31	T27	T27	65	10	.34
744 33	T30	T30	65	10	.35
744 35	T40	T40	65	10	.38

Wiha TORX® Align Insert Bits and Power Bits

Torx® Align Tapered For Snug Fit In Screw



Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened




Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life

Suitable for all applications for both manual and machine
 Hardness HRC 59-61






715 TORX® Align Bits, 1/4"

Item			
No.	Size	mm	pkg. lbs.
715 36	T6	25	10 .12
715 37	T7	25	10 .12
715 38	T8	25	10 .12
715 39	T9	25	10 .12
715 41	T10	25	10 .12
715 42	T15	25	10 .12
715 43	T20	25	10 .12
715 44	T25	25	10 .13
715 45	T27	25	10 .13
715 46	T30	25	10 .14
715 47	T40	25	10 .15

*Also Known As Torx Wedge Fit



747 TORX® Align Bits
 1/4" Hex Drive, Length 2.0"/50mm



Item			
No.	Size	mm	pkg. lbs.
747 11	T6	50	10 .18
747 14	T7	50	10 .18
747 17	T8	50	10 .18
747 21	T9	50	10 .18
747 24	T10	50	10 .18
747 28	T15	50	10 .20
747 32	T20	50	10 .22
747 36	T25	50	10 .22
747 39	T27	50	10 .22
747 42	T30	50	10 .22

*Also Known As Torx Wedge Fit






733 TORX® Align Insert Bit Packs, 1"

CVM S2 modified tool steel

Item		
No.	Size	mm lbs.
733 10	T6	25 .03
733 11	T7	25 .03
733 12	T8	25 .03
733 13	T9	25 .03
733 14	T10	25 .03
733 15	T15	25 .03
733 16	T20	25 .03
733 17	T25	25 .03
733 18	T27	25 .03
733 19	T30	25 .03
733 20	T40	25 .04



747 TORX® Align Power Bit Packs, 2"

Item			
No.	Size	mm	lbs.
747 60	T6	50	.05
747 61	T7	50	.05
747 62	T8	50	.05
747 63	T9	50	.05
747 64	T10	50	.05
747 65	T15	50	.05
747 66	T20	50	.06
747 67	T25	50	.06
747 68	T27	50	.06
747 69	T30	50	.06

Wiha Tamper Resistant TORX® Insert Bits and Power Bits

Tamper Resistant Torx®

Made in Germany - Production Quality







Impact resistant modified CVM tool steel, hardened

Highly resistant to wear and tear for a long tool life

Suitable for all applications for both manual and machine
Hardness HRC 59-61






701 TR Tamper Resistant TORX® Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
701 27	T7s	25	10	.12
701 28	T8s	25	10	.12
701 29	T9s	25	10	.12
701 35	T10s	25	10	.12
701 39	T15s	25	10	.12
701 42	T20s	25	10	.12
701 48	T25s	25	10	.12
701 60	T27s	25	10	.13
701 63	T30s	25	10	.13
701 68	T40s	25	10	.14



2 bit pack





701 Tamper Resistant Torx® Insert Bit Packs, 1" CVM S2 modified tool steel.

Item			
No.	Size	mm	lbs.
701 50	T7s	25	.03
701 51	T8s	25	.03
701 52	T9s	25	.03
701 53	T10s	25	.03
701 54	T15s	25	.03
701 55	T20s	25	.03
701 56	T25s	25	.03
701 57	T27s	25	.03
701 58	T30s	25	.03
701 59	T40s	25	.03



5/16"




725 TR Tamper Resistant TORX® Bits, 5/16"

Item				
No.	Size	mm	pkg.	lbs.
725 42	T40s	35	10	.28
725 47	T45s	35	10	.32
725 52	T50s	35	10	.34
725 57	T55s	35	10	.52



2 bit pack




725 TR Tamper Resistant TORX® Bits, 5/16" 2 Bit Pack

Item			
No.	Size	mm	lbs.
725 62	T40s	35	.28
725 63	T45s	35	.29
725 64	T50s	35	.30
725 67	T55s	35	.32




2 bit pack

705 Tamper Resistant TORX® Power Bit Packs, 2"

Item			
No.	Size	mm	lbs.
705 56	T7s	50	.07
705 57	T8s	50	.07
705 58	T9s	50	.07
705 59	T10s	50	.07
705 60	T15s	50	.07
705 61	T20s	50	.07
705 62	T25s	50	.07
705 63	T27s	50	.07
705 64	T30s	50	.07
705 65	T40s	50	.07
705 66	T45s	50	.07
705 67	T50s	50	.07
705 68	T55s	50	.07





Torx® Profiles



Wiha Tamper Resistant TORXPlus® Insert Bit







705 Tamper Resistant TORX® Power Bits, 1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	Size	mm	pkg.	lbs.
705 07	T7s	50	10	.18
705 08	T8s	50	10	.18
705 09	T9s	50	10	.18
705 10	T10s	50	10	.19
705 15	T15s	50	10	.19
705 20	T20s	50	10	.21
705 25	T25s	50	10	.23
705 27	T27s	50	10	.23
705 30	T30s	50	10	.23
705 40	T40s	50	10	.23
705 45	T45s	50	10	.33
705 50	T50s	50	10	.37
705 55	T55s	50	10	.37



716 Security TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

Item				
No.	Size	mm	pkg.	lbs.
716 48	IPR8	25	1	.11
716 50	IPR10	25	1	.11
716 52	IPR15	25	1	.11
716 54	IPR20	25	1	.12
716 56	IPR25	25	1	.13
716 57	IPR27	25	1	.13
716 58	IPR30	25	1	.14
716 60	IPR40	25	1	.14

IPR - 5 point Security TorxPlus bits are available for special order to authorized OEM's and their certified service agents. You must submit a written certification/documentation to purchase this product. Call our customer service department: (800) 494-6104 for information.

Wiha TORXPlus® Insert Bits and Power Bits

TORXPlus®

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life

Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

Suitable for all applications for both manual and machine Hardness HRC 59-61



2 bit pack



716 TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

Item No.	Size	mm	pkg.	lbs.
716 03	IP3	25	10	.12
716 04	IP4	25	10	.12
716 05	IP5	25	10	.12
716 06	IP6	25	10	.12
716 07	IP7	25	10	.12
716 08	IP8	25	10	.12
716 09	IP9	25	10	.12
716 10	IP10	25	10	.12
716 15	IP15	25	10	.12
716 20	IP20	25	10	.12
716 25	IP25	25	10	.12
716 27	IP27	25	10	.13
716 30	IP30	25	10	.13
716 40	IP40	25	10	.15

716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
716 31	IP3	25	.03
716 32	IP4	25	.03
716 33	IP5	25	.03
716 34	IP6	25	.03
716 35	IP7	25	.03
716 36	IP8	25	.03
716 37	IP9	25	.03
716 38	IP10	25	.03
716 39	IP15	25	.03
716 41	IP20	25	.03
716 42	IP25	25	.03
716 43	IP27	25	.03
716 44	IP30	25	.03
716 45	IP40	25	.04



746 TORXPlus® Power Bits, 1/4" Hex, 2" OAL

Item No.	Size	mm	pkg.	lbs.
746 01	IP5	50	10	.18
746 02	IP6	50	10	.18
746 03	IP7	50	10	.18
746 04	IP8	50	10	.18
746 08	IP9	50	10	.18
746 12	IP10	50	10	.20
746 16	IP15	50	10	.20
746 20	IP20	50	10	.20
746 24	IP25	50	10	.20
746 28	IP27	50	10	.25
746 32	IP30	50	10	.25
746 36	IP40	50	10	.25




2 bit pack



746 TorxPlus® Power Bit Packs, 2"

Item No.	Size	mm	lbs.
746 59	IP5	50	.05
746 60	IP6	50	.05
746 61	IP7	50	.05
746 62	IP8	50	.05
746 63	IP9	50	.05
746 64	IP10	50	.05
746 65	IP15	50	.05
746 66	IP20	50	.05
746 67	IP25	50	.05
746 68	IP27	50	.05
746 69	IP30	50	.05
746 70	IP40	50	.05

Wiha Ball End TORX® Bits



NEW
From Wiha



745 Ball End TORX® Bits, 1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
745 24	T9	50	10	.18
745 26	T10	50	10	.18
745 28	T15	50	10	.18
745 32	T20	50	10	.18
745 34	T25	50	10	.18
745 37	T27	50	10	.18
745 39	T30	50	10	.18
745 41	T40	50	10	.18

2 bit pack



NEW
From Wiha

745 Ball End TORX® Power Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
745 05	T9	50	.05
745 20	T10	50	.05
745 22	T15	50	.05
745 43	T20	50	.05
745 45	T25	50	.06
745 47	T27	50	.06
745 49	T30	50	.08
745 50	T40	50	.08

Wiha Bit Holders

Quick Release



714 ClicFix Bit Holder, Magnetic For Insert Bits

Item No.	Size	Size	mm	Inch
714 90	1/4"	1/4"	60	2.4
714 91	1/4"	1/4"	75	2.9

Quick Release



714 CentroFix Bit Holder For Power Bits

Item No.	Size	Size	mm	Inch
714 80	1/4"	1/4"	60	2.3

Hex Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life

Impact resistant modified CVM, tool steel, hardened






Suitable for all applications for both manual and machine
Hardness HRC 59-61



Wiha Hex Inch & Metric Insert Bits








713 Hex Metric Insert Bits, 1/4"

Item					
No.	mm	mm	pkg.	lbs.	
713 03	1.5	25	10	.12	
713 06	2.0	25	10	.12	
713 08	2.5	25	10	.12	
713 09	3.0	25	10	.12	
713 12	4.0	25	10	.12	
713 15	5.0	25	10	.14	
713 18	6.0	25	10	.14	
713 21	8.0	25	10	.20	
713 24	10.0	25	10	.27	



713 Hex Inch Insert Bits, 1/4"

Item					
No.	Inch	mm	pkg.	lbs.	
713 29	.050	25	10	.12	
713 26	1/16	25	10	.12	
713 28	5/64	25	10	.12	
713 30	3/32	25	10	.12	
713 33	7/64	25	10	.12	
713 36	1/8	25	10	.12	
713 39	9/64	25	10	.12	
713 42	5/32	25	10	.12	
713 45	3/16	25	10	.13	
713 48	7/32	25	10	.13	
713 51	1/4	25	10	.13	
713 53	5/16	25	10	.20	
713 56	3/8	25	10	.25	







2 bit pack






713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item				
No.	Inch	mm	lbs.	
713 59	.050	25	.03	
713 60	1/16	25	.03	
713 61	5/64	25	.03	
713 62	3/32	25	.03	
713 63	7/64	25	.03	
713 64	1/8	25	.03	
713 65	9/64	25	.03	
713 66	5/32	25	.04	
713 67	3/16	25	.04	
713 68	7/32	25	.04	
713 69	1/4	25	.04	
713 73	5/16	25	.05	
713 87	3/8	25	.06	

733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item			
No.	mm	mm	lbs.
733 01	1.5	25	.03
733 02	2.0	25	.03
733 03	2.5	25	.03
733 04	3.0	25	.03
733 05	4.0	25	.03
733 06	5.0	25	.03
733 07	6.0	25	.04
733 08	8.0	25	.05
733 09	10.0	25	.06



713 96 Hex Inch Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

713 96 Set includes the following bits:

-  Hex Inch Sizes:
1/16, 3/32, 1/8, 5/32
wt. .13 3/16, 1/4" x 1" (25mm)

713 97 Hex Metric Insert Bit Packs, 1" CVM






S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

713 97 Set includes the following bits:

-  Hex Metric Sizes:
wt. .21 2.0, 2.5, 3.0, 4.0, 5.0, 6.0








719 Tamper Resistant Hex In Insert Bits, 1/4"

Item					
No.	Inch	mm	pkg.	lbs.	
719 30	5/64	25	10	.12	
719 32	3/32	25	10	.12	
719 34	7/64	25	10	.12	
719 36	1/8	25	10	.12	
719 38	9/64	25	10	.12	
719 40	5/32	25	10	.12	
719 55	3/16	25	10	.13	
719 56	7/32	25	10	.14	
719 60	1/4	25	10	.15	



719 Tamper Resistant Hex Metric Insert Bits, 1/4"





Item					
No.	mm	mm	pkg.	lbs.	
719 39	2.0	25	10	.12	
719 41	2.5	25	10	.12	
719 42	3.0	25	10	.12	
719 43	4.0	25	10	.12	
719 44	5.0	25	10	.15	
719 45	6.0	25	10	.15	
719 46	8.0	25	10	.20	







2 bit pack



719 Tamper Resistant Hex Inch Insert Bit Packs, 1" CVM S2 modified tool steel.

Item				
No.	Inch	mm	lbs.	
719 70	5/64	25	.03	
719 71	3/32	25	.03	
719 72	7/64	25	.03	
719 73	1/8	25	.03	
719 74	9/64	25	.03	
719 75	5/32	25	.03	
719 76	3/16	25	.04	
719 77	7/32	25	.04	
719 78	1/4	25	.04	

719 Tamper Resistant Hex Metric Insert Bit Packs, 1" CVM S2 modified tool steel.

Item				
No.	mm	mm	lbs.	
719 79	2.0	25	.03	
719 80	2.5	25	.03	
719 81	3.0	25	.03	
719 82	4.0	25	.03	
719 83	5.0	25	.04	
719 84	6.0	25	.04	
719 85	8.0	25	.05	



743 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	No.	Inch	mm	pkg.	lbs.
743 11	3/32	50	10	.30	
743 12	7/64	50	10	.30	
743 13	1/8	50	10	.30	
743 14	9/64	50	10	.30	
743 15	5/32	50	10	.30	
743 16	3/16	50	10	.30	
743 17	7/32	50	10	.30	
743 18	1/4	50	10	.30	



743 Hex Metric Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	No.	mm	mm	pkg.	lbs.
743 25	2.5	50	10	.25	
743 30	3.0	50	10	.25	
743 40	4.0	50	10	.25	
743 50	5.0	50	10	.25	
743 60	6.0	50	10	.25	
743 80	8.0	50	10	.38	



2 bit pack

743 Hex Inch Power Bit Packs, 2"

Item	No.	Inch	mm	lbs.
743 81	3/32	50	.07	
743 82	7/64	50	.07	
743 83	1/8	50	.07	
743 84	9/64	50	.07	
743 85	5/32	50	.07	
743 86	3/16	50	.07	
743 87	7/32	50	.07	
743 88	1/4	50	.07	



2 bit pack

743 Hex Metric Power Bit Packs, 2"

Item	No.	mm	mm	lbs.
743 61	2.5	50	.07	
743 62	3.0	50	.07	
743 63	4.0	50	.07	
743 64	5.0	50	.07	
743 65	6.0	50	.07	
743 66	8.0	50	.09	



743 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item	No.	Inch	mm	pkg.	lbs.
743 41	5/64	70	1	.36	
743 42	3/32	70	1	.36	
743 43	7/64	70	1	.36	
743 44	1/8	70	1	.36	
743 45	9/64	70	1	.36	
743 46	5/32	70	1	.36	
743 47	3/16	70	1	.36	
743 48	7/32	70	1	.36	
743 49	1/4	70	1	.36	

743 Hex Metric Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item	No.	mm	mm	pkg.	lbs.
743 51	2.0	70	1	.36	
743 52	2.5	70	1	.36	
743 53	3.0	70	1	.36	
743 54	4.0	70	1	.36	
743 55	5.0	70	1	.36	
743 56	6.0	70	1	.36	
743 57	8.0	70	1	.36	

Wiha Ball End Hex Inch Insert Bits



717 Ball End Hex Inch Insert Bits, 1/4"

Item	No.	Inch	mm	pkg.	lbs.
717 01	3/32	25	10	.12	
717 02	7/64	25	10	.12	
717 03	1/8	25	10	.12	
717 04	9/64	25	10	.12	
717 05	5/32	25	10	.12	
717 06	3/16	25	10	.13	
717 07	7/32	25	10	.13	
717 08	1/4	25	10	.13	



2 bit pack

717 Ball End Hex Inch Insert Bit Packs, 1"

Item	No.	Inch	mm	lbs.
717 11	3/32	25	.03	
717 12	7/64	25	.03	
717 13	1/8	25	.03	
717 14	9/64	25	.03	
717 15	5/32	25	.04	
717 16	3/16	25	.04	
717 17	7/32	25	.04	
717 18	1/4	25	.04	

Ball End Hex Metric Power Bits



2 pc. bit pack!



717 Ball End Hex Metric Power Bits. 1/4" Hex Drive, Length 1.5"/38mm

Item	No.	mm	mm	pkg.
717 19	1.5	38	1	
717 20	2.0	38	1	
717 21	2.5	38	1	
717 22	3.0	38	1	
717 23	4.0	38	1	
717 24	5.0	38	1	
717 25	6.0	38	1	

Wiha MagicRing Insert Bits

Screw Holding Hex Bits



Spring steel retaining ring

713 MagicRing Metric Insert Bits, 1/4"

Item	No.	mm	mm	pkg.	lbs.
713 04	3.0	25	1	.01	
713 07	4.0	25	1	.01	
713 10	5.0	25	1	.01	
713 11	6.0	25	1	.01	

713 MagicRing Inch Insert Bits, 1/4"

Item	No.	Inch	mm	pkg.	lbs.
713 43	1/8	25	1	.01	
713 46	9/64	25	1	.01	
713 49	5/32	25	1	.01	
713 52	3/16	25	1	.01	
713 54	7/32	25	1	.01	
713 58	1/4	25	1	.01	



743 MagicRing Metric Power Bits, 1/4"

Item	No.	mm	mm	pkg.	lbs.
743 01	3.0	50	1	.02	
743 05	4.0	50	1	.02	
743 07	5.0	50	1	.03	
743 19	6.0	50	1	.03	


743 MagicRing Inch Power Bits, 1/4"

Item	No.	mm	mm	pkg.	lbs.
743 69	1/8	50	1	.02	
743 71	9/64	50	1	.02	
743 73	5/32	50	1	.02	
743 75	3/16	50	1	.03	
743 77	7/32	50	1	.03	
743 79	1/4	50	1	.03	

Specialty Bits

The ideal multi-purpose tools to meet production requirements for both quality and performance

Highly resistant to wear and tear for a long tool life



Security Hex

Spanner

Square

Torq Set

Tri Wing

Pozidriv®

Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine
Hardness HRC 59-61

Square Bits



718 Square Insert Bits, 1/4"

Item	⊙	≡	▬	↵
No.	Size	mm	pkg.	lbs.
718 01	1	25	10	.11
718 02	2	25	10	.11
718 03	3	25	10	.11



748 Square Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	⊙	≡	▬	↵
No.	Size	mm	pkg.	lbs.
748 13	1	50	10	.20
748 16	2	50	10	.20
748 19	3	50	10	.20



748 90 Square Power Bit Packs, 2.0" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

748 90 Set includes the following bits:

↵	⊙	Square Sizes:
wt. .08	1, 2, 3	x 2.0" (50mm)



2 bit pack

718 Square Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	⊙	≡	↵
No.	Size	mm	lbs.
718 51	1	25	.03
718 52	2	25	.03
718 53	3	25	.03



2 bit pack

718 54 Square Insert Bit Packs, 1" CVM

S2 modified tool steel. 3 pc. bit pack

718 54 Set includes the following bits:

↵	⊙	Square Sizes:
wt. .04	1, 2, 3	x 1" (25mm)



2 bit pack

748 Square Power Bit Packs, 2"

CVM S2 modified tool steel.

Item	⊙	▬	↵
No.	Size	mm	lbs.
748 60	1	50	.05
748 61	2	50	.05
748 62	3	50	.05

Tri Wing Bits



719 Triwing Insert Bits, 1/4"/25mm

Item	⊙	≡	▬	↵
No.	Size	mm	pkg.	lbs.
719 00	0	25	10	.10
719 01	1	25	10	.10
719 02	2	25	10	.10
719 03	3	25	10	.10
719 04	4	25	10	.13
719 05	5	25	10	.13



749 Triwing Power Bits, 1/4"/50mm

Item	⊙	≡	▬	↵
No.	Size	mm	pkg.	lbs.
749 01	3	50	10	.24
749 02	4	50	10	.24
749 03	5	50	10	.24
749 04	6	50	10	.46



2 bit pack

719 Triwing Insert Bit Packs, 1"

Item	⊙	≡	↵
No.	Size	mm	lbs.
719 49	0	25	.03
719 50	1	25	.03
719 51	2	25	.03
719 52	3	25	.03
719 53	4	25	.03
719 13	5	25	.04



719 54 Triwing Insert Bit Packs, 1"

6 pc. bit pack.

719 54 Set includes the following bits:

↵	⊙	Triwing Sizes:
wt. .07	0, 1, 2,	3, 4, 5 x 1" (25mm)



2 bit pack

749 Tri Wing Power Bit Packs, 2"

Item	⊙	▬	↵
No.	Size	mm	lbs.
749 60	3	50	.06
749 61	4	50	.06
749 62	5	50	.06
749 63	6	50	.10

Torq Set Bits



719 Torq Set Insert Bits, 1/4"

Item	+	—	⌘	⌘
No.	Size	mm	pkg.	lbs.
719 21	0	25	10	.10
719 22	1	25	10	.10
719 23	2	25	10	.10
719 24	3	25	10	.10
719 07	4	25	10	.10
719 09	5	25	10	.10
719 06	6	25	10	.10
719 08	8	25	10	.13
719 10	10	25	10	.13



749 Torq Set Power Bits, 1/4"/50mm

Item	+	—	⌘	⌘
No.	Size	mm	pkg.	lbs.
749 11	4	50	10	.03
749 12	5	50	10	.03
749 13	6	50	10	.03
749 14	8	50	10	.04
749 15	10	50	10	.04



2 bit pack

719 Torq Set Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	+	—	⌘	⌘
No.	Size	mm	lbs.	
719 11	4	25	.03	
719 12	5	25	.03	
719 57	6	25	.03	
719 58	8	25	.04	
719 59	10	25	.04	



2 bit pack

749 Torq Set Power Bit Packs, 2"

CVM S2 modified tool steel.

Item	+	—	⌘	⌘
No.	Size	mm	lbs.	
749 64	4	50	.06	
749 65	5	50	.06	
749 66	6	50	.06	
749 67	8	50	.07	
749 68	10	50	.07	



Pozidriv® Bits



712 Pozidriv® Insert Bits, 1/4"

Item	+	—	⌘	⌘
No.	Size	mm	pkg.	lbs.
712 00	0	25	10	.10
712 01	1	25	10	.10
712 02	2	25	10	.10
712 03	3	25	10	.10



742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	+	—	⌘	⌘
No.	Size	mm	pkg.	lbs.
742 03	1	50	10	.24
742 12	2	50	10	.25
742 21	3	50	10	.26



742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item	+	—	⌘
No.	Size	mm	pkg.
742 01	1	70	1
742 05	2	70	1
742 14	3	70	1



742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 3.5"/90mm

Item	+	—	⌘	⌘
No.	Size	mm	pkg.	lbs.
742 07	1	90	10	.34
742 16	2	90	10	.46
742 25	3	90	10	.53



2 bit pack

712 Pozidriv® Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	+	—	⌘	⌘
No.	Size	mm	lbs.	
712 50	0	25	.03	
712 51	1	25	.03	
712 52	2	25	.03	
712 53	3	25	.04	



712 54 Pozidriv® Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

712 54 Set includes the following bits:

⌘ Pozidriv® Sizes:
wt. .04 1, 2, 3 x 1" (25mm)



2 bit pack

742 Pozidriv® Power Bit Packs, 2"

CVM S2 modified tool steel.

Item	+	⌘	⌘
No.	Size	mm	lbs.
742 61	1	50	.06
742 62	2	50	.06
742 63	3	50	.07

Spanner Bits



719 Spanner Insert Bits, 1/4"

Item	⊖	—	⌘	⌘
No.	Size	mm	pkg.	lbs.
719 14	4	25	10	.11
719 16	6	25	10	.12
719 18	8	25	10	.12
719 20	10	25	10	.12



2 bit pack

719 Spanner Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	⊖	—	⌘	⌘
No.	Size	mm	lbs.	
719 63	4	25	.03	
719 64	6	25	.03	
719 65	8	25	.04	
719 66	10	25	.04	

Wiha Bit Holders



380 30 **ClicFix Quick Release Magnetic Bit Holder** Blade high alloy CVM steel, hardened, hard chromed. Wiha Powerhandle impact resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
380 30	1/4"	120	4.7	230	9.0	.27	1



388 00 **Bit Holder With Wiha T-handle** Magnetic, holds bit and screw. Retainer out of stainless steel. Hex shaft CVM steel, nickel-plated. Wiha-T-handle high quality plastic, impact resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
388 00	1/4"	150	6.0	80	3.0	.18	1



386 00 **Bit Holder 1/4" with Retaining Ring With Flexible Shaft** Plastic coated flexible metal. Stainless steel with retaining ring. Wiha-SoftFinish® handle multi-component, cushion grips.

Item							
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
386 00	1/4"	150	5.9	268	10.6	.30	1



281 03 **Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle** For working in confined spaces. Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

Item							
No.	Inch	mm	Inch	lbs.	pkg.		
281 03	1/4"	57	2.2	.11	1		



284 89 **Drive-Loc VI Bit Holder** High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item							
No.	Inch	Extends		lbs.	pkg.		
284 89	1/4"	1-3/4" to 4-7/8"		.36	1		



384 **1/4" Magnetic Bit Holding Screwdrivers, With Wiha-SoftFinish® Handle** Ergonomic cushion grip, magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
384 50	1/4"	125	5.0	240	9.46	.23	1
384 60	1/4"	300	11.8	400	15.69	.37	1



526 50 **1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle** Non-slip grip, magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
526 50	1/4"	125	5.0	225	8.9	.24	1



484 01 **1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle** Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
484 01	1/4"	125	5.0	211	8.3	.24	1



484 00 **1/4" Bit Holding Screwdriver, With Wiha-Proturn Handle** Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
484 00	1/4"	125	5.0	243	9.6	.24	10



668 50 **1/4" Bit Holding Screwdriver, With Wiha-Proturn Precision handle** Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium-molybdenum steel, nickel-plated.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
668 50	1/4"	60	2.36	170	6.7	.07	1

Wiha Bit Holders



326 50 Retaining Ring Bit Holding Screwdriver, With Wiha-SoftFinish® Handle Blade high alloy CVM steel, hardened, black finish. Insulation molded directly onto blade. Holds 1/4" drive bits.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
	326 50	1/4"	120	4.9	240	9.4	.23	1

Insulation meets ASTM & IEC specifications



380 25 Magnetic Bit Holder, 1/4", Wiha-Powerhandle, Insulated, impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, shielded, magnetic, holds bit and screw. Cavity holds up to 6 bits.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
	380 25	1/4"	120	4.7	230	9.0	.26	1



380 15 Magnetic Bit Holder, 1/4", Wiha-Powerhandle impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, stainless steel, magnetic, holds bit and screw. Shaft CVM steel. Cavity holds up to 6 bits.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
	380 15	1/4"	120	4.7	230	9.0	.25	1



NEW
From Wiha

714 Protturn 1/4" Quick Release Bit Holder With magnets

Item	No.	Size	mm	Inch	lbs.
	714 75	2.4"	60	2.4	.06
	714 76	3.9"	100	3.9	.09
	714 77	5.9"	150	5.9	.11
	714 78	7.9"	200	7.8	.14
	714 79	9.9"	250	9.8	.17

714 74 5 Pc. Protturn 1/4" Quick Release Bit Holder Set

Includes: 60mm, 100mm,	lbs.
150mm, 200mm, 250mm	.58

Wiha Magnetic Bit Holders



- Internal bit lock mechanism
- Spring loaded - No fumbling
- One handed bit changes



714 ClicFix Bit Holder, Magnetic For Insert Bits

Item	No.	Size	Size	mm	Inch	lbs.	pkg.
	714 90	1/4"	1/4"	60	2.4	.07	1
	714 91	1/4"	1/4"	75	2.9	.07	1

High Precision Tool Holder



Quick release tool holder for Drills, Countersinks & Power bits

714 80 CentroFix Bit Holder

Item	No.	Size	Size	mm	Inch	lbs.	pkg.
	714 80	1/4"	1/4"	60	2.3	.09	1



NEW
From Wiha

714 94 Stainless Steel Bit Holder, 1/4" For Insert Bits

Internal C-ring for bit holding & magnet.							
Item	No.	Size	Size	mm	Inch	lbs.	
	714 94	1/4"	1/4"	54	2.1"	.05	




Wiha Bit Holders



711 Universal Magnetic Bit Holder,
1/4" For Insert Bits

Item No.	Size	Size	mm	Inch	lbs.
711 30	1/4"	1/4"	74	2.9	.06
711 31	1/4"	1/4"	59	2.3	.05



Magnetic
Holds
1" (25mm) Bits
All Stainless with
Rubber O-Ring



714 Screw Cap Bit Holder with O-Ring

Item No.	Size	Size	mm	Inch	lbs.
714 92	1/4"	1/4"	62	2.4	.08
714 93	1/4"	1/4"	76	3.0	.08



714 70 Auto Lock Magnetic Bit Holder, Spring Loaded Bit
Ejection, 1/4" For Insert & Power Bits

Item No.	Size	Size	mm	Inch	lbs.
714 70	1/4"	1/4"	60	2.4	.08

Retaining Ring Bit Holders



Magnetic



714 Bit Holder, Retaining Ring & Magnetic

Item No.	Size	Size	mm	Inch	lbs.
714 31	1/4"	1/4"	60	2.4	.05
714 33	1/4"	1/4"	67	2.6	.05
714 35	1/4"	1/4"	100	3.9	.07
714 37	1/4"	1/4"	150	5.9	.11
714 39	1/4"	1/4"	200	7.8	.13
714 41	1/4"	1/4"	253	10.0	.16

714 99 5 Pc. Bit Holder Set In Vinyl Pouch

Includes: 60mm, 100mm, 150mm, 200mm, 253mm

Wiha Inch & Metric Nut Setters



Magnetic 1/4"

704 Metric Nut Setters Standard With Permanent Industrial Magnet,
1/4" Hex Metric Nut Setters

Item No.	Size	mm	lbs.
704 37	5.0	55	.04
704 38	5.5	55	.05
704 40	6.0	55	.05
704 42	7.0	55	.05
704 45	8.0	55	.05
704 48	10.0	55	.06
704 50	13.0	55	.07



1/4"

704 Nut Setters Standard. 1/4" Hex Inch
Permanent industrial magnet.

Item No.	Length	mm	lbs.
704 62	2.5"	65	.06
704 63	4.0"	102	.10
704 64	6.0"	152	.15
704 66	12.0"	305	.27




5/16"

704 Nut Setters Standard. 5/16" Hex Inch
Permanent industrial magnet.

Item No.	Length	mm	lbs.
704 68	2.5"	65	.07
704 69	4.0"	102	.12
704 70	6.0"	152	.17
704 72	12.0"	305	.28

Wiha Inch & Metric Nut Setters



704 Nut Setters Standard. 3/8" Hex Inch

Permanent industrial magnet.

Item No.	Length	mm	lbs.
704 74	2.5"	65	.08
704 76	4.0"	102	.14
704 77	6.0"	152	.18
704 79	12.0"	305	.41



Non Magnetic

704 Nut Setters Standard. 1/4" Hex Inch

Item No.	Size	mm	lbs.
704 24	1/4	55	.05
704 27	5/16	55	.05
704 30	3/8	55	.06



55mm

704 94 3 pc. Hex Metric Nut Setter Set

Permanent industrial magnet. 55mm OAL Hex Metric Nut Setters.

Item No. 704 94	Set includes the following:
↔ lbs.	7, 8, 10 x 55mm
.21	



2.5"

704 90 3 pc. Hex Inch Nut Setter Set

Permanent industrial magnet. 65mm OAL Hex Inch Nut Setters.

Item No. 704 90	Set includes the following:
↔ lbs.	1/4, 5/16, 3/8 x 2.5"
.25	



4"

704 91 3 pc. Hex Inch Nut Setter Set

Permanent industrial magnet. 102mm OAL Hex Inch Nut Setters.

Item No. 704 91	Set includes the following:
↔ lbs.	1/4, 5/16, 3/8 x 4.0"
.39	



6"

704 92 3 pc. Hex Inch Nut Setter Set

Permanent industrial magnet. 152mm OAL Hex Inch Nut Setters.

Item No. 704 92	Set includes the following:
↔ lbs.	1/4, 5/16, 3/8 x 6.0"
.54	



12"

704 93 3 pc. Hex Inch Nut Setter Set

Permanent industrial magnet. 305mm OAL Hex Inch Nut Setters.

Item No. 704 93	Set includes the following:
↔ lbs.	1/4, 5/16, 3/8 x 12.0"
1.03	



Canvas Belt Clip Pouch

749 90 19 Piece Quick Change Bit Belt Pack Set

Set includes: 1/4" quick release bit holder and the following 1/4" bits and Nut Setters:

⚡	Slotted - Power: 4.5, 5.5, 6.5mm x 50mm	↔ lbs.
⊕	Phillips - Power: #1, #2, #3 x 50mm	lbs.
□	Square - Power: #1, #2, #3 x 50mm	.93
⊛	Torx® - Insert: T10, T15, T20, T25, T27, T30 x 25mm	
○	Nut Setters - Power: 1/4, 5/16, 3/8" Magnetic	






Wiha TORX®, TORXPlus® & Security TORX® Bit Sockets






Set Screw
Replaceable
Bits

761 TORX® Sockets. 1/4" Square Drive

Item			
No.	Size	mm	lbs.
761 06	T6	38	.04
761 07	T7	38	.04
761 09	T8	38	.04
761 11	T9	38	.04
761 13	T10	38	.04
761 17	T15	38	.04
761 19	T20	38	.04
761 21	T25	38	.04
761 23	T27	38	.04
761 29	T30	38	.05
761 31	T40	38	.05






763 TORX® Sockets. 3/8" Square drive, Set screw replaceable bit. 1/4" bits.

Item			
No.	Size	mm	lbs.
763 12	T9	42	.09
763 14	T10	42	.09
763 16	T15	42	.09
763 18	T20	42	.09
763 22	T25	42	.09
763 24	T27	42	.09
763 26	T30	42	.09
763 28	T40	42	.09



763 TORX® Sockets. 3/8" Square drive, Set screw replaceable bit. 5/16" bits. 2" OAL



Item			
No.	Size	mm	lbs.
763 46	T40	51	.11
763 48	T45	51	.11
763 52	T50	51	.11
763 54	T55	51	.13



Set Screw
Replaceable
Bits

763 Tamper Resistant TORX® Sockets

3/8" Square drive, 5/16" bits.



Item		
No.	Size	mm
763 39	T40s	51
763 40	T45s	51
763 41	T50s	51
763 42	T55s	51



Set Screw
Replaceable
Bits

763 Tamper Resistant TORX® Sockets

1/4" Square drive, 1/4" bits.




Item		
No.	Size	mm
763 29	T7s	38
763 30	T8s	38
763 31	T9s	38
763 32	T10s	38
763 33	T15s	38
763 34	T20s	38
763 35	T25s	38
763 36	T27s	38
763 37	T30s	38
763 38	T40s	38



Set Screw
Replaceable
Bits

701 Tamper Resistant TORX® Sockets

3/8" Square drive, 1/4" bits. 2" OAL




Item			
No.	Size	mm	lbs.
701 07	T7s	42	.09
701 08	T8s	42	.09
701 09	T9s	42	.09
701 10	T10s	42	.09
701 13	T15s	42	.09
701 15	T20s	42	.09
701 17	T25s	42	.09
701 19	T27s	42	.09
701 21	T30s	42	.09
701 23	T40s	42	.09

1/2" Square Drive Sockets



Set Screw
Replaceable
Bits

764 TORX® Sockets. 1/2" Square Drive




Item			
No.	Size	mm	lbs. pkg.
764 03	T30	59	.10 1
764 04	T40	59	.10 1
764 05	T45	59	.10 1
764 06	T50	59	.10 1
764 07	T55	59	.11 1



Set Screw
Replaceable
Bits




764 Tamper Resistant TORX® Sockets

1/2" Square Drive

Item			
No.	Size	mm	lbs. pkg.
764 11	T40s	59	.11 1
764 12	T45s	59	.11 1
764 13	T50s	59	.11 1
764 14	T55s	59	.12 1






716 TORXPlus® Sockets. 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item			
No.	Size	mm	lbs.
716 61	IP6	38	.04
716 62	IP7	38	.04
716 63	IP8	38	.04
716 64	IP9	38	.04
716 65	IP10	38	.04
716 66	IP15	38	.04
716 67	IP20	38	.04
716 68	IP25	38	.04
716 69	IP27	38	.04
716 70	IP30	38	.04
716 71	IP40	38	.04



716 TORXPlus® Sockets. 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits




Item			
No.	Size	mm	lbs.
716 73	IP9	42	.09
716 74	IP10	42	.09
716 75	IP15	42	.09
716 76	IP20	42	.09
716 77	IP25	42	.09
716 78	IP27	42	.09
716 80	IP30	42	.09
716 81	IP40	42	.09

1/2" Square Drive Sockets



Set Screw
Replaceable
Bits




764 Slotted Bit Sockets, 1/2" Square Drive

Item			
No.	mm	mm	lbs. pkg.
764 17	8	59	.12 1
764 18	10	59	.12 1
764 19	12	59	.12 1



Set Screw
Replaceable
Bits




764 Phillips Bit Sockets, 1/2" Square Drive

Item			
No.	Size	mm	lbs. pkg.
764 22	2	59	.15 1
764 23	3	59	.15 1
764 24	4	59	.15 1

Wiha Hex Inch & Metric Bit Sockets






713 Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
713 71	1/16	38	.05
713 70	5/64	38	.05
713 72	3/32	38	.05
713 74	7/64	38	.05
713 76	1/8	38	.05
713 78	9/64	38	.05
713 80	5/32	38	.05
713 82	3/16	38	.05
713 84	7/32	38	.05
713 86	1/4	38	.05






713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
713 00	2.0	42	.09
713 16	2.5	42	.09
713 41	3.0	42	.09
713 31	4.0	42	.09
713 23	5.0	42	.09
713 25	6.0	42	.09
713 20	8.0	42	.10
713 22	10.0	42	.11





713 Hex Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

Item			
No.	Inch	mm	lbs.
713 75	1/8	42	.09
713 77	9/64	42	.09
713 79	5/32	42	.09
713 81	3/16	42	.09
713 83	7/32	42	.09
713 85	1/4	42	.09
713 88	5/16	42	.10
713 90	3/8	42	.10






713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

Item		
No.	mm	mm
713 32	12.0	75






761 Security Hex Inch Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
761 64	5/64	42	.09
761 65	3/32	42	.09
761 66	7/64	42	.09
761 67	1/8	42	.09
761 68	9/64	42	.09
761 69	5/32	42	.09
761 70	3/16	42	.09
761 71	7/32	42	.09
761 72	1/4	42	.09






713 Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
713 01	1.5	38	.04
713 02	2.0	38	.04
713 05	2.5	38	.04
713 13	3.0	38	.04
713 14	4.0	38	.04
713 17	5.0	38	.05
713 19	6.0	38	.05
713 27	8.0	38	.05
713 40	10.0	38	.05

Wiha Ball End Hex Inch & Metric Bit Sockets






717 Ball End Hex Inch Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
717 61	3/32	38	.05
717 62	7/64	38	.05
717 63	1/8	38	.05
717 64	9/64	38	.05
717 65	5/32	38	.05
717 66	3/16	38	.05
717 67	7/32	38	.05
717 68	1/4	38	.05



717 Ball End Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.





Item			
No.	mm	mm	lbs.
717 71	1.5	51	.11
717 72	2.0	51	.11
717 73	2.5	51	.11
717 74	3.0	51	.11
717 75	4.0	51	.11
717 76	5.0	51	.12
717 77	6.0	51	.12



Socket Adapters







721 Hex To Square 1/4" socket bit adapter.

Item				
No.	Size	mm	Drive	lbs.
721 10	1/4"	25	1/4"	.03
721 15	1/4"	30	3/8"	.05



724 Tool Shaft





1/4" drive socket power adapter.

Item				
No.	Drive	mm	Drive	lbs.
724 01	1/4"	100	1/4"	.09
724 05	1/4"	50	1/4"	.03
724 10	1/4"	100	3/8"	.17
724 15	1/4"	50	3/8"	.06

Impact Bit Holding Sockets







720 Impact Bit Holding Socket With Retaining Ring For 1/4" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
720 01	1/4	25	1/4"	.05
720 02	1/4	30	3/8"	.10
720 03	1/4	35	1/2"	.21



720 Impact Bit Holding Socket With Retaining Ring For 5/16" drive bits.




Item				
No.	Bit	mm	Drive	lbs.
720 04	5/16	25	1/4"	.04
720 05	5/16	30	3/8"	.04
720 06	5/16	35	1/2"	.04

Wiha Long Blade Sockets & Sets




771 Hex Inch Sockets

1/4" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
771 28	3/32	6	.12
771 30	7/64	6	.12
771 32	1/8	6	.12
771 34	9/64	6	.12
771 36	5/32	6	.12
771 38	3/16	6	.12
771 39	7/32	6	.12
771 41	1/4	6	.12




771 91 8 Pc. Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  wt. .81



771 Hex Inch Sockets




3/8" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
771 65	3/32	6	.12
771 67	7/64	6	.12
771 69	1/8	6	.12
771 71	9/64	6	.12
771 73	5/32	6	.12
771 75	3/16	6	.12
771 77	7/32	6	.12
771 79	1/4	6	.12




771 Hex Metric Sockets

1/4" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
771 40	2.5	6	.12
771 42	3.0	6	.12
771 44	4.0	6	.12
771 46	5.0	6	.12
771 48	6.0	6	.12




771 92 5 Pc. Hex Metric Socket Blade Set

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm  lbs. .51




771 TORX Sockets

1/4" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
771 51	T8	6	.12
771 53	T9	6	.12
771 52	T10	6	.12
771 54	T15	6	.12
771 56	T20	6	.12
771 58	T25	6	.12
771 60	T27	6	.12
771 62	T30	6	.12
771 64	T40	6	.12




771 93 7 Pc. TORX Socket Blade Set

TORX: T10, T15, T20, T25, T27, T30, T40  wt. .69



771 TORX Sockets

3/8" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
771 01	T8	6	.12
771 03	T9	6	.12
771 05	T10	6	.12
771 07	T15	6	.12
771 09	T20	6	.12
771 11	T25	6	.12
771 13	T27	6	.12
771 15	T30	6	.12
771 17	T40	6	.12

771 95 9 Pc. TORX Socket Blade Set

TORX: T8, T9, T10, T15, T20, T25, T27, T30, T40  wt. 93




771 98 22 Pc. Hex & TORX Long Blade Socket Set, 1/4" Drive

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"


Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX: T8, T9, T10, T15, T20, T25, T27, T30, T40


 lbs. 2.82

Wiha Socket Sets On Molded Rails





713 91 10 pc. Hex Inch Socket Set
1/4" Square drive replaceable bit socket. Bits CVM tool steel.
OAL 1.5"
Item No. 
713 91 lbs. **Set includes the following:**
.48 1/16, 5/64, 3/32, 7/64, 1/8
9/64, 5/32, 3/16, 7/32, 1/4"




713 92 8 pc. Hex Inch Socket Set
3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.
OAL 1.65"
Item No. 
713 92 lbs. **Set includes the following:**
.78 1/8, 9/64, 5/32, 3/16, 7/32,
1/4, 5/16, 3/8"




719 99 9 pc. Tamper Resistant Hex Inch Socket Set
3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.
Item No. 
719 99 lbs. **Set includes the following:**
.83 Tamper Resistant Hex Inch: 5/64, 3/32,
7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"





717 98 8 Piece Ball End Hex Inch Socket Set
1/4" Square Drive Replaceable Bit Socket.
1/4" Bits CVM tool steel. OAL
Item No. 
717 98 lbs. **Set includes the following:**
.80 3/32, 7/64, 1/8, 9/64, 5/32,
3/16, 7/32, 1/4"




719 96 9 pc. Hex Metric Socket Set
1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"
Item No. 
719 96 lbs. **Set includes the following:**
.65 1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm
3/8": 5.0, 6.0, 8.0, 10.0mm



713 94 5 pc. Hex Metric Socket Set
3/8" Square Drive Replaceable Bit Socket. 1/4" Bits Chrome-vanadium-molybdenum tool steel.
Item No. 
713 94 lbs. **Set includes the following:**
.56 Hex Metric: 4.0, 5.0, 6.0,
8.0, 10.0mm




717 97 7 Piece Ball End Hex Metric Socket Set
1/4" Square Drive Replaceable Bit Socket.
1/4" Bits CVM tool steel. OAL
Item No. 
717 97 lbs. **Set includes the following:**
.72 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

NEW
From Wiha

NEW
From Wiha




Wiha Socket Sets On Molded Rails




761 91 10 pc. TORX® Socket Set
1/4" Square Drive Replaceable Bit Socket.
Bits CVM tool steel. OAL 1.5"

Item No. ↕ ↕
761 91 lbs. **Set includes the following:**
.48 T7, T8, T9, T10, T15,
T20, T25, T27, T30, T40




761 94 6 pc. TORX® Socket Set
1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel.

Item No. ↕ ↕
761 94 lbs. **Set includes the following:**
.20 T10, T15, T20, T25, T27, T30



763 95 8 pc. TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No. ↕ ↕
763 95 lbs. **Set includes the following:**
.75 T9, T10, T15, T20, T25,
T27, T30, T40



763 96 8 pc. TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"


Item No. ↕ ↕
763 96 lbs. **Set includes the following:**
.84 1/4": T20, T25, T27, T30, T40,
5/16": T45, T50, T55

Security Torx®




701 95 10 pc. Tamper Resistant TORX® Socket Set 1/4" Square drive replaceable bit socket. 1/4" Bits CVM tool steel.

Item No. ↕ ↕
701 95 lbs. **Set includes the following:**
.48 T7s, T8s, T9s, T10s, T15s,
T20s, T25s, T27s, T30s, T40s



763 97 9 pc. Tamper Resistant TORX® Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No. ↕ ↕
763 97 lbs. **Set includes the following:**
.85 1/4": T10s, T15s, T20s, T25s, T27s, T30s
3/8": T40s (1/4" bit)
3/8": T45s, T50s (5/16" bit)



763 99 12 pc. Tamper Resistant TORX® Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No. ↕ ↕
763 99 lbs. **Set includes the following:**
.77 1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
5/16": T45s, T50s, T55s



716 98 8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits Chrome-vanadium-molybdenum tool steel.

Item No. ↕ ↕
716 98 lbs. **Set includes the following:**
.60 1/4": IP9, IP10, IP15, IP20
3/8": IP25, IP27, IP30, IP40

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
28103	32	70148	26	70565	26	71182	19	71351	28	71479	33
28180	9	70150	26	70566	26	71183	19	71352	29	71480	20,27,33
28200	12	70151	26	70567	26	71195	16	71353	28	71490	27,33
28291	12	70152	26	70568	26	71196	16,20	71354	29	71491	27,33
28295	12	70153	26	71001	21	71198	16	71356	28	71492	34
28296	12	70154	26	71002	21	71199	22	71358	29	71493	34
28297	12	70155	26	71003	21	71200	31	71359	28	71494	33
28298	12	70156	26	71004	21	71201	31	71360	28	71499	34
28299	12	70157	26	71010	19	71202	31	71361	28	71505	24
28489	32	70158	26	71011	19	71203	31	71362	28	71506	24
28589	4	70159	26	71012	19	71211	19	71363	28	71507	24
28590	4	70160	26	71013	19	71212	19	71364	28	71508	24
28593	4	70163	26	71020	19	71213	19	71365	28	71509	24
28595	4	70168	26	71021	19	71221	19	71366	28	71510	24
32650	33	70190	15	71022	19	71222	19	71367	28	71515	24
38003	14	70195	40	71023	19	71223	19	71368	28	71516	19
38004	14	70424	35	71024	19	71250	31	71369	28	71517	19
38006	14	70427	35	71030	21	71251	31	71370	37	71518	19
38007	14	70430	35	71031	21	71252	31	71371	37	71519	19
38008	14	70437	34	71032	21	71253	31	71372	37	71520	24
38009	14	70438	34	71033	21	71254	31	71373	28	71521	19
38010	14	70440	34	71034	21	71300	37	71374	37	71522	19
38015	33	70442	34	71035	21	71301	37	71375	37	71525	24
38016	11	70445	34	71036	21	71302	37	71376	37	71527	24
38017	11	70448	34	71051	21	71303	28	71377	37	71530	24
38018	11	70450	34	71052	21	71304	29	71378	37	71536	25
38025	33	70462	34	71053	21	71305	37	71379	37	71537	25
38026	11	70463	34	71054	21	71306	28	71380	37	71538	25
38027	11	70464	34	71055	21	71307	29	71381	37	71539	25
38028	11	70466	34	71056	22	71308	28	71382	37	71540	24
38030	14,32	70468	34	71090	15	71309	28	71383	37	71541	25
38033	14	70469	34	71094	16	71310	29	71384	37	71542	25
38043	10	70470	34	71100	22	71311	29	71385	37	71543	25
38045	10	70472	34	71101	22	71312	28	71386	37	71544	25
38047	10	70474	35	71102	22	71313	37	71387	28	71545	25
38048	10	70476	35	71103	22	71314	37	71388	37	71546	25
38056	10	70477	35	71105	22	71315	28	71390	37	71547	25
38057	10	70479	35	71106	22	71316	37	71391	39	71550	24
38058	10	70490	35	71107	22	71317	37	71392	39	71551	24
38450	32	70491	35	71111	19	71318	28	71394	39	71552	24
38460	32	70492	35	71112	19	71319	37	71396	28	71553	24
38600	32	70493	35	71113	19	71320	37	71397	28	71554	24
38701	9	70494	35	71121	20	71321	28	71399	16	71555	24
38790	9	70507	26	71122	20	71322	37	71404	23	71556	24
38800	32	70508	26	71123	20	71323	37	71414	23	71557	24
48400	32	70509	26	71125	22	71324	28	71424	23	71558	24
48401	32	70510	26	71126	22	71325	37	71431	34	71559	24
52650	32	70515	26	71127	22	71326	28	71433	34	71560	24
66850	32	70520	26	71128	22	71327	37	71435	34	71561	24
70107	36	70525	26	71130	34	71328	28	71437	34	71562	20
70108	36	70527	26	71131	34	71329	28	71439	34	71563	20
70109	36	70530	26	71141	20	71330	28	71441	34	71564	20
70110	36	70540	26	71142	20	71331	37	71452	23	71565	20
70113	36	70545	26	71143	20	71332	37	71453	23	71566	20
70115	36	70550	26	71149	22	71333	28	71455	23	71567	20
70117	36	70555	26	71150	22	71336	28	71456	23	71568	20
70119	36	70556	26	71151	22	71339	28	71464	23	71569	20
70121	36	70557	26	71152	22	71340	37	71465	23	71570	25
70123	36	70558	26	71153	22	71341	37	71466	23	71571	25
70127	26	70559	26	71154	22	71342	28	71470	34	71574	19
70128	26	70560	26	71155	22	71343	29	71474	33	71576	19
70129	26	70561	26	71165	23	71345	28	71475	33	71578	19
70135	26	70562	26	71166	23	71346	29	71476	33	71580	19
70139	26	70563	26	71167	23	71348	28	71477	33	71582	19
70142	26	70564	26	71181	19	71349	29	71478	33	71584	19

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
71585	20	71704	29	71924	31	72049	21	74018	21	74262	31
71586	20	71705	29	71930	28	72050	21	74021	21	74263	31
71587	20	71706	29	71932	28	72051	21	74023	21	74301	29
71588	20	71707	29	71934	28	72102	22	74033	21	74303	21,23
71603	27	71708	29	71936	28	72103	22	74034	21	74304	23
71604	27	71711	29	71938	28	72104	22	74035	21	74305	29
71605	27	71712	29	71939	28	72110	38	74036	21	74306	21,23
71606	27	71713	29	71940	28	72115	38	74039	21	74307	29
71607	27	71714	29	71941	28	72401	38	74041	21	74308	23
71608	27	71715	29	71942	28	72405	38	74050	21	74309	21,23
71609	27	71716	29	71943	28	72410	38	74061	21	74310	23
71610	27	71717	29	71944	28	72415	38	74062	21	74311	29
71615	27	71718	29	71945	28	72525	24	74063	21	74312	29
71620	27	71719	29	71946	28	72527	24	74064	21	74313	29
71625	27	71720	29	71949	30	72530	24	74065	21	74314	29
71627	27	71721	29	71950	30	72531	24	74066	21	74315	29
71630	27	71722	29	71951	30	72540	24	74067	21	74316	29
71631	27	71723	29	71952	30	72541	24	74068	21	74317	29
71632	27	71724	29	71953	30	72542	26	74069	21	74318	29
71633	27	71725	29	71954	30	72545	24	74101	20	74319	29
71634	27	71761	37	71955	28	72546	24	74103	23	74325	29
71635	27	71762	37	71956	28	72547	26	74105	20	74330	29
71636	27	71763	37	71957	31	72550	24	74106	23	74340	29
71637	27	71764	37	71958	31	72551	24	74108	20	74341	29
71638	27	71765	37	71959	31	72552	26	74109	23	74342	29
71639	27	71766	37	71960	28	72555	24	74111	23	74343	29
71640	27	71767	37	71963	31	72556	24	74112	23	74344	29
71641	27	71768	37	71964	31	72557	26	74113	23	74345	29
71642	27	71771	37	71965	31	72562	26	74115	23	74346	29
71643	27	71772	37	71966	31	72563	26	74116	23	74347	29
71644	27	71773	37	71970	28	72564	26	74118	23	74348	29
71645	27	71774	37	71971	28	72567	26	74121	23	74349	29
71648	26	71775	37	71972	28	72573	24	74123	23	74350	29
71650	26	71776	37	71973	28	72575	24	74124	23	74351	29
71652	26	71777	37	71974	28	72576	24	74126	23	74352	29
71654	26	71797	39	71975	28	72577	24	74127	23	74353	29
71656	26	71798	39	71976	28	72578	24	74130	23	74354	29
71657	26	71801	30	71977	28	72579	24	74131	23	74355	29
71658	26	71802	30	71978	28	72580	24	74133	23	74356	29
71660	26	71803	30	71979	28	73301	28	74136	23	74357	29
71661	36	71851	30	71980	28	73302	28	74141	19	74360	29
71662	36	71852	30	71981	28	73303	28	74142	19	74361	29
71663	36	71853	30	71982	28	73304	28	74143	19	74362	29
71664	36	71854	30	71983	28	73305	28	74150	23	74363	29
71665	36	71900	30	71984	28	73306	28	74164	23	74364	29
71666	36	71901	30	71985	28	73307	28	74165	23	74365	29
71667	36	71902	30	71990	17	73308	28	74166	23	74366	29
71668	36	71903	30	71991	17	73309	28	74167	23	74369	29
71669	36	71904	30	71994	17	73310	25	74168	23	74371	29
71670	36	71905	30	71995	16	73311	25	74161	19	74373	29
71671	36	71906	31	71996	39	73312	25	74162	19	74375	29
71673	36	71907	31	71997	17	73313	25	74163	19	74377	29
71674	36	71908	31	71998	16	73314	25	74201	31	74379	29
71675	36	71909	31	71999	39	73315	25	74203	31	74380	29
71676	36	71910	31	72001	38	73316	25	74205	31	74381	29
71677	36	71911	31	72002	38	73317	25	74207	31	74382	29
71678	36	71912	31	72003	38	73318	25	74212	31	74383	29
71680	36	71913	30	72004	38	73319	25	74214	31	74384	29
71681	36	71914	31	72005	38	73320	25	74216	31	74385	29
71690	16	71916	31	72006	38	74003	21	74221	31	74386	29
71692	16	71918	31	72025	21	74006	21	74225	31	74387	29
71698	40	71920	31	72031	21	74009	21	74241	19	74388	29
71701	29	71921	31	72039	21	74010	21	74242	19	74411	25
71702	29	71922	31	72047	21	74012	21	74243	19	74413	25
71703	29	71923	31	72048	21	74015	21	74261	31	74415	25

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
74417	25	74579	24	74912	31	75704	6	76337	36	77175	38
74419	25	74581	24	74913	31	75705	6	76338	36	77177	38
74421	25	74583	24	74914	31	75706	6	76339	36	77179	38
74423	25	74586	24	74915	31	75707	6	76340	36	77191	38
74429	25	74587	24	74960	30	75708	6	76341	36	77192	38
74431	25	74588	24	74961	30	75709	6	76342	36	77193	38
74433	25	74589	24	74962	30	75710	6	76346	36	77195	38
74435	25	74590	24	74963	30	75715	6	76348	36	77198	38
74501	25	74591	24	74964	31	75720	6	76352	36	78002	20
74502	25	74601	27	74965	31	75727	6	76354	36	78005	20
74503	25	74602	27	74966	31	75728	6	76395	40	78008	20
74504	25	74603	27	74967	31	75729	6	76396	40	78011	20
74505	27	74604	27	74968	31	75735	6	76397	40	78015	20
74506	25	74608	27	74981	18	75739	6	76399	40	78018	20
74508	25	74612	27	74982	18	75742	6	76403	36	78615	20
74510	25	74616	27	74983	18	75792	7	76404	36	78617	20
74511	24	74620	27	74985	18	75800	5	76405	36	78619	20
74512	24	74624	27	74986	18	75801	5	76406	36	78621	20
74513	24	74628	27	74987	18	75900	6	76407	36	78622	20
74514	25	74632	27	74988	18	75901	6	76411	36	78624	20
74515	25	74636	27	74989	18	75902	6	76412	36	79242	15
74516	25	74659	27	74990	35	75990	6	76413	36	79243	15
74517	24	74660	27	75008	5	75991	7	76414	36	79245	15
74518	25	74661	27	75012	5	75992	7	76417	36	79246	15
74519	24	74662	77	75015	5	75994	7	76418	36	79247	15
74520	27	74663	27	75018	5	75996	7	76419	36	79248	15
74521	24	74664	27	75020	5	75999	7	76422	36	79256	15
74523	24	74665	27	75025	5	76106	36	76423	36	79266	15
74522	27	74666	27	75030	5	76107	36	76424	36	79276	16
74524	27	74667	27	75035	5	76109	36	77101	38	79443	13
74526	27	74668	27	75040	5	76111	36	77103	38	79445	13
74528	27	74669	27	75093	8	76113	36	77105	38	79446	13
74529	24	74670	27	75094	8	76117	36	77107	38	79447	13
74531	24	74711	25	75095	8	76119	36	77109	38	79450	13
74532	27	74714	25	75096	8	76121	36	77111	38	79490	13
74533	24	74717	25	75105	5	76123	36	77113	38	79495	13
74534	27	74721	25	75110	5	76129	36	77115	38		
74535	24	74724	25	75115	5	76131	36	77117	38		
74536	24	74728	25	75120	5	76164	37	77128	38		
74537	27	74732	25	75307	5	76165	37	77130	38		
74538	24	74736	25	75309	5	76166	37	77132	38		
74539	27	74739	25	75313	5	76167	37	77134	38		
74541	27	74742	25	75315	5	76168	37	77136	38		
74542	24	74760	25	75320	5	76169	37	77138	38		
74543	27	74761	25	75322	6	76170	37	77139	38		
74544	24	74762	25	75325	5	76171	37	77140	38		
74545	27	74763	25	75327	6	76172	37	77141	38		
74546	24	74764	25	75330	5	76191	40	77142	38		
74547	27	74765	25	75332	6	76194	40	77144	38		
74548	24	74766	25	75340	5	76312	36	77146	38		
74549	27	74767	25	75342	6	76314	36	77148	38		
74550	27	74768	25	75350	5	76316	36	77151	38		
74551	24	74769	25	75352	5	76318	36	77152	38		
74553	24	74813	30	75354	5	76322	36	77153	38		
74556	24	74816	30	75356	5	76324	36	77154	38		
74558	24	74819	30	75358	5	76326	36	77156	38		
74561	24	74860	30	75360	5	76328	36	77158	38		
74563	24	74861	30	75362	6	76329	36	77160	38		
74565	24	74862	30	75364	6	76330	36	77162	38		
74567	24	74890	30	75366	6	76331	36	77164	38		
74569	24	74901	30	75368	6	76332	36	77165	38		
74571	24	74902	30	75370	6	76333	36	77167	38		
74573	24	74903	30	75372	6	76334	36	77169	38		
74575	24	74904	30	75395	7	76335	36	77171	38		
74577	24	74911	31	75703	6	76336	36	77173	38		



(800) 494-6104
 fax: (800) 494-7456
 email: cservice@wihatools.com



Wiha Quality Tools

1348 Dundas Circle
 Monticello, MN 55362
 tel: 763.295.6591
 fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
 Brampton, ONT L6T 4X4
 tel: 763.295.6591
 fax: 763.295.6598

Catalog Item No. 99951.w0
 version - 8/1/10

Subject to change
 without notice

©2010 Willi Hahn
 Corporation

To:

Coming soon...



99002.w0 - Screwdrivers Catalog



99004.w0 - Sockets/Wrenches Catalog



99001.w0 - TorqueControl Catalog

Also available...



99934.w0 - Hex Tools Catalog



99977.w0 - Pliers/Crimpers Catalog



99945.w0 - ESD Catalog



99919.w0 - Insulated Catalog



99914.w0 - TORX Catalog