
























Complete TORX® Program


















Torx® Index





	<u>DESCRIPTION</u>	<u>Page</u>
	SoftFinish® Cushion Grip	5
	ESD Safe SoftFinish® Cushion Grip	6
	MicroFinish Non-Slip Grip	8
	3K Series	10
	Protturn	9
	Insulated Cushion Grip	7
	Powerhandle	7
	Wing Handle	16
	Flag Handle	16
	L-Keys Offset Screwdrivers	14-15 15
	T-handle & ComfortGrip	13-14
	PocketStar Fold Outs	16
	Drive-Loc VI Blades	11
	Bit Sets	29
	Insert & Power Bits	32-33
	Precision Tools	
	ESD Safe	25
	Standard	26
	PicoFinish	27
	SYSTEM 4 Blades	28
	SYSTEM 4 Micro Bits	27
	Sockets & Sets	36-38

* Standard TORX® are not for use in TORXPlus® fasteners











TorxPlus® Index

	<u>DESCRIPTION</u>	<u>Page</u>
	TorqueControl Blade	23
	SoftFinish® Cushion Grip	18
	Insert Bits	35
	Bit-Selectors	30
	Power Bits	35
	T-handles	18
	L-Keys Short/Long Arm	19
	Wing Handle	17
	Flag Handle	17
	ESD Safe Precision	25
	PocketStar Fold Outs	17
	TORXPlus® Sockets	36







NEW From Wiha **Ball End Torx® Index**

	<u>DESCRIPTION</u>	<u>Page</u>
	SoftFinish Drivers Cushion Grip	12
	L-Keys	12
	Power Bits	12,35


Tamper Resistant Torx® Index

	<u>DESCRIPTION</u>	<u>Page</u>
	SoftFinish® Cushion Grip	6
	L-Keys	15
	PocketStar Fold Outs	16
	Drive-Loc VI Blades	11
	Bit Sets	30
	Insert Bits - 1/4" & 5/16"	34
	Power Bits	34
	SYSTEM 4 Micro Bits	27
	Sockets	36,38







MagicSpring Screw Holding

	<u>DESCRIPTION</u>	<u>Page</u>
	SoftFinish® Screw Holding Cushion Grip	20
	PicoFinish Soft Grip Screw Holding	20
	L-keys Screw Holding	21
	Wing Handle Screw Holding	21
	TorqueControl Blades Screw Holding	23

Wing/Flag & L-keys Index

	<u>DESCRIPTION</u>	<u>Page</u>
	Wing Handle Torx®, TorxPlus® & MagicSpring	16-17,21
	Flag Handle Torx® & TorxPlus®	16-17
	L-Keys	14-15
	Offset Screwdrivers	15


Screwdrivers Index

	<u>DESCRIPTION</u>	<u>Page</u>
	SoftFinish® Cushion Grip Torx®, Security Torx®, TorxPlus®, MagicSpring	5,18,20
	ESD Safe SoftFinish® Cushion Grip - Torx®	6
	MicroFinish Non-Slip Grip - Torx®	8
	3K Series - Torx®	10
	Protorn - Torx®	9
	Insulated Cushion Grip - Torx®	7
	Powerhandle - Torx®	7
	Offset Screwdrivers Torx®	15
	T-handle & ComfortGrip Torx® & TorxPlus®	13-14,18
	Precision Tools	
	ESD Safe	25
	Standard	26
	PicoFinish	27

Drive-Loc VI Interchangeable









	<u>DESCRIPTION</u>	<u>Page</u>
	Drive-Loc VI Handle SoftFinish® Cushion Grip	11
	Drive-Loc VI Handle ESD Safe Cushion Grip	11
	Drive-Loc VI Handle MicroFinish Non-Slip Grip	11
	Drive-Loc VI Blades Torx® / Security Torx®	11

Fold Outs Index









	<u>DESCRIPTION</u>	<u>Page</u>
	PocketStars Torx, Security Torx, TorxPlus	16-17



TorqueControl Index

	<u>DESCRIPTION</u>	<u>Page</u>
	Easy Torque Tools	22
	TorqueVario Handle	23
	Torx® / TorxPlus® Blades	24
	ESD Safe TorqueControl	24
	ESD Safe Torx® Blades	24
	T-handle Torque Tools	24
	Interchangeable Blades For Torque T-handle	24
	TorqueControl Sets	24


Bit Sets Index

	<u>DESCRIPTION</u>	<u>Page</u>
	BitFlip Sets	29
	Topra Bit Sets	29-30
	Six-in-One Bit Sets	29-30
	Bit Selector Sets	29-30
	Power Bit Belt Packs	29-30
	SYSTEM 4 Sets Micro Bits & Interchangeable Blades	27-28
	XSelectors	29-30
	See Bit Holders on Pg. 31	


High Performance Bits Index

	<u>DESCRIPTION</u>	<u>Page</u>
	Torx® Dura Insert Bits Tungsten Carbide Coated	31
	Torx® Diamond Bits	31
	Torx® TiN Coated - Titanium	31















ESD Blade Set Index

	<u>DESCRIPTION</u>	<u>Page</u>
	Interchangeable Blade Set	6

Standard Bits Index

	<u>DESCRIPTION</u>	<u>Page</u>
	Torx® Insert/Power Bits	32-33

Specialty Bits Index

	<u>DESCRIPTION</u>	<u>Page</u>
 	Ball End Torx®	12,35
 	Torx® Align Bits	33
 	Insert/Power Bits	
 	Tamper Resistant Torx®	34
 	Insert/Power Bits	
 	TorxPlus® Bits	35
 	Insert/Power Bits	

Sockets Index

	<u>DESCRIPTION</u>	<u>Page</u>
	Torx® 1/4" Drive	36
	Torx® 3/8" Drive	36
	Torx® 3/8" - 5/16" Bits	36
	Tamper Resistant Torx® 3/8", 1/2"	36
	External Torx® Sockets 1/4", 3/8", 1/2"	37
	6" Bit Sockets 1/4" & 3/8" Drive	37
	Socket Sets	38

Wiha TORX® SoftFinish® Screwdrivers - Ergonomic Cushion Grip Handle




362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	✳	—	—	●	↓	—	—	↩	↩
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 64	T5	60	2.4	2.5	.098	164	6.5	.05	10
362 66	T6	60	2.4	3.5	.139	164	6.5	.06	10
362 68	T7	60	2.4	3.5	.139	164	6.5	.06	10
362 70	T8	60	2.4	3.5	.139	164	6.5	.06	10
362 72	T9	60	2.4	4.0	.157	171	6.7	.10	10
362 74	T10	80	3.1	4.0	.157	191	7.5	.11	10
362 76	T15	80	3.1	4.0	.157	191	7.5	.11	10
362 78	T20	100	3.9	4.0	.157	211	8.3	.11	10
362 80	T25	100	3.9	4.5	.177	211	8.3	.12	10
362 82	T27	115	4.5	5.5	.216	233	9.2	.19	10
362 84	T30	115	4.5	6.0	.236	233	9.2	.20	10
362 86	T40	130	5.1	7.0	.275	254	10.0	.27	10
362 88	T45	130	5.1	8.0	.315	254	10.0	.31	10



362 94 Set 8 Pcs. TORX® Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	✳	—	✳	—	↩		
No.	Size	mm	Size	mm	lbs.		
362 94	362 66	T6	60	362 78	T20	100	1.24
	362 70	T8	60	362 80	T25	100	
	362 74	T10	80	362 82	T27	115	
	362 76	T15	80	362 84	T30	115	



362 91 Set 6 Pcs. TORX®

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	✳	—	✳	—	↩		
No.	Size	mm	Size	mm	lbs.		
362 91	362 66	T6	60	362 72	T9	60	.77
	362 68	T7	60	362 74	T10	80	
	362 70	T8	60	362 76	T15	80	

362 01 Set 6 Pcs. TORX®

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	✳	—	✳	—	↩		
No.	Size	mm	Size	mm	lbs.		
362 01	362 66	T6	60	362 76	T15	80	.83
	362 70	T8	60	362 78	T20	100	
	362 74	T10	80	362 80	T25	100	



362 67 Set 12 Pcs. TORX® Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	✳	—	✳	—	↩		
No.	Size	mm	Size	mm	lbs.		
362 67	362 64	T5	60	362 76	T15	80	2.03
	362 66	T6	60	362 78	T20	100	
	362 68	T7	60	362 80	T25	100	
	362 70	T8	60	362 82	T27	115	
	362 72	T9	60	362 84	T30	115	
	362 74	T10	80	362 86	T40	130	



Wiha Tamper Resistant TORX® Drivers



362 TR Tamper Resistant TORX® Screwdriver With Wiha-SoftFinish® Handle. Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 69	T7s	60	2.4	3.5	.139	164	6.5	.06	10
362 71	T8s	60	2.4	3.5	.139	164	6.5	.06	10
362 73	T9s	60	2.4	4.0	.157	171	6.7	.10	10
362 75	T10s	80	3.1	4.0	.157	191	7.5	.11	10
362 77	T15s	80	3.1	4.0	.157	191	7.5	.11	10
362 79	T20s	100	3.9	4.0	.157	211	8.3	.11	10
362 81	T25s	100	3.9	4.5	.177	211	8.3	.11	10
362 83	T27s	115	4.5	5.5	.216	233	9.2	.19	10
362 85	T30s	115	4.5	6.0	.236	233	9.2	.20	10
362 87	T40s	130	5.1	7.0	.275	254	10.0	.28	10



362 98 Set 7 Pcs. Tamper Resistant TORX®


Item No.	Size	mm	Item No.	Size	mm	lbs.
362 98	362 69 T7s	60	362 77	T15s	80	.95
	362 71 T8s	60	362 79	T20s	100	
	362 73 T9s	60	362 81	T25s	100	
	362 75 T10s	80				



362 59 Set 10 Pcs. Tamper Resistant TORX®

Item No.	Size	mm	Item No.	Size	mm	lbs.
362 59	362 69 T7s	60	362 79	T20s	100	1.5
	362 71 T8s	60	362 81	T25s	100	
	362 73 T9s	60	362 83	T27s	115	
	362 75 T10s	80	362 85	T30s	115	
	362 77 T15s	80	362 87	T40s	130	

Wiha SoftFinish® ESD Safe Handle



362 ESD Safe TORX® Screwdriver, With Wiha-SoftFinish® Handle DIN EN 61340-5-1/ 61340-5-2 Round blade, CVM steel, hardened, hard chromed. Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 60	T3	60	2.4	3.5	.139	164	6.5	.06	10
362 04	T4	60	2.4	3.5	.139	164	6.5	.06	10
362 00	T5	60	2.4	3.5	.139	164	6.5	.06	10
362 06	T6	60	2.4	3.5	.139	164	6.5	.06	10
362 08	T8	60	2.4	3.5	.139	164	6.5	.06	10
362 09	T9	60	2.4	4.0	.157	171	6.7	.10	10
362 18	T10	80	3.1	4.0	.157	191	7.5	.11	10
362 19	T15	80	3.1	4.0	.157	191	7.5	.11	10
362 24	T20	100	3.9	4.0	.157	211	8.3	.11	10



362 89 Set 6 Pcs. ESD Safe TORX® Screwdrivers

Item No.	Size	mm	Item No.	Size	mm	lbs.
362 89	362 06 T6	60	362 18	T10	80	.81
	362 08 T8	60	362 19	T15	80	
	362 09 T9	60	362 24	T20	100	

Wiha ESD Safe Interchangeable Blade Set



in Durable Pouch

108 93 ESD Safe TORX® Interchangeable Blade Set

5 Pc. Set Includes ESD Safe handle & 4 interchangeable blades.

Item No.	lbs.
108 93	.75

TORX®: T6, T7, T8, T9, T10, T15, T20, T25
Wiha ESD Safe Handle

Wiha Insulated TORX® Screwdrivers



⚡ 1000Volt

325 TORX® Screwdriver, With Wiha-SoftFinish® Handle
Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E, ⚡ up to 1000 Volt.
Individually Tested. Blade high alloy cvm steel, hardened, black finish. Insulation molded directly onto blade.

Item	⚡	—	—	—	—	↔	↔	↔
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.	
325 05	T5	60	2.4	164	6.5	.06	10	
325 11	T6	60	2.4	164	6.5	.06	10	
325 16	T7	60	2.4	164	6.5	.06	10	
325 21	T8	60	2.4	164	6.5	.06	10	
325 26	T9	60	2.4	164	6.5	.06	10	
325 31	T10	60	2.4	164	6.5	.06	10	
325 36	T15	80	3.1	191	7.5	.12	10	
325 41	T20	80	3.1	191	7.5	.12	10	
325 46	T25	80	3.1	198	7.8	.17	10	
325 51	T27	100	3.9	218	8.6	.20	10	
325 56	T30	100	3.9	218	8.6	.20	10	
325 61	T40	150	5.9	274	10.8	.30	10	



⚡ 1000Volt

325 90 Set 6 Pcs. TORX®

Item	⚡	—	—	⚡	—	↔	
No.	Size	mm		Size	mm	lbs.	
325 90	325 21	T8	60	325 36	T15	80	.83
	325 26	T9	60	325 41	T20	80	
	325 31	T10	60	325 46	T25	80	



⚡ 1000Volt

325 92 Set 10 Pcs. TORX®

Item	⚡	—	—	⚡	—	↔	
No.	Size	mm		Size	mm	lbs.	
325 92	325 11	T6	60	325 36	T15	80	1.2
	325 16	T7	60	325 41	T20	80	
	325 21	T8	60	325 46	T25	80	
	325 26	T9	60	325 51	T27	100	
	325 31	T10	60	325 56	T30	100	

Wiha Powerhandle TORX®

Made in Germany



362 TORX® Screwdriver, With Wiha-Powerhandle CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.

Item	⚡	—	—	↕	↕	—	—	↔	↔
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 05	T5	50	2.0	2.5	.098	110	4.3	.03	10
362 10	T6	50	2.0	3.5	.139	125	4.9	.06	10
362 12	T7	50	2.0	3.5	.139	125	4.9	.06	10
362 15	T8	60	2.4	3.5	.139	135	5.3	.06	10
362 20	T9	60	2.4	4.0	.157	140	5.5	.09	10
362 25	T10	80	3.1	4.0	.157	170	6.7	.13	10
362 30	T15	80	3.1	4.0	.157	170	6.7	.13	10
362 35	T20	100	3.9	4.0	.157	200	7.9	.17	10
362 40	T25	100	3.9	4.5	.177	200	7.9	.18	10
362 45	T27	115	4.5	5.5	.216	215	8.5	.20	10
362 50	T30	115	4.5	6.0	.236	225	8.9	.28	10



362 92 8 Pc. Set TORX® Blade high alloy CVM steel, hardened, hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

Item No.	Includes:	↔	↔	↔	lbs.
362 92	T6, T8, T10, T15, T20, T25, T27, T30				1.45



362 93 6 Pc. Set TORX® Blade high alloy CVM steel, hardened, hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

Item No.	Includes:	↔	↔	↔	lbs.
362 93	T6, T7, T8, T9, T10, T15				.78



Wiha TORX® MicroFinish Handle Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - it won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. You get maximum force and comfort with dry, oily or wet hands.

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

Blades are hardened & hard chromed

Exact fit precision ground tips



MicroFinish Handle with patented non-slip surface. Ergo handle shape for maximum comfort & exceptional torque transfer

Blade CVM, hardened & tempered tool steel, gives exceptional tool life, wear resistance & high torque performance



527 TORX® Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item	☼	☼	☼	☼	☼	☼	☼	☼	☼
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
527 11	T9	60	2.4	4.0	.157	171	6.7	.15	10
527 13	T10	80	3.1	4.0	.157	191	7.5	.15	10
527 16	T15	80	3.1	4.0	.157	191	7.5	.15	10
527 19	T20	100	3.9	4.0	.157	211	8.3	.15	10
527 22	T25	100	3.9	4.5	.177	211	8.3	.16	10
527 26	T27	115	4.5	5.5	.216	233	9.2	.25	10
527 29	T30	115	4.5	6.0	.236	233	9.2	.27	10
527 32	T40	130	5.1	7.0	.275	254	10.0	.40	10



527 90 Set 5 Pcs. TORX®

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item	☼	☼	☼	☼	☼	☼	☼	☼
No.	Size	mm	Size	mm	lbs.			
527 90	527 13	T10	80	527 22	T25	100	1.0	
	527 16	T15	80	527 29	T30	115		
	527 19	T20	100					




527 91 Set 8 Pcs. TORX®

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item	☼	☼	☼	☼	☼	☼	☼	☼
No.	Size	mm	Size	mm	lbs.			
527 91	527 11	T9	60	527 22	T25	100	1.89	
	527 13	T10	80	527 26	T27	115		
	527 16	T15	80	527 29	T30	115		
	527 19	T20	100	527 32	T40	130		



Wiha TORX® Protturn Screwdrivers



Through hardened for optimum wear resistance

Molded on ergonomic handle proportioned to blade sizes

High performance tool steel

Black finish blades



455 TORX® Screwdriver, With Wiha-Protturn Handle

Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
455 05	T6	50	2.0	3.5	.139	129	5.1	.05	10
455 06	T7	50	2.0	3.5	.139	129	5.1	.05	10
455 11	T8	60	2.4	3.5	.139	139	5.5	.06	10
455 16	T9	60	2.4	4.0	.157	149	5.8	.08	10
455 21	T10	80	3.1	4.0	.157	170	6.7	.10	10
455 22	T10	275	10.8	4.0	.157	363	14.2	.13	10
455 26	T15	80	3.1	4.0	.157	170	6.7	.10	10
455 28	T15	275	10.8	4.0	.157	373	14.6	.15	10
455 31	T20	100	3.9	4.0	.157	190	7.5	.11	10
455 36	T25	100	3.9	4.5	.177	190	7.5	.11	10
455 41	T27	115	4.5	5.5	.216	215	8.4	.11	10
455 46	T30	115	4.5	6.0	.236	215	8.4	.20	10
455 51	T40	130	5.1	7.0	.275	240	9.4	.28	10
455 56	T45	130	5.1	8.0	.315	240	9.4	.27	10
455 61	T50	130	5.1	9.0	.354	240	9.4	.31	10



455 91 Set 6 Pcs. TORX®

Item No.	Size	mm	Size	mm	lbs.		
455 91	455 06	T7	50	455 21	T10	80	.72
	455 11	T8	60	455 26	T15	80	
	455 16	T9	60	455 31	T20	100	

455 92 Set 8 Pcs. TORX®

Item No.	Size	mm	Size	mm	lbs.		
455 92	455 11	T8	60	455 31	T20	100	1.07
	455 16	T9	60	455 36	T25	100	
	455 21	T10	80	455 41	T27	115	
	455 26	T15	80	455 46	T30	115	\$28.5



455 89 Set 15 Pcs. TORX®

Item No.	Size	mm	Size	mm	lbs.		
455 89	455 05	T6	50	455 31	T20	100	2.2
	455 06	T7	50	455 36	T25	100	
	455 11	T8	60	455 41	T27	115	
	455 16	T9	60	455 46	T30	115	
	455 21	T10	80	455 51	T40	130	
	455 22	T10	275	455 56	T45	130	
	455 26	T15	80	455 61	T50	130	
	455 28	T15	275				



484 00 1/4" Bit Holding Screwdriver, With Wiha-Protturn Handle

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pcs.
484 00	1/4	125	5.0	243	9.6	.24	10



Wiha TORX® 3K Series Drivers and Sets

3K Series

Hole for hanging

Molded on soft grip ergonomic handle, impact resistant

Precision black tip

Blade high alloy CVM steel, hardened



455 TORX® Screwdriver, With Wiha-3K Series Handle

Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
455 04	T6	60	2.4	3.2	9/64	145	5.7	.06	10
455 07	T7	60	2.4	3.5	9/64	129	5.1	.05	10
455 08	T8	60	2.4	3.5	9/64	139	5.5	.06	10
455 09	T9	60	2.4	4.0	5/32	149	5.8	.08	10
455 10	T10	80	3.1	4.0	5/32	170	6.7	.10	10
455 15	T15	80	3.1	4.0	5/32	190	7.5	.11	10
455 20	T20	100	3.9	5.5	7/32	215	8.4	.11	10
455 25	T25	100	3.9	6.0	1/4	215	8.4	.20	10
455 27	T27	115	4.5	7.0	9/32	240	9.4	.28	10
455 30	T30	115	4.5	6.0	1/4	233	9.1	.21	10
455 40	T40	130	5.1	7.0	9/32	248	9.7	.25	10
455 45	T45	130	5.1	8.0	5/16	249	9.8	.30	10
455 50	T50	130	5.1	9.0	3/8	249	9.8	.33	10



455 93 Set 5 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.		
455 93	455 08	T8	60	455 20	T20	100	.86
	455 10	T10	80	455 25	T25	100	
	455 15	T15	80				



455 98 Set 6 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3K Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.		
455 98	455 04	T6	60	455 09	T9	60	.88
	455 07	T7	60	455 10	T10	80	
	455 08	T8	60	455 15	T15	80	



455 95 Set 8 Pcs. TORX® Wiha-3k Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.		
455 95	455 08	T8	60	455 20	T20	100	1.36
	455 09	T9	60	455 25	T25	100	
	455 10	T10	80	455 27	T27	115	
	455 15	T15	80	455 30	T30	115	



455 97 Set 11 Pcs. TORX® 3K Ergo Series Screwdriver Set
Blade chrome-vanadium-molybdenum steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.		
455 97	455 04	T6	60	455 20	T20	100	1.72
	455 07	T7	60	455 25	T25	100	
	455 08	T8	60	455 27	T27	115	
	455 09	T9	60	455 30	T30	115	
	455 10	T10	80	455 40	T40	130	
	455 15	T15	80				

Drive-Loc VI

For Adjustable Length Locking Blades



Locking mechanism allows blade length to be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

Blades high quality CVM steel, hard chrome finish.

Ergonomic handles in ESD Safe, cushioned & non-slip grip.



284 88 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item	Ø	mm	Inch	mm	Inch	lbs.
284 88	6.0	115	4.5	36.0	1.41	.20



NEW
From Wiha

284 86 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item	Ø	mm	Inch	mm	Inch	lbs.
284 86	6.0	115	4.5	36.0	1.41	.20



NEW
From Wiha

284 87 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.

Advantages:

Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item	Ø	mm	Inch	mm	Inch	lbs.
284 87	6.0	115	4.5	36.0	1.41	.20



281 TORX® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item	Ø	Ø	lbs.	pkg.
281 26	T6	T8	.09	1
281 27	T7	T9	.09	1
281 28	T10	T15	.10	1
281 29	T20	T25	.10	1
281 30	T30	T40	.10	1



281 Tamper Resistant TORX® Drive-Loc VI Interchangeable Blade,

high alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item	Ø	Ø	lbs.	pkg.
281 32	T6s	T8s	.09	1
281 33	T7s	T9s	.09	1
281 34	T10s	T15s	.10	1
281 35	T20s	T25s	.10	1
281 36	T30s	T40s	.10	1



281 95 Drive-Loc VI Interchangeable Blade Set, 6 Pcs. in Durable Pouch.

Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item	lbs.
No. 281 95	.85

TORX®: T6&T8, T7&T9, T10&T15, T20&T25, T30&T40

Wiha SoftFinish® Cushion Grip Blade Lock Handle



281 97 Drive-Loc VI Interchangeable Blade Set, 6 Pcs. in Durable Pouch.

Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item	lbs.
No. 281 97	.83


Tamper Resistant TORX®: T6s+T8s, T7s+T9s, T10s+T15s,

T20s+T25s, T30s+T40s & SoftFinish® Cushion Grip Blade Lock Handle




Wiha Ball End TORX® Screwdrivers

- Ball End For 25° Angle Driving
- Precision Machined Exact Fit Tips
- Through Hardened For Maximum Durability
- WIHA High Performance CRM-72 Tool Steel
- Guaranteed Quality Made By Wiha



362 Ball End TORX® Screwdriver, With Wiha-SoftFinish® Handle
Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	⚙	—	—	—	—	—	—	—	—
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 16	T9	60	2.4	4.0	.157	164	6.5	.10	10
362 17	T10	60	2.4	4.0	.157	184	7.2	.11	10
362 21	T15	80	3.1	4.0	.157	191	7.5	.11	10
362 22	T20	80	3.1	4.0	.157	211	8.3	.11	10
362 26	T25	100	3.9	4.5	.177	218	8.6	.12	10
362 27	T27	115	4.5	5.5	.216	233	9.2	.19	10
362 36	T30	115	4.5	6.0	.236	233	9.2	.20	10



362 37 Set 7 Pcs. TORX® Blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	⚙	—	⚙	—	—
No.	Size	mm	Size	mm	lbs.
362 37	362 16	T9 60	362 26	T25 100	1.24
	362 17	T10 60	362 27	T27 115	
	362 21	T15 80	362 36	T30 115	
	362 22	T20 80			

Wiha Ball End TORX® L-keys



366 Ball End TORX® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item	⚙	—	—	—	—	—	—
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
366 31	T9	111	4.4	21	.83	.17	10
366 32	T10	121	4.8	23	.91	.23	10
366 33	T15	136	5.4	27	1.1	.33	10
366 34	T20	148	5.8	29	1.1	.44	10
366 35	T25	163	6.4	33	1.3	.65	10
366 36	T27	176	6.9	36	1.4	.98	10
366 37	T30	191	7.5	38	1.5	1.27	10
366 38	T40	210	8.3	43	1.7	2.09	10



366 92 Ball End TORX® L-key Set, 8 Pc. in Plastic Holder

Equipped with T9, T10, T15, T20, T25, T27, T30, T40

Item	—	—
No.	lbs.	pkg.
366 92	6.16	1

Wiha Ball End TORX® Power Bits



745 Ball End TORX® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	⚙	—	—	—
No.	Size	mm	pkg.	lbs.
745 24	T9	50	10	.18
745 26	T10	50	10	.18
745 28	T15	50	10	.18
745 32	T20	50	10	.18
745 34	T25	50	10	.18
745 37	T27	50	10	.18
745 39	T30	50	10	.18
745 41	T40	50	10	.18

Wiha **TORX**® Soft Grip Dual Drive T-handle

Two Tools In One!

Through the handle side driver

Short and Long Arm In One Powerful Tool

Two component soft grip handle

Maximum Comfort & Maximum Power

Torx - Blades of CVM tool steel, through hardened durability, hard chrome finish



364 Soft Grip TORX® T-handle

Blade CVM steel, through hardened, satin chrome finish. Soft grips are molded on and include through the handle side torque drive.

Item				
No.	Size	mm	lbs.	pkg.
364 80	T10	100	.08	10
364 81	T15	100	.08	10
364 82	T20	100	.13	10
364 83	T25	150	.16	10
364 84	T27	150	.19	10
364 86	T30	150	.20	10
364 87	T40	150	.24	10



364 97 Set 7 Pcs. TORX® Soft Grip T-handles Blade CVM steel, hardened, chrome finish. Wiha soft grip T-handles are molded on and include through the handle side torque drive.

Item							
No.	Size	mm	Size	mm	lbs.		
364 97	364 80	T10	100	364 84	T27	150	1.53
	364 81	T15	100	364 86	T30	150	
	364 82	T20	100	364 87	T40	150	
	364 83	T25	150				




Wiha TORX® T-handle



364 TORX® with Wiha T-handles

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chrome finish. Wiha T-handle high quality plastic, impact resistant.

Item	No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
364 09	T9	100	3.9	4.0	5/32	80	3.1	.07	10	
364 10	T10	100	3.9	4.0	5/32	80	3.1	.07	10	
364 15	T15	100	3.9	4.0	5/32	80	3.1	.07	10	
364 17	T15	200	7.9	5.5	7/32	80	3.1	.13	10	
364 20	T20	100	3.9	4.0	5/32	100	3.9	.10	10	
364 22	T20	200	7.9	5.5	7/32	100	3.9	.17	10	
364 25	T25	100	3.9	4.0	5/32	100	3.9	.11	10	
364 27	T25	200	7.9	5.5	7/32	100	3.9	.17	10	
364 30	T27	100	3.9	5.5	7/32	100	3.9	.14	10	
364 32	T27	200	7.9	5.5	7/32	100	3.9	.17	10	
364 35	T30	100	3.9	7.9	6.0	100	3.9	.14	10	
364 37	T30	200	7.9	6.0	1/4	100	3.9	.19	10	
364 40	T40	100	3.9	7.0	9/32	100	3.9	.16	10	
364 42	T40	200	7.9	7.0	9/32	100	3.9	.23	10	
364 45	T45	150	5.9	8.0	5/16	120	4.7	.29	10	
364 50	T50	150	5.9	9.0	3/8	120	4.7	.30	10	
364 52	T50	250	9.8	9.0	3/8	120	4.7	.45	10	



364 92 Set 7 Pc. TORX® T-handle

Blade CVM steel, hardened, hard chrome finish.

Wiha-T-handle high quality plastic, impact resistant.

Item	No.	Size	mm	Size	mm	lbs.
364 92	364 09	T9	100	364 27	T25	200
	364 10	T10	100	364 32	T27	200
	364 17	T15	200	364 37	T30	200
	364 22	T20	200			

NEW
From Wiha



- Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chrome finish
- Wiha T-handle high quality plastic, impact resistant

#36493

Wiha TORX® Short Arm L-keys



363 TORX® L-key, Short Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
363 05	T5	37	1.5	16	.6	.01	10	
363 06	T6	39	1.5	16	.6	.01	10	
363 07	T7	42	1.7	16	.6	.01	10	
363 08	T8	45	1.8	16	.6	.01	10	
363 09	T9	48	1.9	16	.6	.01	10	
363 10	T10	51	2.0	17	.7	.01	10	
363 15	T15	54	2.1	19	.7	.01	10	
363 20	T20	58	2.3	19	.7	.01	10	
363 25	T25	63	2.5	21	.8	.02	10	
363 27	T27	67	2.6	22	.9	.03	10	
363 30	T30	73	2.9	24	.9	.05	10	
363 40	T40	79	3.1	26	1.0	.06	10	
363 45	T45	82	3.2	28	1.1	.09	10	
363 50	T50	95	3.7	32	1.3	.13	10	
363 55	T55	108	4.3	35	1.4	.27	10	
363 60	T60	120	4.7	38	1.5	.40	10	



363 92 TORX® Set, 7 Pc. in Plastic Holder

Equipped with T6, T7, T8, T9, T10, T15, T20

Item	No.	lbs.	pkg.
363 92		.10	1

363 94 TORX® Set, 9 Pc. in Plastic Holder

Equipped with T8, T9, T10, T15, T20, T25, T27, T30, T40

Item	No.	lbs.	pkg.
363 94		.30	1

363 99 TORX® Set, 16 Pc.

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60

Item	No.	lbs.	pkg.
363 99		1.14	1

364 93 TORX® T-handle Set in Metal Stand, 8 Pc.

Wiha T-handle includes TORX® sizes: T10, 15, 20, 25, 30, 40 x 100mm T45 x 150mm, T50 x 150mm

Item	No.	lbs.	pkg.
364 93		3.10	1

Wiha TORX® Long Arm L-keys



366 TORX® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
366 45	T5	71	2.8	12	.5	.06	10
366 46	T6	78	3.1	13	.5	.07	10
366 47	T7	87	3.4	16	.6	.10	10
366 48	T8	99	3.9	18	.7	.13	10
366 49	T9	106	4.2	18	.7	.17	10
366 50	T10	118	4.6	21	.8	.23	10
366 51	T15	131	5.2	23	.9	.33	10
366 52	T20	144	5.7	25	1.0	.44	10
366 53	T25	158	6.2	28	1.1	.65	10
366 54	T27	169	6.7	30	1.2	.98	10
366 55	T30	184	7.2	32	1.3	1.27	10
366 59	T40	201	7.9	35	1.4	2.09	10
366 61	T50	213	8.4	40	1.6	3.14	10



366 99 Long Arm TORX® Set, 13 Pc. in Molded Holder

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T50


Item No.	lbs.	pkg.
366 99	1.13	1



366 98 Long Arm TORX® Set, 10 Pc. in Molded Holder

Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Item No.	lbs.	pkg.
366 98	4.4	1



Wiha Tamper Resistant TORX® L-keys



Tamper Resistant
Torx® L-Keys

363 Tamper Resistant TORX® L-key, Short Arm

High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
363 21	T7s	42	1.7	16	.6	.01	10
363 23	T8s	45	1.8	16	.6	.01	10
363 26	T9s	48	1.9	16	.6	.01	10
363 28	T10s	51	2.0	17	.7	.01	10
363 29	T15s	54	2.1	19	.7	.01	10
363 32	T20s	58	2.3	19	.7	.02	10
363 35	T25s	63	2.5	21	.8	.02	10
363 37	T27s	67	2.6	22	.9	.03	10
363 39	T30s	73	2.9	24	.9	.04	10
363 42	T40s	79	3.1	26	1.0	.06	10
363 46	T45s	82	3.2	28	1.1	.09	10
363 52	T50s	95	3.7	35	1.3	.13	10
363 57	T55s	108	4.3	38	1.4	.27	10



Tamper Resistant
Torx® L-Key Set

363 93 Tamper Resistant TORX® Set, 9 Pcs. in Plastic Holder

Equipped with T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Item No.	lbs.	pkg.
363 93	.30	1

Wiha Offset Screwdrivers



207 TORX® Offset Screwdriver With Molded Handle

For working in confined spaces. Blade CVM special steel, hardened, black finish.

Item No.	Size	lbs.	pkg.
207 56	T6 + T8	.02	1
207 57	T7 + T9	.02	1
207 58	T10 + T15	.02	1
207 59	T20 + T25	.07	1
207 60	T27 + T30	.10	1

207 99 TORX® Offset Screwdriver Set, 5 Pcs. With Molded Handle

Blade CVM special steel, hardened, black finish, 10 TORX Sizes.

Item No.	Set Includes:	lbs.	pkg.
207 99	T6+T8, T7+T9, T10+T15, T20+T25, T27+T30	.24	1



Wiha PocketStar Fold Outs



Push button
key release



Blade length range
1.68 - 1.94"

363 96 TORX® PocketStar Fold Outs, 7 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

Item No.

363 96 PocketStar lbs. .22

TORX®: T7, T8, T9, T10, T15, T20, T25



Push button
key release



Blade length range
1.95 - 2.39"

363 98 TORX® PocketStar Fold Outs, 8 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"

Item No.

363 98 PocketStar lbs. .24

TORX®: T9, T10, T15, T20, T25, T27, T30, T40



Push button
key release



Blade length range
1.68 - 1.94"

363 95 Tamper Resistant TORX® PocketStar Fold Outs, 7 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

Item No.

363 95 PocketStar lbs. .22

TR TORX®: T7s, T8s, T9s, T10s, T15s, T20s, T25s



Push button
key release



Blade length range
1.95 - 2.39"

363 97 Tamper Resistant TORX® PocketStar Fold Outs, 8 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"

Item No.

363 97 PocketStar lbs. .24

TR TORX®: T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Wiha TORX® Tools




Ideal for use with indexable
carbide tooling and also for
working in confined spaces

365 TORX® Screwdriver, With Wing Handle

Blade high alloy CVM steel, hardened, black finish.

Wing handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
365 10	T6	35	1.4	70	2.7	40	1.6	.02	10
365 12	T7	35	1.4	70	2.7	40	1.6	.02	10
365 15	T8	40	1.6	75	2.9	40	1.6	.02	10
365 20	T9	40	1.6	75	2.9	40	1.6	.02	10
365 25	T10	40	1.6	75	2.9	40	1.6	.02	10
365 30	T15	45	1.8	80	3.1	40	1.6	.02	10
365 35	T20	45	1.8	80	3.1	40	1.6	.02	10



365 91 Wing Handle TORX® Set, 7 Pc.

Set includes: T6, T7, T8, T9, T10, T15, T20 wt. .16

365 90 Wing Handle TORX® Set, 7 Pc. in Metal Stand

Set includes: T6, T7, T8, T9, T10, T15, T20 wt. .32



Ideal for use with indexable
carbide tooling and also for
working in confined spaces

370 TORX® Screwdriver, With Flag Handle

Blade high alloy CVM steel, hardened, black finish.

Flag handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
370 13	T5	35	1.4	63	2.6	15.0	.75	.01	10
370 16	T6	35	1.4	63	2.6	15.0	.75	.01	10
370 19	T7	35	1.4	67	2.6	19.0	.75	.01	10
370 22	T8	40	1.6	72	2.8	19.0	.75	.01	10
370 26	T9	40	1.6	74	2.9	23.5	.93	.01	10
370 29	T10	40	1.6	74	2.9	23.5	.93	.01	10
370 32	T15	45	1.8	80	3.1	28.0	1.10	.02	10
370 36	T20	45	1.8	80	3.1	28.0	1.10	.02	10



370 91 Flag Handle TORX® Set, 7 Pc.


Set includes: T6, T7, T8, T9, T10, T15, T20 wt. .14

370 90 Flag Handle TORX® Set, 7 Pc. in Metal Stand

Set includes: T6, T7, T8, T9, T10, T15, T20 wt. .31

The TORXPlus® Advantage

The TorxPlus® Drive System offers 100% improvement in driver bit fatigue & 25% average improvement in driver bit torsional strength. In addition its unique design provides optimum torque transfer & eliminates the need for excessive end load pressure while driving the fastener. The TorxPlus® configuration also virtually eliminates tool "camout" & slippage that can damage the head of the fastener and cause reduced tool life.



Not for use in standard Torx fasteners

- Broad Surface For Driving
- Features 0° Drive Angle Between The Fastener & Driver
- Greater Engagement Depth



Wiha TORXPlus® Tools

TORXPlus®

Not for use in standard Torx fasteners



370 TORXPlus® Screwdriver, With Flag Handle

Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Flag handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
370 40	IP5	35	1.4	63	2.6	15.0	.75	.01	10
370 42	IP6	35	1.4	63	2.6	15.0	.75	.01	10
370 44	IP7	35	1.4	67	2.6	19.0	.75	.01	10
370 46	IP8	40	1.6	72	2.8	19.0	.75	.01	10
370 48	IP9	40	1.6	74	2.9	23.5	.93	.01	10
370 50	IP10	40	1.6	74	2.9	23.5	.93	.01	10
370 52	IP15	45	1.8	80	3.1	28.0	1.10	.02	10
370 54	IP20	45	1.8	80	3.1	28.0	1.10	.02	10

370 92 Flag Handle TORXPlus® Set, 7 Pc. in Metal Stand

Set includes: IP6, IP7, IP8, IP9, IP10, IP15, IP20

Wiha PocketStar Fold Out




Push button key release

366 97 TORXPlus® PocketStar Fold Outs, 8 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle.

Item No.	Weight
366 97 PocketStar	lbs. .31

TORXPlus®: IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25



365 92 TORXPlus® 7 Pc. Wing Handle Set In Metal Stand

Equipped with IP6, IP7, IP8, IP9, IP10, IP15, IP20

Item No.	Weight
365 92	.38 1



TORXPlus®

Not for use in standard Torx fasteners



365 TORXPlus® Screwdriver, With Wing Handle

Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
365 40	IP5	35	1.4	70	2.7	40	1.6	.02	10
365 42	IP6	35	1.4	70	2.7	40	1.6	.02	10
365 44	IP7	35	1.4	70	2.7	40	1.6	.02	10
365 46	IP8	40	1.6	75	3.0	40	1.6	.02	10
365 48	IP9	40	1.6	75	3.0	40	1.6	.02	10
365 50	IP10	40	1.6	75	3.0	40	1.6	.02	10
365 52	IP15	45	1.8	80	3.1	40	1.6	.02	10
365 54	IP20	45	1.8	80	3.1	40	1.6	.02	10



Wiha TORXPlus® Cushion Grip Drivers



Not for use in standard Torx fasteners

362 TORXPlus® Screwdriver With Wiha SoftFinish Handle

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 11	IP6	60	2.4	3.5	.139	164	6.5	.06	10
362 23	IP7	60	2.4	3.5	.139	164	6.5	.06	10
362 28	IP8	60	2.4	4.0	.157	171	6.7	.10	10
362 29	IP9	60	2.4	4.0	.157	171	6.7	.11	10
362 33	IP10	80	3.1	4.0	.157	191	7.5	.11	10
362 38	IP15	80	3.1	4.0	.157	191	7.5	.11	10
362 39	IP20	100	3.9	4.5	.177	211	8.3	.11	10
362 43	IP25	100	3.9	5.5	.216	211	8.3	.19	10
362 48	IP27	115	4.5	6.0	.236	233	9.2	.20	10
362 53	IP30	115	4.5	7.0	.275	233	9.2	.28	10
362 55	IP40	130	5.1	7.0	.275	254	10.0	.28	10

Wiha T-handle TORXPlus®



Not for use in standard Torx fasteners

364 TORXPlus® Screwdriver, With Wiha T-handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
364 61	IP9	100	3.9	4.0	.157	80	3.1	.07	10
364 63	IP10	100	3.9	4.0	.157	80	3.1	.07	10
364 66	IP15	100	3.9	4.0	.157	80	3.1	.07	10
364 69	IP20	100	3.9	4.0	.157	80	3.1	.10	10
364 72	IP25	150	5.9	8.0	.315	120	4.7	.13	10
364 74	IP27	150	5.9	8.0	.315	120	4.7	.14	10
364 76	IP30	150	5.9	8.0	.315	120	4.7	.16	10
364 78	IP40	150	5.9	8.0	.315	120	4.7	.20	10



362 99 Set 7 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
362 99	362 28	IP8 60	362 43	IP25 100	1.23
	362 33	IP10 80	362 53	IP30 115	
	362 38	IP15 80	362 55	IP40 130	
	362 39	IP20 100			



364 96 Set 6 Pc. TORXPlus® T-handles

Blade CVM steel, hardened, hard chromed. Chromtop blade tips. Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Size	mm	lbs.
364 96	364 63	IP10 100	364 72	IP25 150	1.01
	364 66	IP15 100	364 74	IP27 150	
	364 69	IP20 100	364 76	IP30 150	




362 96 Set 6 Pcs. TORXPlus®

Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
362 96	362 11	IP6 60	362 29	IP9 60	.72
	362 23	IP7 60	362 33	IP10 80	
	362 28	IP8 60	362 38	IP15 80	

TORXPlus®

For Improved Torque and Longer Tool Life



Not for use in standard
Torx fasteners

361 TORXPlus® L-key, Short Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
361 06	IP6	39	1.5	16	.6	.01	10
361 07	IP7	42	1.7	16	.6	.01	10
361 08	IP8	45	1.8	16	.6	.01	10
361 09	IP9	48	1.9	16	.6	.01	10
361 10	IP10	51	2.0	17	.7	.01	10
361 15	IP15	55	2.2	19	.7	.01	10
361 20	IP20	58	2.3	19	.7	.01	10
361 25	IP25	63	2.5	21	.8	.01	10
361 27	IP27	68	2.7	22	.9	.02	10
361 30	IP30	73	2.9	24	.9	.03	10
361 40	IP40	81	3.2	26	1.0	.05	10



361 97 TORXPlus® L-key, Short Arm, 7 Pc. Set In Holder


High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.			Set includes the following L-keys:
361 97	lbs.	pkg.	Set includes the following L-keys:
	.10	1	IP6, IP7, IP8, IP9, IP10, IP15, IP20



361 99 TORXPlus® L-key, Short Arm, 9 Pc. Set In Holder

Item			Set includes the following L-keys:
No.	lbs.	pkg.	IP8, IP9, IP10, IP15, IP20,
361 99	.30	1	IP25, IP27, IP30, IP40



Not for use in standard
Torx fasteners

366 TORXPlus® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
366 06	IP6	64	2.5	14	.6	.01	10
366 07	IP7	68	2.7	14	.6	.01	10
366 08	IP8	74	2.9	15	.6	.01	10
366 09	IP9	78	3.1	16	.6	.01	10
366 10	IP10	83	3.3	18	.7	.01	10
366 15	IP15	88	3.5	18	.7	.02	10
366 20	IP20	94	3.7	18	.7	.02	10
366 25	IP25	98	3.9	19	.7	.03	10
366 27	IP27	107	4.2	23	.9	.05	10
366 30	IP30	114	4.5	24	.9	.06	10
366 40	IP40	118	4.6	27	1.0	.09	10



366 90 TORXPlus® L-key, Long Arm, 7 Pc. Set In Holder

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item			Set includes the following L-keys:
No.	lbs.	pkg.	Set includes the following L-keys:
366 90	.22	1	IP6, IP7, IP8, IP9, IP10, IP15, IP20



366 91 TORXPlus® L-key, Long Arm, 9 Pc. Set In Holder

Item			Set includes the following L-keys:
No.	lbs.	pkg.	IP8, IP9, IP10, IP15, IP20, IP25
366 91	.35	1	IP27, IP30, IP40



Wiha MagicSpring TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*

Screw Holding TORX®



Stainless Rotary Spring

Laser Welded MagicSpring Assembly



362 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-SoftFinish® Handle Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 02	T6	60	2.4	3.5	.139	164	6.5	.07	10
362 03	T7	60	2.4	3.5	.139	164	6.5	.07	10
362 07	T8	60	2.4	3.5	.139	164	6.5	.07	10
362 34	T9	60	2.4	4.0	.157	171	6.7	.11	10
362 44	T10	80	3.1	4.0	.157	191	7.5	.11	10
362 49	T15	80	3.1	4.0	.157	191	7.5	.11	10
362 54	T20	100	3.9	4.0	.157	211	8.3	.16	10
362 56	T25	100	3.9	4.5	.177	211	8.3	.17	10
362 57	T27	115	4.5	5.5	.216	233	9.2	.20	10
362 58	T30	115	4.5	6.0	.236	233	9.2	.21	10



267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-Pico Finish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
267 21	T6	40	1.6	140	5.5	.03	10
267 23	T7	40	1.6	140	5.5	.03	10
267 25	T8	40	1.6	140	5.5	.03	10
267 27	T9	50	2.0	150	5.9	.04	10
267 29	T10	50	2.0	150	5.9	.04	10
267 31	T15	60	2.4	160	6.3	.04	10



362 90 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item No.	Size	mm	lbs.
362 90	362 07 T8	60	.98
	362 44 T10	80	
	362 49 T15	80	



267 98 Set 6 Pcs. MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-Pico Finish precision handle, molded on, soft grips.

Item No.	Size	mm	lbs.
267 98	267 21 T6	40	.45
	267 23 T7	40	
	267 25 T8	40	
	267 27 T9	50	
	267 29 T10	50	
	267 31 T15	60	

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

Wiha MagicSpring TORX® Tools



371 MagicSpring Screw Holding TORX® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
371 06	T6	63	2.5	14	.55	.001	10
371 07	T7	69	2.7	16	.63	.002	10
371 08	T8	75	3.0	18	.71	.003	10
371 09	T9	80	3.1	19	.75	.005	10
371 10	T10	87	3.4	21	.83	.007	10
371 15	T15	93	3.6	22	.87	.009	10
371 20	T20	100	3.9	25	.98	.01	10
371 25	T25	107	4.2	28	1.1	.02	10
371 27	T27	116	4.6	30	1.2	.03	10
371 30	T30	126	5.0	34	1.3	.04	10
371 40	T40	135	5.3	36	1.4	.07	10

Wiha MagicSpring TORX® Tools



365 MagicSpring Screw Holding TORX® driver, With Wing Handle

Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant. Molded on.


Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
365 56	T6	35	1.4	70	2.7	40	1.6	.01	10
365 57	T7	35	1.4	70	2.7	40	1.6	.02	10
365 58	T8	40	1.6	75	3.0	40	1.6	.02	10
365 59	T9	40	1.6	75	3.0	40	1.6	.02	10
365 60	T10	40	1.6	75	3.0	40	1.6	.02	10
365 61	T15	45	1.8	80	3.1	40	1.6	.02	10
365 62	T20	45	1.8	80	3.1	40	1.6	.02	10



371 90 MagicSpring Long Arm Screw Holding TORX® Set,

7 Pc. in Plastic Holder Equipped with T6, T7, T8, T9, T10, T15, T20

Item		
No.	lbs.	pkg.
371 90	.20	1



365 98 MagicSpring Screw Holding TORX® Wing Handle Set, 7 Pc. in Metal Stand

Equipped with T6, T7, T8, T9, T10, T15, T20



371 92 MagicSpring Long Arm Screw Holding TORX® Set, 10 Pc. in Plastic Holder

Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Item		
No.	lbs.	pkg.
371 92	.35	1



Screw Holding TORX® Tools



Wiha Easy Torque TORX® & TORXPlus® Tools With Replaceable Blades

“easy” Torque

- Audible Click At Torque
- Replaceable Blades
- +/- 10% Repeatability
- Improve Productivity
- Reduces Waste
- Controls Costs
- Saves Time!

Torque accuracy of +/- 10% to 5000 cycles

Economical Torque Control for tooling assembly and repair

Each tool factory preset

Reverse torque is 50% greater for easy removal using same tool



291 Easy Torque Screwdriver Handle With TORXPlus® Blades

Easy Torque value pre-set. Release accuracy +/- 10%. Internal mechanism slips when torque value has been attained. Light weight, comfortable handle for good power transfer.

Item No.	Pre-Sets	Preset		↕	↔	⊞
		Inch/lbs.	Ft./lbs.			
291 51	IP5	4.4	0.3	0.5	.26	1
291 52	IP6	5.3	0.4	0.6	.26	1
291 53	IP7	8.0	0.7	0.9	.26	1
291 55	IP8	10.6	0.9	1.2	.26	1
291 56	IP9	12.4	1.0	1.4	.26	1
291 57	IP10	17.7	1.5	2.0	.26	1
291 59	IP15	26.6	2.2	3.0	.26	1

* No Calibration Certificates



291 Easy Torque Screwdriver Handle With TORX® Blades

Easy Torque value pre-set. Release accuracy +/- 10%. Internal mechanism slips when torque value has been attained. Light weight, comfortable handle for good power transfer.

Item No.	Pre-Sets	Preset		↕	↔	⊞
		Inch/lbs.	Ft./lbs.			
291 32	T5	4.4	0.3	0.5	.26	1
291 33	T6	5.3	0.4	0.6	.26	1
291 34	T7	8.0	0.4	0.9	.26	1
291 36	T8	10.6	0.9	1.2	.26	1
291 37	T9	12.4	1.0	1.4	.26	1
291 38	T10	17.7	1.5	2.0	.26	1
291 40	T15	26.6	2.2	3.0	.26	1

* No Calibration Certificates



291 92 Set 5 Pcs. Easy Torque Handle With TORXPlus® Blade

Easy Torque value pre-set. Release accuracy +/- 10%.

Item No.	↕	↔		↕	↔	↕
		Size	mm			
291 92	291 53	IP7	180	291 57	IP10	180
	291 55	IP8	180	291 59	IP15	180
	291 56	IP9	180			



291 90 Set 5 Pcs. Easy Torque Handle With TORX® Blade

Easy Torque value pre-set. Release accuracy +/- 10%.

Item No.	↕	↔		↕	↔	↕		
		Size	mm				Size	mm
291 90	291 06	T7	180	291 14	T10	180		
								.65
	291 10	T8	180	291 18	T15	180		
	291 12	T9	180					



Wiha TorqueControl Screwdrivers


*molded cushion grip two component handles
allow for maximum achievable torque to
be reached with comfort*

Precise repeatability!

All TorqueVario tools are tested and comply with:

- EN ISO 6798
- BS EN 26789
- ASME B107.14M

Each tool has unique serial number and certificate of calibration



TorqueVario models include Torque setting adjustment tool

and Micro Bit holder

See 4mm Micro Bits on Page 27

Direct Reading Scale



+/-6% accuracy tolerance
Certificate of calibration

285 Adjustable TorqueVario With Direct Reading Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Range	Inch lbs.	Increments	mm	lbs.	pkg.
285 01*	15 - 80(in/oz)		2.5 Inch oz	122 - 127	.22	1
285 02	5 - 10		.2 Inch lbs	122 - 127	.41	1
285 04	7.5 - 20		.5 Inch lbs	126 - 131	.50	1
285 06	10 - 50		2 Inch lbs	133 - 138	.59	1
285 08	20 - 70		2 Inch lbs	137 - 142	.74	1

Above includes Micro Bit Holder 28583

See 4mm Micro Bits on Page 27

* +/- 10% (This unit only)



+/-6% accuracy tolerance
Certificate of calibration

285 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Newton	Meter Scale	Increments	mm	lbs.	pkg.
285 50*	0.1 - 0.6Nm		.02 Nm	122 - 127	.35	1
285 51	0.4 - 1.0Nm		.05 Nm	122 - 127	.35	1
285 52	0.8 - 2.0Nm		.05 Nm	126 - 131	.45	1
285 53	1.0 - 5.0Nm		.20 Nm	133 - 138	.55	1
285 54	2.0 - 8.0Nm		.25 Nm	137 - 142	.70	1

* +/- 10% (This unit only)



285 TORX® Interchangeable Blades For TorqueFix & TorqueVario
TORX® tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
285 61	T5	175	4.0	.07	0.4	1
285 62	T6	175	4.0	.07	0.6	1
285 63	T7	175	4.0	.07	0.9	1
285 64	T8	175	4.0	.07	1.3	1
285 65	T9	175	4.0	.07	2.5	1
285 66	T10	175	4.0	.07	3.8	1
285 67	T15	175	4.0	.07	5.5	1
285 68	T20	175	4.0	.07	8.0	1
285 69	T25	175	4.0	.07	8.0	1



285 TORXPlus® Blades For TorqueFix & TorqueVario
TORXPlus® tip blades on narrow 5/32 Hex shafts.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
285 71	IP5	175	4.0	.07	0.5	1
285 72	IP6	175	4.0	.07	0.8	1
285 73	IP7	175	4.0	.07	1.3	1
285 74	IP8	175	4.0	.07	2.0	1
285 75	IP9	175	4.0	.07	3.0	1
285 76	IP10	175	4.0	.07	4.5	1
285 77	IP15	175	4.0	.07	6.6	1
285 78	IP20	175	4.0	.07	8.0	1
285 79	IP25	175	4.0	.07	8.0	1



285 MagicSpring TORX® Interchangeable Blades For TorqueFix & TorqueVario
blades on narrow 5/32 Hex shafts.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
285 12	T6	175	4.0	.07	0.6	1
285 27	T7	175	4.0	.07	0.9	1
285 28	T8	175	4.0	.07	1.3	1
285 29	T9	175	4.0	.07	2.5	1
285 30	T10	175	4.0	.07	3.8	1
285 31	T15	175	4.0	.07	5.5	1
285 32	T20	175	4.0	.07	8.0	1
285 33	T25	175	4.0	.07	8.0	1



Screw Holding



286 MagicSpring TORXPlus® Interchangeable Blades For TorqueFix & TorqueVario
blades on narrow 5/32 Hex shafts.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
286 11	IP6	175	4.0	.07	0.8	1
286 12	IP7	175	4.0	.07	1.3	1
286 13	IP8	175	4.0	.07	2.0	1
286 14	IP9	175	4.0	.07	3.0	1
286 16	IP10	175	4.0	.07	4.5	1
286 17	IP15	175	4.0	.07	6.6	1
286 18	IP20	175	4.0	.07	8.0	1
286 19	IP25	175	4.0	.07	8.0	1



Screw Holding



TorqueControl Tools



With Certificate of Calibration

285 97 Set 8 Pc. TorqueControl Set With TORX ® Blades	↔
Certified to EN ISO 6798, BS EN 26789, ASME B107.14M	lbs.
285 97 TORX ®: T7, T8, T9, T10, T15, T20	1.01
28506 Handle Range 10 - 50 Inch lbs.	



With Certificate of Calibration

285 98 Set 8 Pc. TorqueControl Set With TORXPlus ® Blades	↔
Certified to EN ISO 6798, BS EN 26789, ASME B107.14M	lbs.
285 98 TORXPlus ®: IP7, IP8, IP9, IP10, IP15, IP20	1.00
28506 Handle Range 10 - 50 Inch lbs.	



With Certificate of Calibration



Screw Holding

286 90 Set 8 Pc. TorqueControl Set With MagicSpring TORX ® Screw Holding Blades	↔
Certified to EN ISO 6798, BS EN 26789, ASME B107.14M	lbs.
286 90 MagicSpring TORX ®: T7, T8, T9, T10, T15, T20	1.00
28506 Handle Range 10 - 50 Inch lbs.	

T-handle TorqueControl Tools



Includes Calibration Certificate

289 TorqueFix T-handle	EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy				
	Ergonomic multi-component handle, light and compact.				
Item No.	Torque In-lbs.	Torque Nm	mm x mm	↔ lbs.	📦 pkg.
289 31	53.1	6	56 x 120	.81	1
289 33	70.8	8	56 x 120	.82	1
289 35	88.5	10	56 x 120	.79	1
289 37	106.2	12	56 x 120	.79	1
289 38	110.6	12.5	56 x 120	.80	1
289 39	123.9	14	56 x 120	.80	1

ESD Safe Adjustable TorqueControl Tools



Includes Certificate

285 ESD Safe TorqueVario-S, With Window Scale	EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy					
	Ergonomic multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when torque setting has been attained. With Certificate of accuracy.					
Item No.	Range	↔	↔	📦	📦	📦
	Inch lbs.	mm	lbs.	lbs.	lbs.	pkg.
285 22*	15 - 80(in/oz)	2.5 Inch oz	122 - 127	.33	.33	1
285 24	5 - 10	.2 Inch lbs	122 - 127	.34	.34	1
285 26	7.5 - 20	.5 Inch lbs	126 - 131	.42	.42	1

* +/- 10% (This unit only)



288 ESD Safe TORX ® Interchangeable Blades For TorqueVario-S	TORX ® tip blades on narrow 5/32" Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.					
Item No.	Size	mm	mm	↔ lbs.	↔ Nm	📦 pkg.
288 25	T5	175	4.0	.07	0.4	1
288 26	T6	175	4.0	.07	0.6	1
288 27	T7	175	4.0	.07	0.9	1
288 28	T8	175	4.0	.07	1.3	1
288 29	T9	175	4.0	.07	2.5	1
288 30	T10	175	4.0	.07	3.8	1



289 TORX ® Interchangeable Blades For TorqueFix T-Handle	TORX ® tip blades on 6mm Hex shafts.					
Item No.	Size	mm	Inch	mm	↔ lbs.	📦 pkg.
289 03	T15	130	5.1	6.0	.07	1
289 04	T20	130	5.1	6.0	.07	1
289 05	T25	130	5.1	6.0	.07	1
289 06	T27	130	5.1	6.0	.07	1
289 07	T30	130	5.1	6.0	.07	1
289 08	T40	130	5.1	6.0	.07	1



289 TORXPlus ® Interchangeable Blades For TorqueFix T-Handle	TORXPlus ® tip blades on 6mm Hex shafts.					
Item No.	Size	mm	Inch	mm	↔ lbs.	📦 pkg.
289 10	IP15	130	5.1	6.0	.07	1
289 11	IP20	130	5.1	6.0	.07	1
289 12	IP25	130	5.1	6.0	.07	1
289 13	IP27	130	5.1	6.0	.07	1
289 14	IP30	130	5.1	6.0	.07	1
289 15	IP40	130	5.1	6.0	.07	1

Precision ESD Safe TORX® Drivers



278 TORX® Screwdriver, With Precision ESD Safe Dissipative Handle. Blade high alloy CVM steel. Hard chrome finished. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item	Size	mm	Inch	mm	Inch	lbs.	pkg.
278 01	T1	40	1.6	120	4.7	.03	10
278 02	T2	40	1.6	120	4.7	.03	10
278 03	T3	40	1.6	120	4.7	.03	10
278 04	T4	40	1.6	120	4.7	.03	10
278 05	T5	40	1.6	120	4.7	.03	10
278 11	T6	40	1.6	120	4.7	.03	10
278 17	T7	40	1.6	120	4.7	.03	10
278 23	T8	40	1.6	120	4.7	.03	10
278 29	T9	50	2.0	145	5.7	.04	10
278 35	T10	50	2.0	145	5.7	.04	10
278 41	T15	60	2.4	170	6.7	.07	10
278 47	T20	60	2.4	170	6.7	.07	10

*Metric dimensions actual - Inch dimensions approximate

Precision ESD Safe TORXPlus® Drivers



278 TORXPlus® Screwdriver, With Precision ESD Safe Dissipative Handle. Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item	Size	mm	Inch	mm	Inch	lbs.	pkg.
278 50	IP4	40	1.6	120	4.7	.03	10
278 51	IP5	40	1.6	120	4.7	.03	10
278 52	IP6	40	1.6	120	4.7	.03	10
278 53	IP7	40	1.6	120	4.7	.03	10
278 54	IP8	40	1.6	120	4.7	.03	10
278 55	IP9	50	2.0	145	5.7	.04	10
278 56	IP10	50	2.0	145	5.7	.04	10
278 57	IP15	60	2.4	170	6.7	.07	10

*Metric dimensions actual - Inch dimensions approximate



ESD standard
IEC 61340-5-1

278 90 Set 7 Pcs. TORX® Precision ESD Safe Dissipative Handle
Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material.

Item	Size	mm	Size	mm	lbs.		
278 90	278 04	T4	40	278 23	T8	40	.31
	278 05	T5	40	278 29	T9	50	
	278 11	T6	40	278 35	T10	50	
	278 17	T7	40				



ESD standard
IEC 61340-5-1

278 94 Set 7 Pcs. TORXPlus® Precision ESD Safe Dissipative Handle
Blade high alloy CVM steel, hardened, hard chromed.

Item	Size	mm	Size	mm	lbs.		
278 94	278 51	IP5	40	278 55	IP9	50	.32
	278 52	IP6	40	278 56	IP10	50	
	278 53	IP7	40	278 57	IP15	60	
	278 54	IP8	40				



ESD standard
IEC 61340-5-1

278 99 Set 8 Pcs. TORX® Precision ESD Safe Dissipative Handle Set In Pouch
Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material.

Item	Size	mm	Size	mm	lbs.		
278 99	278 01	T1	40	278 05	T5	40	.30
	278 02	T2	40	278 06	T6	40	
	278 03	T3	40	278 07	T7	40	
	278 04	T4	40	279 20	Chip Lifter		



Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
267 03	T3	40	1.6	120	4.7	.02	10
267 04	T4	40	1.6	120	4.7	.02	10
267 05	T5	40	1.6	120	4.7	.02	10
267 06	T6	40	1.6	120	4.7	.02	10
267 07	T7	40	1.6	120	4.7	.02	10
267 08	T8	40	1.6	120	4.7	.03	10
267 09	T9	50	2.0	145	5.7	.03	10
267 10	T10	50	2.0	145	5.7	.03	10
267 15	T15	60	2.4	170	6.7	.05	10
267 20	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



267 99 Set 8 Pcs. TORX® Drivers In Canvas Pouch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In storage pouch

Item							
No.	Size	mm	Size	mm	lbs.		
267 99	267 03	T3	40	267 07	T7	40	.50
	267 04	T4	40	267 08	T8	40	
	267 05	T5	40	267 09	T9	50	
	267 06	T6	40	267 10	T10	50	



267 90 Set 6 Pcs. TORX® Screwdriver

Blade high alloy chrome-vanadium-molybdenum steel.

Item				
No.	Size	mm	lbs.	
267 90	267 06	T6	40	.25
	267 07	T7	40	
	267 08	T8	40	
	267 09	T9	50	
	267 10	T10	50	
	267 15	T15	60	



267 92 Set 7 Pcs. TORX® Screwdriver

Blade high alloy chrome-vanadium-molybdenum steel.

Item				
No.	Size	mm	lbs.	
267 92	267 05	T5	40	.27
	267 06	T6	40	
	267 07	T7	40	
	267 08	T8	40	
	267 09	T9	50	
	267 10	T10	50	
	267 15	T15	60	

Wiha TORX® Protturn Precision Set



629 92 TORX® Pocket Pack, 5 Pc. Set Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

629 92 Set includes the following blades:

	TORX®: T6, T7, T8, T9, T10, T15, T20
	lbs. .15

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle
Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item						
No.	Size	mm	Inch	mm	Inch	pkg.
267 32	T1	40	1.6	134	5.3	10
267 33	T2	40	1.6	134	5.3	10
267 35	T3	40	1.6	134	5.3	10
267 36	T4	40	1.6	134	5.3	10
267 37	T5	40	1.6	134	5.3	10
267 39	T6	40	1.6	140	5.5	10
267 41	T7	40	1.6	140	5.5	10
267 43	T8	40	1.6	140	5.5	10
267 45	T9	50	2.0	150	5.9	10
267 47	T10	50	2.0	150	5.9	10
267 49	T15	60	2.4	160	6.3	10
267 51	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



267 93 Set 8 Pcs. TORX® Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item					
No.	Size	mm	Size	mm	lbs.
267 93	267 32	T1 40	267 37	T5 40	.50
	267 33	T2 40	267 39	T6 40	
	267 35	T3 40	267 41	T7 40	
	267 36	T4 40	267 43	T8 40	



267 96 Set 8 Pcs. TORX® Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item					
No.	Size	mm	Size	mm	lbs.
267 96	267 37	T5 40	267 45	T9 50	.57
	267 39	T6 40	267 47	T10 50	
	267 41	T7 40	267 49	T15 60	
	267 43	T8 40	267 51	T20 60	


Wiha SYSTEM 4 Handle, Bits & Sets



758 01 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle with rotating control cap. For Wiha Micro Bits.

Advantages:

- For working in ESD sensitive applications
- Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits
- 110mm/4.3" OAL



Item					
No.	Size	mm	Inch	mm	Inch lbs.
758 01		4.0	.1574	14.0	.55 .06

757 SYSTEM 4 TORX® Micro Bits
High alloy CVM steel, hardened, on 4 mm stock

Item				
No.	Size	mm	Inch	lbs.
757 03	T3	28	1.1	.01
757 04	T4	28	1.1	.01
757 05	T5	28	1.1	.01
757 06	T6	28	1.1	.01
757 07	T7	28	1.1	.01
757 08	T8	28	1.1	.01
757 09	T9	28	1.1	.01
757 10	T10	28	1.1	.01
757 15	T15	28	1.1	.01
757 20	T20	28	1.1	.01

757 SYSTEM 4 TORX® Tamper Resistant Micro Bits
High alloy CVM steel, hardened, on 4 mm stock

Item				
No.	Size	mm	Inch	lbs.
757 27	T7s	28	1.1	.01
757 28	T8s	28	1.1	.01
757 29	T9s	28	1.1	.01
757 35	T10s	28	1.1	.01
757 39	T15s	28	1.1	.01
757 42	T20s	28	1.1	.01

757 sets SYSTEM 4 TORX® Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, bit extension and 9 Wiha interchangeable bits.

Item Handle Options for SYSTEM 4 No. TORX® Bit Sets

757 91 Set with Standard Precision Handle
757 92 Set with ESD Safe Precision Handle

Sets include the following bits:

- TORX® Sizes: T3, T4, T5, T6, T7, T8, T9, T10, T15
- 105mm Bit Extension
- lbs. .26



11 Pc. Set



ESD Safe Precision Handles & Blades



280 00 ESD Safe Dissipative Precision Handle

with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
280 00	4.0	.1574	14.0	.55	.04



280 01 ESD Safe Dissipative Precision Adjustable Handle

with rotating control cap.

Advantages:

- Use in ESD sensitive applications. Surface resistant 10⁶-10⁹ Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
280 01	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 TORX® Reversible Blade

High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item			
No.	Size	Size	lbs.
269 51	T6 + T8		.03
269 52	T7 + T9		.03
269 53	T10 + T15		.03
269 54	T15 + T20		.03



269 SYSTEM 4 TORX® Interchangeable Blade

High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

Item		
No.	Size	lbs.
269 55	T3	.03
269 56	T4	.03
269 57	T5	.03

TORX® ESD Safe SYSTEM 4 Blade Sets



280 87 TORX® Precision Interchangeable

Blade Set, 8 Pcs. Wiha ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.

280 87 Set includes the following blades:

TORX® Sizes on standard blades: T3, T4, T5

TORX® Sizes on reversible blades: T6, T7, T8, T9, T10, T15, T20

lbs. .31



269 95 TORX® Precision Interchangeable

Blade Set, 5 Pcs. Wiha ESD Safe precision collet lock handle & 4 interchangeable blades.

269 95 Set includes the following blades:

TORX® Sizes:

T6, T7, T8, T9, T10, T15, T20

lbs. .24



269 87 TORX® Precision Interchangeable

Blade Set, 8 Pcs. Wiha ESD Safe precision collet lock handle and 7 interchangeable blades.

269 87 Set includes the following blades:

TORX® Sizes on standard blades: T3, T4, T5

TORX® Sizes on reversible blades: T6, T7, T8, T9, T10, T15, T20

lbs. .33



Wiha TORX® Bit Sets

Wiha BitFlip Bit Set

“8-In-1 Bit Set”

BitFlip Standard



380 28 TORX® BitFlip Standard

with Wiha cushion grip handle and insulated shaft.

Set includes the following 1/4” bits:

- TORX® Sizes: T8, T10, T15, T20, T25, T27, T30, T40

Wiha Stubby Bit Set


“* -In-1 Gh VvmiBit Set”



380 () TORX®

Ünçü 8” ä•• ÄÖÄ•• ÄVI Ä••ÄÄI Ä••ÄÄI ÄHE

Wiha Ratchet Handle Set



282 95 TORX® Topra Ratchet Bit Set, 12 Pcs.

Set Includes Topra Handle, Magnetic Bit Holder & The Following Bits:

- TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40

Wiha Multi-Bit Screwdriver Sets



380 03 TORX® Multi-Bit Screwdriver with Wiha Powerhandle

Set includes the following 1/4” bits:

- TORX® Sizes: T5, T6, T7, T8, T9, T10

380 04 TORX® Multi-Bit Screwdriver with Wiha Powerhandle

Set includes the following 1/4” bits:

- TORX® Sizes: T8, T9, T10, T15, T20, T25

380 08 TORX® Multi-Bit Screwdriver with Wiha Powerhandle

Set includes the following 1/4” bits:

- TORX® Sizes: T10, T15, T20, T25, T30, T40

Wiha XSelector Bit Sets



Easy bit access with hinged cover

Includes Clicfix quick release holder

794 45 XSelector Bit Set With TORX® Bits Set Includes Quick Release Holder

lbs.
.29

- TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40

Wiha Insert Bit Selectors



792 42 Bit-Selector With TORX® Bits

Set includes magnetic 1/4” bit holder and the following 10 bits:

- TORX® Sizes: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30

792 45 Bit-Selector With TORX® Bits

Set includes magnetic 1/4” bit holder and the following 10 bits:

- TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40

Wiha Power Bit Belt Packs



749 81 Power Bit Belt Pack With TORX® Align Bits

Set includes the following 10 bits:

- TORX® Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30



749 85 Power Bit Belt Pack With TORX® Bits

Set includes the following 10 bits:

- TORX® Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30




Wiha Security TORX® Bit Sets

Wiha Multi-Bit Screwdriver Sets



- 380 09** Tamper Resistant **TORX®** Screwdriver with Wiha Powerhandle
Set includes the following 1/4" bits: lbs.
- Tamper Resistant **TORX®** Sizes: lbs.
T7s, T8s, T9s, T10s, T15s, T20s .36
- 380 10** Tamper Resistant **TORX®** Screwdriver with Wiha Powerhandle
Set includes the following 1/4" bits: lbs.
- Tamper Resistant **TORX®** Sizes: lbs.
T10s, T15s, T20s, T25s, T30s, T40s .36

Wiha Ratchet Handle Sets



- 282 97** Tamper Resistant **TORX®** Topra Ratchet Bit Set, 12 Pcs.
Set Includes Topra Handle, Magnetic Bit lbs.
- Tamper Resistant **TORX®** Sizes: .65
T7s, T8s, T9s, T10s, T15s,
T20s, T25s, T27s, T30s, T40s

Wiha TORXPlus® Bit Sets

Wiha Insert Bit Selectors



- 716 90** Bit-Selector With **TORXPlus®** Bits
Set includes magnetic 1/4" bit holder lbs.
and the following 10 bits: lbs.
- TORXPlus®** Sizes: .31
IP7, IP8, IP9, IP10, IP15, IP20, IP25
IP27, IP30, IP40
- 716 92** Bit-Selector With **TORXPlus®** Bits
Set includes magnetic 1/4" bit holder lbs.
and the following 10 bits: lbs.
- TORXPlus®** Sizes: .31
IP3, IP4, IP5, IP6, IP7, IP8, IP9,
IP10, IP15, IP20

Wiha XSelector Bit Sets



XSelector Pocket Sized
3 1/8" x 2 1/8" x 1/2"

- 794 47** XSelector Bit Set With Tamper Resistant **TORX®** Bits
Set Includes Quick Release Holder lbs.
and the following 10 bits: .27
- TR **TORX®** Sizes: T7s, T8s, T9s, T10s,
T15s, T20s, T25s, T27s, T30s, T40s

Wiha Insert Bit Selectors



- 792 47** Bit-Selector With Tamper Resistant **TORX®** Bits
Set includes magnetic 1/4" bit holder lbs.
and the following 10 bits: lbs.
- Tamper Resistant **TORX®** Sizes: .32
T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- 701 90** Bit-Selector With Tamper Resistant **TORX®** Bits
Set includes the following 7 bits: lbs.
- Tamper Resistant **TORX®** Sizes: lbs.
T7s, T8s, T9s, T10s, T15s, T20s, T25s .21

Wiha Power Bit Belt Packs



NEW
From Wiha

- 749 87** Power Bit Belt Pack With Security **TORX®** Bits
Set includes the following 10 bits: lbs.
- Security **TORX®** Sizes: T7s, T8s, T9s, lbs.
T10s, T15s, T20s, T27s, T25s, T30s, T40s .29

Wiha Power Bit Belt Packs




NEW
From Wiha

- 749 82** Power Bit Belt Pack With **TORXPlus®** Bits
Set includes the following 10 bits: lbs.
- TORXPlus®** Sizes: IP6, IP7, IP8, IP9, lbs.
IP10, IP15, IP20, IP25, IP30 .28

Dura Torsion Insert Bits

With the Dura bit Wiha has again proved it's power of innovation. The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.



Torsion Zone

Positive location in the screw head with decrease of:

- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect



715 TORX® Dura Bits, 1/4"

Item No.	Size	mm	lbs.
715 74	T10	25	.02
715 76	T15	25	.02
715 78	T20	25	.02
715 80	T25	25	.02
715 82	T30	25	.02
715 84	T40	25	.03

Diamond Torsion Insert Bits

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.



Torsion Zone

- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

Reduction of:

- pressure forces to be applied
- wear and tear of bit and screw head
- working time & costs
- Cam-out effect

The ideal bit even for the most difficult of applications




715 TORX® Diamond Bits, 1/4"

Item No.	Size	mm	lbs.
715 16	T10	25	.02
715 17	T15	25	.02
715 18	T20	25	.02
715 19	T25	25	.02
715 21	T30	25	.02
715 22	T40	25	.03

TiN Coated Insert Bits

The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



Torsion Zone

- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance




715 TORX® TiN Coated Insert Bits, 1/4"

Item No.	Size	mm	lbs.
715 85	T5	25	.02
715 86	T6	25	.02
715 87	T7	25	.02
715 88	T8	25	.02
715 62	T9	25	.02
715 63	T10	25	.02
715 64	T15	25	.02
715 65	T20	25	.02
715 66	T25	25	.02
715 69	T27	25	.02
715 67	T30	25	.02
715 68	T40	25	.02

TiN - Titanium Nitride

Wiha Bit Holders




Magnetic

384 1/4" Magnetic Bit Holding Screwdrivers, With Wiha-

SoftFinish® Handle Ergonomic cushion grip, magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated.


Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
384 50	1/4"	125	5.0	240	9.46	.23	1
384 60	1/4"	300	11.8	400	15.69	.37	1



281 03 1/4" Magnetic Bit Holder With Wiha SoftFinish® Stubby

Handle For working in confined spaces. Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

Item No.	Size	mm	Inch	lbs.	pkg.
281 03	1/4"	57	2.2	.11	1



Adjustable Blade Length
Magnetic Bit Holder

284 89 Drive-Loc VI Bit Holder

High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item No.	Size	Extends	lbs.	pkg.
284 89	1/4"	1-3/4" to 4-7/8"	.36	1



(bits not included)

380 15 1/4" Magnetic Bit Holder, Wiha-Powerhandle impact resistant.

Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, stainless steel, magnetic, holds bit and screw. Shaft CVM steel. Cavity holds up to 6 bits.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
380 15	1/4"	120	4.7	230	9.0	.25	1



TORX® Bits


The ideal multi-purpose bits for all around quality and performance

Made in Germany - Production Quality

Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

Suitable for all applications
Hardness HRC 59-61
Suitable for both manual & machine applications

High resistant to wear and tear for a long tool life



715 TORX® Bits, 1/4"

Item	No.	Size	mm	pkg.	lbs.
715 05	T5	25	10	.12	
715 06	T6	25	10	.12	
715 07	T7	25	10	.12	
715 08	T8	25	10	.12	
715 09	T9	25	10	.12	
715 10	T10	25	10	.12	
715 15	T15	25	10	.12	
715 20	T20	25	10	.12	
715 25	T25	25	10	.12	
715 27	T27	25	10	.13	
715 30	T30	25	10	.14	
715 40	T40	25	10	.15	



725 TORX® Bits, 5/16"

Item	No.	Size	mm	pkg.	lbs.
725 25	T25	35	10	.27	
725 27	T27	35	10	.27	
725 30	T30	35	10	.27	
725 40	T40	35	10	.28	
725 45	T45	35	10	.31	
725 50	T50	35	10	.32	
725 55	T55	35	10	.52	



725 TORX® Insert Bit Packs, 5/16"

CVM S2 modified tool steel.

Item	No.	Size	mm	lbs.	2 Bit Pack
725 31	T30	35	.28		
725 41	T40	35	.28		
725 46	T45	35	.31		
725 51	T50	35	.32		
725 56	T55	35	.52		



745 TORX® Power Bits, 1/4" Hex Drive, Length 2.0"/50mm

Item	No.	Size	mm	pkg.	lbs.
745 11	T6	50	10	.18	
745 12	T7	50	10	.18	
745 13	T8	50	10	.18	
745 17	T9	50	10	.18	
745 19	T10	50	10	.18	
745 21	T15	50	10	.18	
745 23	T20	50	10	.18	
745 29	T25	50	10	.18	
745 31	T27	50	10	.18	
745 33	T30	50	10	.18	
745 35	T40	50	10	.18	



745 TORX® Power Bits, 1/4" Hex Drive, Length 2.75"/70mm

Item	No.	Size	mm	pkg.	lbs.
745 36	T6	70	1	.02	
745 38	T7	70	1	.02	
745 42	T8	70	1	.02	
745 44	T9	70	1	.02	
745 46	T10	70	1	.02	
745 48	T15	70	1	.02	
745 51	T20	70	1	.03	
745 53	T25	70	1	.03	
745 56	T27	70	1	.04	
745 58	T30	70	1	.04	
745 61	T40	70	1	.04	



745 TORX® Power Bits, 1/4" Hex Drive, Length 3.5"/90mm

Item	No.	Size	mm	pkg.	lbs.
745 63	T6	90	10	.03	
745 65	T7	90	10	.03	
745 67	T8	90	10	.03	
745 69	T9	90	10	.03	
745 71	T10	90	10	.03	
745 73	T15	90	10	.03	
745 75	T20	90	10	.04	
745 77	T25	90	10	.04	
745 79	T27	90	10	.04	
745 81	T30	90	10	.04	
745 83	T40	90	10	.04	



745 TORX® Power Bits, 1/4" Hex Drive, Length 6.0"/152mm

Item	No.	Size	mm	pkg.	lbs.
745 86	T10	152	10	.04	
745 87	T15	152	10	.04	
745 88	T20	152	10	.04	
745 89	T25	152	10	.04	
745 90	T27	152	10	.04	
745 91	T30	152	10	.04	

Wiha TORX® Bit Packs



715 TORX® Insert Bit Packs, 1" CVM S2

modified tool steel.

Item	No.	Size	mm	lbs.	2 Bit Pack
715 50	T5	25	.03		
715 51	T6	25	.03		
715 52	T7	25	.03		
715 53	T8	25	.03		
715 54	T9	25	.03		
715 55	T10	25	.03		
715 56	T15	25	.03		
715 57	T20	25	.03		
715 58	T25	25	.03		
715 59	T27	25	.04		
715 60	T30	25	.04		
715 61	T40	25	.04		

Wiha TORX® Bit Packs



715 71 TORX® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.
715 71 Set includes the following bits:

Torx® Sizes:

T15, T20, T25, T27,
wt. .08 T30, T40 x 1" (25mm)

715 70 TORX® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.
715 70 Set includes the following bits:

Torx® Sizes:

T5, T6, T7, T8, T9,
wt. .07 T10 x 1" (25mm)



745 TORX® Power Bit Packs, 2"

CVM S2 modified tool steel.

Item	No.	Size	mm	lbs.	2 Bit Pack
745 01	T6	50	.05		
745 02	T7	50	.05		
745 03	T8	50	.05		
745 04	T9	50	.05		
745 06	T10	50	.05		
745 08	T15	50	.05		
745 10	T20	50	.05		
745 14	T25	50	.06		
745 15	T27	50	.06		
745 16	T30	50	.06		
745 18	T40	50	.06		



744 TORX® Double End Bits
1/4" Hex Drive, Length 2.56"/65mm

Item	No.	Size	Size mm	pkg.	lbs.
744 11	T6	T6	65	10	.32
744 13	T7	T7	65	10	.32
744 15	T8	T8	65	10	.32
744 17	T9	T9	65	10	.32
744 19	T10	T10	65	10	.32
744 21	T15	T15	65	10	.32
744 23	T20	T20	65	10	.32
744 29	T25	T25	65	10	.33
744 31	T27	T27	65	10	.34
744 33	T30	T30	65	10	.35
744 35	T40	T40	65	10	.38

Wiha TORX® Align Insert Bits and Power Bits

Torx® Align Tapered For Snug Fit In Screw

High resistant to wear and tear for a long tool life



Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

Made in Germany - Production Quality

Suitable for all applications
Hardness HRC 59-61
Suitable for both manual & machine applications



715 TORX® Align Bits, 1/4"

Item	No.	Size	mm	pkg.	lbs.
715 36	T6	25	10	.12	
715 37	T7	25	10	.12	
715 38	T8	25	10	.12	
715 39	T9	25	10	.12	
715 41	T10	25	10	.12	
715 42	T15	25	10	.12	
715 43	T20	25	10	.12	
715 44	T25	25	10	.13	
715 45	T27	25	10	.13	
715 46	T30	25	10	.14	
715 47	T40	25	10	.15	

*Also Known As Torx Wedge Fit



747 TORX® Align Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	No.	Size	mm	pkg.	lbs.
747 11	T6	50	10	.18	
747 14	T7	50	10	.18	
747 17	T8	50	10	.18	
747 21	T9	50	10	.18	
747 24	T10	50	10	.18	
747 28	T15	50	10	.20	
747 32	T20	50	10	.22	
747 36	T25	50	10	.22	
747 39	T27	50	10	.22	
747 42	T30	50	10	.22	

*Also Known As Torx Wedge Fit



733 TORX® Align Insert Bit Packs, 1"

CVM S2 modified tool steel

Item	No.	Size	mm	lbs.	2 Bit Pack
733 10	T6	25	.03		
733 11	T7	25	.03		
733 12	T8	25	.03		
733 13	T9	25	.03		
733 14	T10	25	.03		
733 15	T15	25	.03		
733 16	T20	25	.03		
733 17	T25	25	.03		
733 18	T27	25	.03		
733 19	T30	25	.03		
733 20	T40	25	.04		



747 TORX® Align Power Bit Packs, 2"

Item	No.	Size	mm	lbs.	2 Bit Pack
747 60	T6	50	.05		
747 61	T7	50	.05		
747 62	T8	50	.05		
747 63	T9	50	.05		
747 64	T10	50	.05		
747 65	T15	50	.05		
747 66	T20	50	.06		
747 67	T25	50	.06		
747 68	T27	50	.06		
747 69	T30	50	.06		



Wiha Tamper Resistant TORX® Insert Bits and Power Bits

Tamper Resistant Torx®

Made in Germany - Production Quality



Impact resistant modified CVM tool steel, hardened

High resistant to wear and tear for a long tool life

Suitable for all applications
Hardness HRC 59-61
Suitable for both manual and machine applications



701 TR TORX® Bits, Tamper Resistant, 1/4"

Item	Size	mm	pkg.	lbs.
701 27	T7s	25	10	.12
701 28	T8s	25	10	.12
701 29	T9s	25	10	.12
701 35	T10s	25	10	.12
701 39	T15s	25	10	.12
701 42	T20s	25	10	.12
701 48	T25s	25	10	.12
701 60	T27s	25	10	.13
701 63	T30s	25	10	.13
701 68	T40s	25	10	.14



701 Tamper Resistant Torx® Insert Bit Packs, 1" CVM S2 modified tool steel.

Item	Size	mm	lbs.	2 Bit Pack
701 50	T7s	25	.03	
701 51	T8s	25	.03	
701 52	T9s	25	.03	
701 53	T10s	25	.03	
701 54	T15s	25	.03	
701 55	T20s	25	.03	
701 56	T25s	25	.03	
701 57	T27s	25	.03	
701 58	T30s	25	.03	
701 59	T40s	25	.03	



705 TORX® Power Bits, Tamper Resistant. 1/4" Hex Drive, Length 2.0"/50mm

Item	Size	mm	pkg.	lbs.
705 07	T7s	50	10	.18
705 08	T8s	50	10	.18
705 09	T9s	50	10	.18
705 10	T10s	50	10	.19
705 15	T15s	50	10	.19
705 20	T20s	50	10	.21
705 25	T25s	50	10	.23
705 27	T27s	50	10	.23
705 30	T30s	50	10	.23
705 40	T40s	50	10	.23
705 45	T45s	50	10	.33
705 50	T50s	50	10	.37
705 55	T55s	50	10	.37



725 TR TORX® Bits, Tamper Resistant, 5/16"

Item	Size	mm	pkg.	lbs.
725 42	T40s	35	10	.28
725 47	T45s	35	10	.32
725 52	T50s	35	10	.34
725 57	T55s	35	10	.52



725 TR TORX® Bits, Tamper Resistant, 5/16" 2 Bit Pack

Item	Size	mm	lbs.	2 Bit Pack
725 62	T40s	35	.28	
725 63	T45s	35	.29	
725 64	T50s	35	.30	
725 67	T55s	35	.32	



705 Tamper Resistant TORX® Power Bit Packs, 2"

Item	Size	mm	lbs.	2 Bit Pack
705 56	T7s	50	.07	
705 57	T8s	50	.07	
705 58	T9s	50	.07	
705 59	T10s	50	.07	
705 60	T15s	50	.07	
705 61	T20s	50	.07	
705 62	T25s	50	.07	
705 63	T27s	50	.07	
705 64	T30s	50	.07	
705 65	T40s	50	.07	
705 66	T45s	50	.07	
705 67	T50s	50	.07	
705 68	T55s	50	.07	

Torx® Profiles



Wiha Tamper Resistant TORXPlus® Insert Bit



716 TORXPlus® Security Insert Bits, 1/4" Hex, 1" OAL

Item	Size	mm	pkg.	lbs.
716 48	IPR8	25	1	.11
716 50	IPR10	25	1	.11
716 52	IPR15	25	1	.11
716 54	IPR20	25	1	.12
716 56	IPR25	25	1	.13
716 57	IPR27	25	1	.13
716 58	IPR30	25	1	.14
716 60	IPR40	25	1	.14

IPR - 5 point Security TorxPlus bits are available for special order to authorized OEM's and their certified service agents. You must submit a written certification/documentation to purchase this product. Call our customer service department: (800) 494-6104 for information.

Wiha TORXPlus® Insert Bits and Power Bits

TORXPlus®

Made in Germany -
Production Quality

High resistant
to wear and
tear for a
long tool life



Impact resistant modified
chrome-vanadium-molybdenum,
tool steel, hardened

Suitable for all applications
Hardness HRC 59-61
Suitable for both manual and
machine applications



716 TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

Item No.	Size	mm	pkg.	lbs.
716 03	IP3	25	10	.12
716 04	IP4	25	10	.12
716 05	IP5	25	10	.12
716 06	IP6	25	10	.12
716 07	IP7	25	10	.12
716 08	IP8	25	10	.12
716 09	IP9	25	10	.12
716 10	IP10	25	10	.12
716 15	IP15	25	10	.12
716 20	IP20	25	10	.12
716 25	IP25	25	10	.12
716 27	IP27	25	10	.13
716 30	IP30	25	10	.13
716 40	IP40	25	10	.15



716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

Item No.	Size	mm	lbs.	2 Bit Pack
716 31	IP3	25	.03	
716 32	IP4	25	.03	
716 33	IP5	25	.03	
716 34	IP6	25	.03	
716 35	IP7	25	.03	
716 36	IP8	25	.03	
716 37	IP9	25	.03	
716 38	IP10	25	.03	
716 39	IP15	25	.03	
716 41	IP20	25	.03	
716 42	IP25	25	.03	
716 43	IP27	25	.03	
716 44	IP30	25	.03	
716 45	IP40	25	.04	



746 TORXPlus® Power Bits, 1/4" Hex, 2" OAL

Item No.	Size	mm	pkg.	lbs.
746 02	IP6	50	10	.18
746 03	IP7	50	10	.18
746 04	IP8	50	10	.18
746 08	IP9	50	10	.18
746 12	IP10	50	10	.20
746 16	IP15	50	10	.20
746 20	IP20	50	10	.20
746 24	IP25	50	10	.20
746 28	IP27	50	10	.25
746 32	IP30	50	10	.25
746 36	IP40	50	10	.25

746 TorxPlus® Power Bit Packs, 2"

Item No.	Size	mm	lbs.	2 Bit Pack
746 60	IP6	50	.05	
746 61	IP7	50	.05	
746 62	IP8	50	.05	
746 63	IP9	50	.05	
746 64	IP10	50	.05	
746 65	IP15	50	.05	
746 66	IP20	50	.05	
746 67	IP25	50	.05	
746 68	IP27	50	.05	
746 69	IP30	50	.05	
746 70	IP40	50	.05	



Wiha Ball End TORX® Bits



NEW
From Wiha



745 Ball End TORX® Bits, 1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
745 24	T9	50	10	.18
745 26	T10	50	10	.18
745 28	T15	50	10	.18
745 32	T20	50	10	.18
745 34	T25	50	10	.18
745 37	T27	50	10	.18
745 39	T30	50	10	.18
745 41	T40	50	10	.18



NEW
From Wiha

745 Ball End TORX® Power Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.	2 Bit Pack
745 05	T9	50	.05	
745 20	T10	50	.05	
745 22	T15	50	.05	
745 43	T20	50	.05	
745 45	T25	50	.06	
745 47	T27	50	.06	
745 49	T30	50	.08	
745 50	T40	50	.08	

See additional Ball End TORX
Tools on Page 12

Wiha Bit Holders



714 ClickFix Bit Holder, Magnetic For Insert Bits

Item No.	Size	Size	mm	Inch
714 90	1/4"	1/4"	60	2.4
714 91	1/4"	1/4"	75	2.9



714 7 YbfcFix Bit Holder For Power Bits

Item No.	Size	Size	mm	Inch
714 80	1/4"	1/4"	60	2.3



Wiha Sockets



761 TORX® Sockets. 1/4" Square Drive

Item	Size	mm	lbs.
761 06	T6	38	.04
761 07	T7	38	.04
761 09	T8	38	.04
761 11	T9	38	.04
761 13	T10	38	.04
761 17	T15	38	.04
761 19	T20	38	.04
761 21	T25	38	.04
761 23	T27	38	.04
761 29	T30	38	.05
761 31	T40	38	.05



716 TORXPlus® Sockets. 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" Bits

Item	Size	mm	lbs.
716 61	IP6	38	.04
716 62	IP7	38	.04
716 63	IP8	38	.04
716 64	IP9	38	.04
716 65	IP10	38	.04
716 66	IP15	38	.04
716 67	IP20	38	.04
716 68	IP25	38	.04
716 69	IP27	38	.04
716 70	IP30	38	.04
716 71	IP40	38	.04



701 Tamper Resistant TORX® Sockets 3/8" Square drive, 1/4" bits. 2" OAL

Item	Size	mm	lbs.
701 07	T7s	42	.09
701 08	T8s	42	.09
701 09	T9s	42	.09
701 10	T10s	42	.09
701 13	T15s	42	.09
701 15	T20s	42	.09
701 17	T25s	42	.09
701 19	T27s	42	.09
701 21	T30s	42	.09
701 23	T40s	42	.09



763 TORX® Sockets. 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" Bits.

Item	Size	mm	lbs.
763 12	T9	42	.09
763 14	T10	42	.09
763 16	T15	42	.09
763 18	T20	42	.09
763 22	T25	42	.09
763 24	T27	42	.09
763 26	T30	42	.09
763 28	T40	42	.09



716 TORXPlus® Sockets. 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" Bits

Item	Size	mm	lbs.
716 73	IP9	42	.09
716 74	IP10	42	.09
716 75	IP15	42	.09
716 76	IP20	42	.09
716 77	IP25	42	.09
716 78	IP27	42	.09
716 80	IP30	42	.09
716 81	IP40	42	.09



763 Tamper Resistant TORX® Sockets 3/8" Square drive, 5/16" bits.

Item	Size	mm
763 39	T40s	51
763 40	T45s	51
763 41	T50s	51
763 42	T55s	51

1/2" Square Drive Sockets



764 TORX® Sockets. 1/2" Square Drive

Item	Size	mm	lbs.	pkg.
764 03	T30	59	.10	1
764 04	T40	59	.10	1
764 05	T45	59	.10	1
764 06	T50	59	.10	1
764 07	T55	59	.11	1



763 TORX® Sockets. 3/8" Square Drive, Set Screw Replaceable Bit. 5/16" Bit. 2" OAL

Item	Size	mm	lbs.
763 46	T40	51	.11
763 48	T45	51	.11
763 52	T50	51	.11
763 54	T55	51	.13



Tamper Resistant TORX® Sockets 1/4" Square drive, 1/4" bits.

Item	Size	mm
763 29	T7s	38
763 30	T8s	38
763 31	T9s	38
763 32	T10s	38
763 33	T15s	38
763 34	T20s	38
763 35	T25s	38
763 36	T27s	38
763 37	T30s	38
763 38	T40s	38



764 Tamper Resistant TORX® Sockets 1/2" Square Drive

Item	Size	mm	lbs.	pkg.
764 11	T40s	59	.11	1
764 12	T45s	59	.11	1
764 13	T50s	59	.11	1
764 14	T55s	59	.12	1

Wiha Long Blade Sockets



771 TORX® Sockets

1/4" Drive 6" Long Bit Socket

Item	No.	Size	Inch	lbs.
	771 51	T8	6	.12
	771 53	T9	6	.12
	771 52	T10	6	.12
	771 54	T15	6	.12
	771 56	T20	6	.12
	771 58	T25	6	.12
	771 60	T27	6	.12
	771 62	T30	6	.12
	771 64	T40	6	.12

771 93 7 Pc. TORX® Socket Blade Set

TORX®: T10, T15, T20, T25, T27, T30, T40

wt. .69



771 TORX® Sockets

3/8" Drive 6" Long Bit Socket

Item	No.	Size	Inch	lbs.
	771 01	T8	6	.12
	771 03	T9	6	.12
	771 05	T10	6	.12
	771 07	T15	6	.12
	771 09	T20	6	.12
	771 11	T25	6	.12
	771 13	T27	6	.12
	771 15	T30	6	.12
	771 17	T40	6	.12

771 95 9 Pc. TORX® Socket Blade Set

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40

wt. .93

Wiha External Sockets



773 TORX® External Sockets 1/4" Square drive socket.

Item	No.	Size	mm	lbs.
	773 04	E4	25	.03
	773 05	E5	25	.03
	773 06	E6	25	.03
	773 07	E7	25	.04
	773 08	E8	25	.04
	773 10	E10	25	.04

773 TORX® External Sockets 3/8" Square drive socket.

Item	No.	Size	mm	lbs.
	773 31	E8	28	.07
	773 33	E10	28	.07
	773 35	E12	28	.07
	773 37	E14	28	.08



773 TORX® External Sockets 1/2" Square drive socket.

Item	No.	Size	mm	lbs.
	773 41	E12	37	.12
	773 43	E14	37	.12
	773 45	E16	37	.14
	773 47	E18	37	.14
	773 49	E20	37	.15
	773 53	E24	40	.26



773 90 22 pc. TORX® Set 1/4" Drive Socket

Ratchet 5.5", extension 2" & 4", swivel and hand driver in steel box. Hard chromed and polished.

Item No.	lbs.	Set includes the following:
773 90	2.14	E4, E5, E6, E7, E8, E10, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40

Wiha E-TORX® Socket Set On Molded Rails



773 91 8 pc. E-TORX® Socket Set

Item No.	lbs.	Set includes the following:
773 91	.62	1/4" drive: E6, E7, E8, E10 3/8" drive: E12, E14 1/2" drive: E16, E18



Wiha Socket Sets On Rails



761 91 10 pc. TORX® Socket Set
1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.	Weight	Set includes the following:
761 91	lbs. .48	T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



761 94 6 pc. TORX® Socket Set
1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel.

Item No.	Weight	Set includes the following:
761 94	lbs. .20	T10, T15, T20, T25, T27, T30



763 95 8 pc. TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.	Weight	Set includes the following:
763 95	lbs. .75	T9, T10, T15, T20, T25, T27, T30, T40



763 96 8 pc. TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

Item No.	Weight	Set includes the following:
763 96	lbs. .84	1/4": T20, T25, T27, T30, T40, 5/16": T45, T50, T55

Security Torx®




701 95 10 pc. Tamper Resistant TORX® Socket Set 1/4" Square drive replaceable bit socket. 1/4" Bits CVM tool steel.

Item No.	Weight	Set includes the following:
701 95	lbs. .48	T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s



763 97 9 pc. Tamper Resistant TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.	Weight	Set includes the following:
763 97	lbs. .85	1/4": T10s, T15s, T20s, T27s, T30s, 3/8": T40s (1/4" bit), 3/8": T45s, T50s



763 99 12 pc. Tamper Resistant TORX® Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.	Weight	Set includes the following:
763 99	lbs. .77	1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s, 5/16": T45s, T50s, T55s



716 98 8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits Chrome-vanadium-molybdenum tool steel.


Item No.	Weight	Set includes the following:
716 98	lbs. .60	1/4": IP9, IP10, IP15, IP20, 3/8": IP25, IP27, IP30, IP40



Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
10893	6	28504	23	32551	7	36293	7	36560	21	45521	9	71505	32	71660	34
20756	15	28506	23	32556	7	36294	5	36561	21	45522	9	71506	32	71661	36
20757	15	28508	23	32561	7	36296	18	36562	21	45525	10	71507	32	71662	36
20758	15	28512	23	32590	7	36298	6	36590	16	45526	9	71508	32	71663	36
20759	15	28522	24	32592	7	36299	18	36591	16	45527	10	71509	32	71664	36
20760	15	28524	24	36106	19	36305	14	36592	17	45528	9	71510	32	71665	36
20799	15	28526	24	36107	19	36306	14	36598	21	45530	10	71515	32	71666	36
26703	26	28527	23	36108	19	36307	14	36606	19	45531	9	71520	32	71667	36
26704	26	28528	23	36109	19	36308	14	36607	19	45536	9	71525	32	71668	36
26705	26	28529	23	36110	19	36309	14	36608	19	45540	10	71527	32	71669	36
26706	26	28530	23	36115	19	36310	14	36609	19	45541	9	71530	32	71670	36
26707	26	28531	23	36120	19	36315	14	36610	19	45545	10	71540	32	71671	36
26708	26	28532	23	36125	19	36320	14	36615	19	45546	9	71516	31	71673	36
26709	26	28533	23	36127	19	36321	15	36620	19	45550	10	71517	31	71674	36
26710	26	28550	23	36130	19	36323	15	36625	19	45551	9	71518	31	71675	36
26715	26	28551	23	36140	19	36325	14	36627	19	45556	9	71519	31	71676	36
26720	26	28552	23	36197	19	36326	15	36630	19	45561	9	71521	31	71677	36
26721	20	28553	23	36199	19	36327	14	36640	19	45589	9	71522	31	71678	36
26723	20	28554	23	36200	6	36328	15	36631	12	45591	9	71536	33	71680	36
26725	20	28561	23	36201	5	36329	15	36632	12	45592	9	71537	33	71681	36
26727	20	28562	23	36202	20	36330	14	36633	12	45593	10	71538	33	71690	30
26729	20	28563	23	36203	20	36332	15	36634	12	45595	10	71539	33	71692	30
26731	20	28564	23	36204	6	36335	15	36635	12	45597	10	71541	33	71698	38
26732	27	28565	23	36205	7	36337	15	36636	12	45598	10	71542	33	72525	32
26733	27	28566	23	36206	6	36339	15	36637	12	48400	9	71543	33	72527	32
26735	27	28567	23	36207	20	36340	14	36638	12	52711	8	71544	33	72530	32
26736	27	28568	23	36208	6	36342	15	36645	15	52713	8	71545	33	72531	32
26737	27	28569	23	36209	6	36345	14	36646	15	52716	8	71545	33	72540	32
26739	27	28571	23	36210	7	36346	15	36647	15	52719	8	71546	33	72541	32
26741	27	28572	23	36211	18	36350	14	36648	15	52722	8	71547	33	72544	34
26743	27	28573	23	36212	7	36352	15	36649	15	52726	8	71550	32	72545	32
26745	27	28574	23	36215	7	36355	14	36650	15	52729	8	71551	32	72547	34
26747	27	28575	23	36216	12	36357	15	36651	15	52732	8	71552	32	72546	32
26749	27	28576	23	36217	12	36360	14	36652	15	52790	8	71553	32	72550	32
26751	27	28577	23	36218	6	36392	14	36653	15	52791	8	71554	32	72551	32
26790	26	28578	23	36219	6	36393	15	36654	15	62992	26	71555	32	72552	34
26792	26	28579	23	36220	7	36394	14	36655	15	70107	36	71556	32	72555	32
26793	27	28597	24	36221	12	36395	16	36659	15	70108	36	71557	32	72556	32
26796	27	28598	24	36222	12	36396	16	36661	15	70109	36	71558	32	72557	34
26798	20	28611	23	36223	18	36397	16	36690	19	70110	36	71559	32	72562	34
26799	26	28612	23	36224	6	36398	16	36691	19	70113	36	71560	32	72563	34
26951	28	28613	23	36225	7	36399	14	36692	12	70115	36	71561	32	72564	34
26952	28	28614	23	36226	12	36409	14	36697	17	70117	36	71562	31	72567	34
26953	28	28616	23	36227	12	36410	14	36698	15	70119	36	71563	31	73310	33
26954	28	28617	23	36228	18	36415	14	36699	15	70121	36	71564	31	73311	33
26955	28	28618	23	36229	18	36417	14	37013	16	70123	36	71565	31	73312	33
26956	28	28619	23	36230	7	36420	14	37016	16	70127	34	71566	31	73313	33
26957	28	28690	24	36233	18	36422	14	37019	16	70128	34	71569	31	73314	33
26987	28	28825	24	36234	20	36425	14	37022	16	70129	34	71567	31	73315	33
26995	28	28826	24	36235	7	36427	14	37026	16	70135	34	71568	31	73316	33
27801	25	28827	24	36236	12	36430	14	37029	16	70139	34	71570	33	73317	33
27802	25	28828	24	36237	12	36432	14	37032	16	70142	34	71571	33	73318	33
27803	25	28829	24	36238	18	36435	14	37036	16	70148	34	71574	31	73319	33
27804	25	28830	24	36239	18	36437	14	37040	17	70150	34	71576	31	73320	33
27805	25	28903	24	36240	7	36440	14	37042	17	70151	34	71578	31	74411	33
27811	25	28904	24	36243	18	36442	14	37044	17	70152	34	71580	31	74413	33
27817	25	28905	24	36244	20	36445	14	37046	17	70153	34	71582	31	74415	33
27823	25	28906	24	36245	7	36450	14	37048	17	70154	34	71584	31	74417	33
27829	25	28907	24	36248	18	36452	14	37050	17	70155	34	71585	31	74419	33
27835	25	28908	24	36249	20	36461	18	37052	17	70156	34	71586	31	74421	33
27841	25	28910	24	36250	7	36463	18	37054	17	70157	34	71587	31	74423	33
27847	25	28911	24	36253	18	36466	18	37090	16	70158	34	71588	31	74429	33
27850	25	28912	24	36254	20	36469	18	37091	16	70159	34	71603	35	74431	33
27851	25	28913	24	36255	18	36472	18	37092	17	70160	34	71604	35	74433	33
27852	25	28914	24	36256	20	36474	18	37106	21	70163	34	71605	35	74435	33
27853	25	28915	24	36257	20	36476	18	37107	21	70168	34	71606	35	74501	33
27854	25	28931	24	36258	20	36478	18	37108	21	70190	30	71607	35	74502	33
27855	25	28933	24	36259	6	36480	13	37109	21	70195	38	71608	35	74503	33
27856	25	28935	24	36260	6	36481	13	37110	21	70507	34	71609	35	74504	33
27857	25	28937	24	36264	5	36482	13	37115	21	70508	34	71610	35	74505	35
27890	25	28938	24	36266	5	36483	13	37120	21	70509	34	71615	35	74506	33
27894	25	28939	24	36267	5	36484	13	37125	21	70510	34	71620	35	74508	33
27899	25	29132	22	36268	5	36486	13	37127	21	70515	34	71625	35	74510	33
28000	28	29133	22	36269	6	36487	13	37130	21	70520	34	71627	35	74511	32
28001	28	29134	22	36270	5	36492	14	37140	21	70525	34	71630	35	74512	32
28087	28	29136	22	36271	6	36493	14	37190	21	70527	34	71631	35	74513	32
28103	31	29137	22	36272	5	36496	18	37192	21	70530	34	71632	35	74514	33
28126	11	29138	22	36273	6	36497	13	38003	29	70540	34	71633	35	74515	33
28127	11	29140	22	36274	5	36510	16	38004	29	70545	34	71634	35	74516	33
28128	11	29151	22	36275	6	36512	16	38008	29	70550	34	71635	35	74517	32
28129	11	29152	22	36276	5	36515	16	38009	30	70555	34	71636	35	74518	33
28130	11	29153	22	36277	6	36520	16	38010	30	70556	34	71637	35	74519	32
28132	11	29155	22	36278	5	36525	16	38015	31	70557	34	71638	35	74520	35
28133	11	29156	22	36279	6	36530	16	38028	29	70558	34	71639	35	74521	32
28134	11	29157	22	36280	5	36535	16	38450	31	70559	34	71640	35	74522	35
28135	11	29159	22	36281	6	36540	17	38460	31	70560	34	71641	35	74523	32
28136	11	29190	22	36282	5										



(800) 494-6104
fax: (800) 494-7456
email: cservice@wihatools.com
www.wihatools.com



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
Tel: 763/295-6591
fax: 763/295-6598

Wiha Tools Canada Ltd.

249 Summerlea Road
Brampton, ONT L6T 4X4
Tel: 763/295-6591
fax: 763/295-6598

To:



Catalog Item No. 99914
Subject to change without notice

©Torx is a registered trademark of camcar/textron